

# BELUGA 40 INTERIOR AUTOMOTIVE FILMS



## **BELUGA 40**

New spearhead, its high-end construction combined with nano ceramic technology provides a deep black shade, allowing privacy while effectively rejecting heat.







Storage from -5°C to +40°C 3 YEARS

REACH ROHS compliant

## **TECHNICAL DATA**

Data calculated based on film applied to clear glass 3 mm thick (\* on double glazing 4-16-4)

Ultraviolet transmission	1%
Visible light transmission	40%
Reflection of external visible light	7%
Reflection of internal visible light	7%
Total solar energy rejected	54%
Total solar energy rejected 2 *	NC
Solar ratio:	
Solar energy reflection	8%
Solar energy absorption	74%
Solar energy transmission	18%
Reduction in Solar Glare	62%
G-value	NC
Rejected infrared (760-2500 Nm)	85%
Installation type	Interior
Roll length	30,5 m
Film composition	PET
Thickness	50 µ
Colour from the outside	Black

### MAINTENANCE

Use soapy water solution for cleaning. Do not clean for at least a month after installation and do not apply any type of stickers or adhesive on the film. For more information read our maintenance instructions and quality standards on www.solfilmsgrossisten.se

#### **INSTALLATION ADVICE**

Vertical installation and on standard glass surface \*

Clear single pane		
Tinted single pane		×
Reflective tinted si	ngle pane	1
Clear double pane		×
Tinted double pane	e	×
Reflective tinted do	ouble pane	
Gas-filled double p	ane - Low E	×
STADIP EXT. clear	double pane	×
STADIP INT. clear	double pane	×

### ✓ Yes │ Caution Ⅹ Not

#### Recommended

\* Recommendations provided on the basis of a glazed surface covering up to 2.5 m<sup>2</sup>, contact us for definitive details or to obtain a thermal chock analysis report.

### CONSTRUCTION

- Hard scratch resistant layer, for durability and ease of maintenance during window cleaning
- 2. High optical quality dyed polyester with optical distortion
- 3. Bonding adhesive
- 4. High optical quality dyed polyester with anti-heat nano cermaic particles
- **5.** PS adhesive, glass polymerization within 15 days
- 6. Protection release liner, disposable after installation

