



# Xoms

## Intelligent Basic Pallet Wrapping Machine

- 1500mm Turntable
- 2000mm Packing height
- Max load weight 1500kg
- Film Carriage safety device
- Consistent force film system
- Pre-fix film device, high packaging efficiency
- Intelligent alarm system with LED indicator
- Smart Wasp operation panel



**EXCELLENCE IN EVERY PACK** | **EVERY SERVICE** | **EVERY REPAIR**

# From £2900

## ENQUIRE NOW

Email - [office@hayespackaging.co.uk](mailto:office@hayespackaging.co.uk) - Telephone - 01707 819119

Website - [www.hayespackaging.co.uk](http://www.hayespackaging.co.uk)



## Wrapping height 2000mm

*The intelligent height-sensing system that automatically detects the height of each pallet. This ensures precise and consistent wrapping every time, reducing film waste and improving load stability. Adjustable wrapping height settings allow full customization for different pallet sizes*



## LCD Touch Screen System

*Featuring an intuitive, easy-to-use touchscreen, our machine lets you customize the wrapping to perfectly secure your load. For added control, management can lock the settings to prevent any unauthorized changes*



## Alarm System

*If an operator error occurs, the touchscreen immediately displays the fault along with step-by-step guided images and instructions—eliminating the need to call a repair engineer. LED indicators provide at-a-glance status: Red for faults, Blue for ready, and Green for running*



## Carriage safety device

*Operator protection under the film carriage,  
clear panel for quick checks, and real-time belt  
alarms to prevent drops—safety you can see  
and trust*



## Reliable components

*Components used in major industry*

*SIEMENS - PLC*

*SICK - proximity sensors*

*AUTONICS - photo electric sensor*

*WEIDMULLER - terminal block*

*OMRON - 24V DC supply*





Brand	SmartWasp	Soft start&stop			Included		
Model	X0ms	Intelligent Alarm			Included		
Load weight	1500kg/2000kg/2500kg	Stop at original			Included		
Turntable speed	3-10rpm	Turntable lock			Included		
Packing speed	25-30 loads/h	Cut film			Manual		
Column height	2400mm/2800mm/3200mm	Fix film on pallet			Artificial supplementary		
Packing height	2000mm/2400mm/2800mm	PLC			PCB Integrated Circuit Plate		
Turntable size	1500mm/1650mm/1800mm/2000mm/	Inverter					
Turntable height	86.7mm	Touch screen			Smart Wasp		
Pre-stretch rate	Mechanical Stretch	Contacts			Schneider		
Up&down speed	1.5-5m/min	Button switch			Schneider		
Film Width	500mm	Approaching switch			SICK		
Film paper Core	76mm	Safety device			Film carriage bottom safety sensor		
Noise decibel	≤75dB(A)						
Working environment	Humidity: ≤90% Temperature: -10-40℃	Pneumatic components			AirTac/Festo		
		Motor			Smart Wasp		
Machine power	0.75KW/0.375KW/0.375KW						
Voltage	2P AC 220V 50Hz	Industrial appearance			Metal plate		
Machine weight	450kg(1500mm) 530kg(1650mm)	Remote control			Optional		
Machine size	L2335*W1500*H2400(mm)	Certificate			CE		

