



X100

Intelligent Standard Pallet Wrapping Machine

- 1650mm Turntable
- 2350mm Packing height
- Up to 380% Pre-Stretch (1m stretch to 3m)
- Max load weight 1500kg
- Automatic cut film
- Film Carriage safety device
- SIEMENS control System
- X-Line IoT
- Intelligent alarm system with LED indicator



EXCELLENCE IN EVERY PACK

EVERY SERVICE

EVERY REPAIR

From £5900

ENQUIRE NOW


Email - office@hayespackaging.co.uk - Telephone - 01707 819119

Website - www.hayespackaging.co.uk



Automatic Cutting Film System

Once a pallet is fully wrapped, our pallet wrapping machine automatically cuts the film and holds it ready for the next load—no operator intervention required



LCD Touch Screen System

Featuring an intuitive, easy-to-use touchscreen, our machine lets you customize the wrapping to perfectly secure your load. For added control, management can lock the settings to prevent any unauthorized changes



Alarm System

If an operator error occurs, the touchscreen immediately displays the fault along with step-by-step guided images and instructions—eliminating the need to call a repair engineer. LED indicators provide at-a-glance status: Red for faults, Blue for ready, and Green for running



Film savings - Pre stretch drive

Achieve up to 380% pre-stretch for maximum efficiency. Minimize film usage per meter with consistent, controlled dispensing. Enjoy precise, fixed-point wrapping to get the most out of every roll of film.




Roping System

Our automatic rope technology forms a loop of film rope and securely attaches it to the pallet, enhancing the stability and safety of your load




Remote Control System

Easily operate the machine with remote controls to start or pause—making operation more convenient. Reduce the need for operators to leave the forklift, saving time and boosting efficiency



Carriage safety device

*Operator protection under the film carriage,
clear panel for quick checks, and real-time belt
alarms to prevent drops—safety you can see and
trust*



Reliable components

Components used in major industry


SIEMENS - PLC

SICK - proximity sensors

AUTONICS - photo electric sensor

WEIDMULLER - terminal block

OMRON - 24V DC supply



Model	SMART WASP X100a	Spare Parts		Brand	
Maximum wrapping speed	20-25 loads/hour	Inverter		SIEMENS	
Load Size Diagonal	1753mm	Sensor		SICK(Germany)	
maximum Wrapping Height	2400mm	PLC		SIEMENS	
Turntable Speed	0-12RPM(Adjustable)	Travel Switch		OMRON(Japan)	
Turntable Size	1650mm	Motor		GPG(Taiwan)	
Turntable Drive	1PH	Touch screen		SIEMENS/X-LINE	
Film Cut and Clamp	Automatic	Switch		SIEMENS	
Intelli-Sensor	Standard	Position switch		OMRON(Japan)	
Standard Film Width	500mm				
Constant Film Delivery Force	Standard				
Standard Pre-Stretch	300% pre-stretch				
Wrap Force	Variable (Electric)				
Film Capacity	250mm Diametery	Special Process		Introduction	
Film Delivery System	Power Roller -Stretch Plus	Frame		Steel+ABS	
Film Rope System	Standard	Printing		Metallic Paint	
Integrated Scale	Optional	Fall-proof		Inside Safety Belt	
Machine Weight	680KG	Cutting		Auto option	
Machine Size	L:2800mm W:1650mm H:2745mm	Turntable Roller		Double Nylon Roller	
Remote Control System	Have	Up&Down Drive		Belt	
Voltage	220/110V/50HZ	Up&Down Guideway		Double Balance Device	

