

## Grp enclosures - One piece cabinets

Product	Internal Dimensions	External Dimensions
PWH501	1000 x 500 x 1000mm high	1150 x 650 x 1080mm high
PWH601	1000 x 500 x 1200mm high	1150 x 650 x 1280mm high
PWH1000	1000 x 1000 x 1000mm high	1150 x 1150 x 1080mm high
PWH1500	1500 x 1000 x 1000mm high	1650 x 1150 x 1080mm high
PWH1501	1000 x 1000 x 1500mm high	1175 x 1175 x 1530mm high
PWH1818	1220 x 1220 x 1220mm high	1370 x 1370 x 1300mm high
PWH2000	2000 x 1000 x 1000mm high	2150 x 1150 x 1080mm high
PWH2001	1000 x 1000 x 2000mm high	1150 x 1150 x 2080mm high
PWH2250	1500 x 1000 x 1500mm high	1650 x 1150 x 1580mm high
PWH2501	2000 x 1000 x 1250mm high	2150 x 1150 x 1330mm high
PWH2726	1828 x 1220 x 1220mm high	1978 x 1370 x 1300mm high
PWH3001	2000 x 1000 x 1500mm high	2150 x 1150 x 1580mm high
PWH3636	2440 x 1220 x 1220mm high	2590 x 1370 x 1300mm high
PWH4001	2000 x 1000 x 2000mm high	2150 x 1150 x 2080mm high
PWH4500	2500 x 1500 x 1200mm high	2650 x 1650 x 1280mm high
PWH5625	2500 x 1500 x 1500mm high	2650 x 1650 x 1580mm high
PWH6001	2000 x 2000 x 1500mm high	2150 x 2150 x 1580mm high
PWH7500	2500 x 2000 x 1500mm high	2650 x 2150 x 1580mm high
PWH8000	2000 x 2000 x 2000mm high	2150 x 2150 x 2080mm high
PWH9000	3000 x 2000 x 1500mm high	3150 x 2150 x 1580mm high
PWH12000	3000 x 2000 x 2000mm high	3150 x 2150 x 2080mm high

Grp composite one piece construction providing durable and cost effective protection for industrial equipment.

### Features and benefits:

- One piece construction requiring no on-site assembly.
- Low maintenance, durable construction
- Lightweight, allowing easy movement and installation.
- Available in a range of external colours to allow matching with other equipment.
- Locking door with cylinder night latch.
- Supplied with 25mm encapsulated insulation as standard.
- Large range of configurations available.
- Externally flanged to allow fixing down to foundation.

Grp enclosures offer a cost effective solution for the protection and concealment of a range of products including:

- Water storage tanks.
- Pump stations and booster sets.
- Water treatment equipment.
- Electrical equipment.
- Control equipment for the water supply and waste water industry.
- RPZ valve protection.

### Quality Assurance

- Designed and built in accordance with Quality assurance system.
- Manufactured using materials of the Highest quality.

### Optional fittings include:

- Louvred vents.
- Ply mounting board to suit electrical equipment.
- Frost protection.
- Electrical consumer unit.
- Bulkhead lighting.
- 240v electrical socket.
- Electrical items are fitted only and require wiring by others.



# Grand Enclosure Range



Product	18mm INSULATION WALL BUILD			50mm INSULATION WALL BUILD						Lifting Eyes	Louvred Vents	Door opening 1 x double door	1 No ply mounting board
	Length (mm)	Depth (mm)	Height (mm)	Length (mm)	Depth (mm)	Height (mm)	Length (mm)	Depth (mm)	Overall Height (mm)				
	Internal	Internal	Internal	Internal	Internal	Internal	External	External	External		300x300mm		1200x1200mm
PWHG.2x2x2	1860	1860	2000	1700	1700	2000	2075	2075	2200	4	2 No included	1600x1700mm high	Included
PWHG.2.5x2x2	2360	1860	2000	2200	1700	2000	2575	2075	2200	4	2 No included	1600x1700mm high	Included
PWHG.3x2x2	2860	1860	2000	2700	1700	2000	3075	2075	2200	4	2 No included	1600x1700mm high	Included
PWHG.4x2x2	3860	1860	2000	3700	1700	2000	4075	2075	2200	4	2 No included	1800x1700mm high	Included
PWHG.5x2x2	4860	1860	2000	4700	1700	2000	5075	2075	2200	4	2 No included	1800x1700mm high	Included
PWHG.6x2x2	5860	1860	2000	5700	1700	2000	6075	2075	2200	4	2 No included	1800x1700mm high	Included
PWHG.7x2x2	6860	1860	2000	6700	1700	2000	7075	2075	2200	4	2 No included	1800x1700mm high	Included
PWHG.8x2x2	7860	1860	2000	7700	1700	2000	8075	2075	2200	4	2 No included	1800x1700mm high	Included
PWHG.2x2.5x2	1860	2360	2000	1700	2200	2000	2075	2575	2200	4	2 No included	1600x1700mm high	Included
PWHG.2.5x2.5x2	2360	2360	2000	2200	2200	2000	2575	2575	2200	4	2 No included	1600x1700mm high	Included
PWHG.3x2.5x2	2860	2360	2000	2700	2200	2000	3075	2575	2200	4	2 No included	1600x1700mm high	Included
PWHG.4x2.5x2	3860	2360	2000	3700	2200	2000	4075	2575	2200	4	2 No included	1800x1700mm high	Included
PWHG.5x2.5x2	4860	2360	2000	4700	2200	2000	5075	2575	2200	4	2 No included	1800x1700mm high	Included
PWHG.6x2.5x2	5860	2360	2000	5700	2200	2000	6075	2575	2200	4	2 No included	1800x1700mm high	Included
PWHG.7x2.5x2	6860	2360	2000	6700	2200	2000	7075	2575	2200	4	2 No included	1800x1700mm high	Included
PWHG.8x2.5x2	7860	2360	2000	7700	2200	2000	8075	2575	2200	4	2 No included	1800x1700mm high	Included
PWHG.3x3x2	2860	2860	2000	2700	2700	2000	3075	3075	2200	4	2 No included	1600x1700mm high	Included
PWHG.4x3x2	3860	2860	2000	3700	2700	2000	4075	3075	2200	4	2 No included	1800x1700mm high	Included
PWHG.5x3x2	4860	2860	2000	4700	2700	2000	5075	3075	2200	4	2 No included	1800x1700mm high	Included
PWHG.6x3x2	5860	2860	2000	5700	2700	2000	6075	3075	2200	4	2 No included	1800x1700mm high	Included
PWHG.7x3x2	6860	2860	2000	6700	2700	2000	7075	3075	2200	4	2 No included	1800x1700mm high	Included
PWHG.8x3x2	7860	2860	2000	7700	2700	2000	8075	3075	2200	4	2 No included	1800x1700mm high	Included
PWHG.2x2.5x2.5	1860	1860	2500	1700	1700	2500	2075	2075	2700	4	2 No included	1600x2000mm high	Included
PWHG.2.5x2.5x2.5	2360	1860	2500	2200	1700	2500	2575	2075	2700	4	2 No included	1600x2000mm high	Included
PWHG.3x2.5x2.5	2860	1860	2500	2700	1700	2500	3075	2075	2700	4	2 No included	1600x2000mm high	Included
PWHG.4x2.5x2.5	3860	1860	2500	3700	1700	2500	4075	2075	2700	4	2 No included	1800x2000mm high	Included
PWHG.5x2.5x2.5	4860	1860	2500	4700	1700	2500	5075	2075	2700	4	2 No included	1800x2000mm high	Included
PWHG.6x2.5x2.5	5860	1860	2500	5700	1700	2500	6075	2075	2700	4	2 No included	1800x2000mm high	Included
PWHG.7x2.5x2.5	6860	1860	2500	6700	1700	2500	7075	2075	2700	4	2 No included	1800x2000mm high	Included
PWHG.8x2.5x2.5	7860	1860	2500	7700	1700	2500	8075	2075	2700	4	2 No included	1800x2000mm high	Included
PWHG.2x2.5x2.5	1860	2360	2500	1700	2200	2500	2075	2575	2700	4	2 No included	1600x2000mm high	Included
PWHG.2.5x2.5x2.5	2360	2360	2500	2200	2200	2500	2575	2575	2700	4	2 No included	1600x2000mm high	Included
PWHG.3x2.5x2.5	2860	2360	2500	2700	2200	2500	3075	2575	2700	4	2 No included	1600x2000mm high	Included
PWHG.4x2.5x2.5	3860	2360	2500	3700	2200	2500	4075	2575	2700	4	2 No included	1800x2000mm high	Included
PWHG.5x2.5x2.5	4860	2360	2500	4700	2200	2500	5075	2575	2700	4	2 No included	1800x2000mm high	Included
PWHG.6x2.5x2.5	5860	2360	2500	5700	2200	2500	6075	2575	2700	4	2 No included	1800x2000mm high	Included
PWHG.7x2.5x2.5	6860	2360	2500	6700	2200	2500	7075	2575	2700	4	2 No included	1800x2000mm high	Included
PWHG.8x2.5x2.5	7860	2360	2500	7700	2200	2500	8075	2575	2700	4	2 No included	1800x2000mm high	Included

Grp composite one piece construction providing durable and cost effective protection for industrial equipment, requiring no on site assembly.

- Low maintenance, durable construction.
- Available in a range of external colours to allow matching with other equipment.
- Locking door with cylinder night latch.
- Supplied with either 18mm or 50mm encapsulated insulation.
- Large range of configurations available.
- Internally flanged to allow fixing down to foundation.

## Grand Enclosure Range

Product	18mm INSULATION WALL BUILD			50mm INSULATION WALL BUILD						Lifting Eyes	Louvred Vents	Door opening 1 x double door	1 No ply mounting board
	Length (mm)	Depth (mm)	Clear Height (mm)	Length (mm)	Depth (mm)	Clear Height (mm)	Length (mm)	Depth (mm)	Clear Height (mm)				
	Internal	Internal	Internal	Internal	Internal	Internal	External	External	External		300x300mm		1200x1200mm
PWHG.3x3x2.5	2860	2860	2500	2700	2700	2500	3075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.4x3x2.5	3860	2860	2500	3700	2700	2500	4075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.5x3x2.5	4860	2860	2500	4700	2700	2500	5075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.6x3x2.5	5860	2860	2500	5700	2700	2500	6075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.7x3x2.5	6860	2860	2500	6700	2700	2500	7075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.8x3x2.5	7860	2860	2500	7700	2700	2500	8075	3075	2700	4	2 No included	1800x2000mm high	Included
PWHG.2x2x3	1860	1860	3000	1700	1700	3000	2075	2075	3200	4	2 No included	1600x2000mm high	Included
PWHG.2.5x2x3	2360	1860	3000	2200	1700	3000	2575	2075	3200	4	2 No included	1600x2000mm high	Included
PWHG.3x2x3	2860	1860	3000	2700	1700	3000	3075	2075	3200	4	2 No included	1600x2000mm high	Included
PWHG.4x2x3	3860	1860	3000	3700	1700	3000	4075	2075	3200	4	2 No included	1800x2000mm high	Included
PWHG.5x2x3	4860	1860	3000	4700	1700	3000	5075	2075	3200	4	2 No included	1800x2000mm high	Included
PWHG.6x2x3	5860	1860	3000	5700	1700	3000	6075	2075	3200	4	2 No included	1800x2000mm high	Included
PWHG.7x2x3	6860	1860	3000	6700	1700	3000	7075	2075	3200	4	2 No included	1800x2000mm high	Included
PWHG.8x2x3	7860	1860	3000	7700	1700	3000	8075	2075	3200	4	2 No included	1800x2000mm high	Included
PWHG.2x2.5x3	1860	2360	3000	1700	2200	3000	2075	2575	3200	4	2 No included	1600x2000mm high	Included
PWHG.2.5x2.5x3	2360	2360	3000	2200	2200	3000	2575	2575	3200	4	2 No included	1600x2000mm high	Included
PWHG.3x2.5x3	2860	2360	3000	2700	2200	3000	3075	2575	3200	4	2 No included	1600x2000mm high	Included
PWHG.4x2.5x3	3860	2360	3000	3700	2200	3000	4075	2575	3200	4	2 No included	1800x2000mm high	Included
PWHG.5x2.5x3	4860	2360	3000	4700	2200	3000	5075	2575	3200	4	2 No included	1800x2000mm high	Included
PWHG.6x2.5x3	5860	2360	3000	5700	2200	3000	6075	2575	3200	4	2 No included	1800x2000mm high	Included
PWHG.7x2.5x3	6860	2360	3000	6700	2200	3000	7075	2575	3200	4	2 No included	1800x2000mm high	Included
PWHG.8x2.5x3	7860	2360	3000	7700	2200	3000	8075	2575	3200	4	2 No included	1800x2000mm high	Included
PWHG.3x3x3	2860	2860	3000	2700	2700	3000	3075	3075	3200	4	2 No included	1800x2000mm high	Included
PWHG.4x3x3	3860	2860	3000	3700	2700	3000	4075	3075	3200	4	2 No included	1800x2000mm high	Included
PWHG.5x3x3	4860	2860	3000	4700	2700	3000	5075	3075	3200	4	2 No included	1800x2000mm high	Included
PWHG.6x3x3	5860	2860	3000	5700	2700	3000	6075	3075	3200	4	2 No included	1800x2000mm high	Included
PWHG.7x3x3	6860	2860	3000	6700	2700	3000	7075	3075	3200	4	2 No included	1800x2000mm high	Included
PWHG.8x3x3	7860	2860	3000	7700	2700	3000	8075	3075	3200	4	2 No included	1800x2000mm high	Included



Grp enclosures offer a cost effective solution for the protection and concealment of a range of products including:

- Water storage tanks.
- Pump stations and booster sets.
- Water treatment equipment.
- Electrical equipment.
- Control equipment for the water supply and waste water industry.
- RPZ valve protection.