

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

Longwrap Paste

of the mixture

Registration number

Synonyms None.

Issue date 08-February-2019

Version number 02

Revision date 11-February-2019 Supersedes date 08-February-2019

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesNot available.Uses advised againstNone known.

1.3. Details of the supplier of the safety data sheet

Supplier

Company name Chase Protective Coatings Ltd

Address A CHASE CORPORATION COMPANY

Harbour Road

Rye, East Sussex, TN31 7TE

UK

Division

Telephone General Assistance +44 (0)1797 223561

e-mail info@chaseprotectivecoatings.com

Contact person Not available.

1.4. Emergency telephone Emergency Phone 44 (0)1797 223561

number

(M-Th 9:00-5:30; F 9:00-3:00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards None known.

Main symptoms Exposure may cause temporary irritation, redness, or discomfort.

2.2. Label elements

Material name: Longwrap Paste

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.
Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Supplemental label information 98 % of the mixture consists of component(s) of unknown acute oral toxicity. 98 % of the mixture

consists of component(s) of unknown acute dermal toxicity. 98 % of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 98 % of the mixture consists

of component(s) of unknown long-term hazards to the aquatic environment.

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The components are not hazardous or are below required disclosure limits.

List of abbreviations and symbols that may be used above

DSD: Directive 67/548/EEC. CLP: Regulation No. 1272/2008.

#: This substance has been assigned Union workplace exposure limit(s).

M: M-factor

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

4.2. Most important symptoms

and effects, both acute and

delayed

Exposure may cause temporary irritation, redness, or discomfort.

4.3. Indication of anyTreat

immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

procedures

Use water spray to cool unopened containers.

Specific methodsUse standard firefighting procedures and consider the hazards of other involved materials.

Material name: Longwrap Paste

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

personnel

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the For emergency responders

SDS.

Avoid discharge into drains, water courses or onto the ground. 6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Prevent entry into waterways, sewer, basements or confined areas. Following product recovery,

5 mg/m3

1 mg/m3

flush area with water. For waste disposal, see section 13 of the SDS.

6.4. Reference to other

For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

sections

SECTION 7: Handling and storage

7.1. Precautions for safe Avoid prolonged exposure. Observe good industrial hygiene practices.

handling

7.2. Conditions for safe Store in tightly closed container. Store away from incompatible materials (see Section 10 of the storage, including any SDS).

incompatibilities

Not available.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DISTILLATES

(PETROLEUM)

Occupational exposure limits

Belgium. Exposure Limit Values. Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Bulgaria. OELs. Regulation No 13 on	protection of workers aga	inst risks of exposure to che	mical agents at work

Bulgaria. OELs. Regulation No 13 on prot	ection of workers against risks of e	xposure to chemical agents at work
Components	Туре	Value

SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)		
Extracts, Petroleum, Residual Oil Solvent (CAS	TWA	5 mg/m3
64742-10-5)		

TLV

TWA

Czech Republic. OELs. Government Decree 361

Components	Туре	Value	Form	
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	Ceiling	10 mg/m3	Aerosol	
	TWA	5 mg/m3	Aerosol	
Denmark. Exposure Limit Values				
Components	Туре	Value	Form	

Material name: Longwrap Paste

Extracts, Petroleum,

64742-10-5)

Residual Oil Solvent (CAS

Mist.

Germany. DFG MAK List (advisory OELs). Commission for the Investigation of Health Hazards of Chemical Compounds in the Work Area (DFG)

in the Work Area (DFG)			
Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Respirable fraction.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	Respirable fraction.
Greece. OELs (Decree No. 90/1999, as an Components	nended) Type	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	Mist.
Hungary. OELs. Joint Decree on Chemic Components	al Safety of Workplaces Type	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	Ceiling	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	Ceiling	5 mg/m3	Mist.
Iceland. OELs. Regulation 154/1999 on o Components	ccupational exposure limits Type	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	1 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	1 mg/m3	Mist.
Ireland. Occupational Exposure Limits Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	TWA	5 mg/m3	Inhalable fraction.
Italy. Occupational Exposure Limits Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable fraction.
Extracts, Petroleum, Residual Oil Solvent (CAS	TWA	5 mg/m3	Inhalable fraction.

PETROLEUM SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 66742-65-0)	orm
Extracts, Petroleum, Residual Oil Solvent (CAS TWA 1 mg/m3 FL Idethorlands. OELs (binding) Type Value FC DISTILLATES TWA 5 mg/m3 Mi DISTILLATES TLV 1 mg/m3 Mi DISTILLATES TWA 5 mg/m3 Ini DISTILLATES TWA 5 mg/m3 Accompany to the maximum permissible maximum permissible mg/maximum permissi	ume and mist.
Netherlands. OELs (binding)	ume and mist.
Netherlands. OELs (binding) Components Type Value FC DISTILLATES TWA 5 mg/m3 Mi SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 34742-65-0) Extracts, Petroleum, Roway Administrative Norms for Contaminants in the Workplace Components Type Value FC DISTILLATES TLV 1 mg/m3 Mi Norway Administrative Norms for Contaminants in the Workplace Components Type Value FC DISTILLATES TLV 1 mg/m3 Mi Residual Oil Solvent (CAS 34742-10-5) Detriance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible netensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value FC DISTILLATES TWA 5 mg/m3 Ini PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 Ini Residual Oil Solvent (CAS 34742-10-5) PORTIANT AND S mg/m3 ARR RESIDUAL VIELS. Norm on occupational exposure to chemical agents (NP 1796) DOMPONENTS TYPE Value FC DISTILLATES TWA 5 mg/m3 ARR RESIDUAL VIELS. Norm on occupational exposure to chemical agents (NP 1796) DOMPONENTS TYPE Value FC DISTILLATES TWA 5 mg/m3 ARR RESIDUAL VIELS. Norm on occupational exposure to chemical agents at the workplace DISTILLATES TWA 5 mg/m3 ARR RESIDUAL TO THE MG/m3 ARR	ume and mist.
Type Value Food	ume and mist.
PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS SAT742-65-0) TWA 5 mg/m3 Mi Avitates, Petroleum, TWA 5 mg/m3 Mi Avitates, Petroleum, TWA 5 mg/m3 Mi Avitates, Petroleum, TVA 1 mg/m3 Mi Avitates, Petroleum, TVA 5 mg/m3 Mi Avitates, Petroleum, TVA 5 mg/m3 Ini Avitates, Petroleum, TVA 5 mg/m3 Avitates, Petroleum, Avitates, Petroleum, TVA 5 mg/m3 Avitates, Petroleum, Avitates, Petroleum, Avitates, Petroleum, TVA 5 mg/m3 Avitates, Petroleum, Avita	orm
Residual Oil Solvent (CAS 34742-10-5) Norway, Administrative Norms for Contaminants in the Workplace Components Type Value FC COMPONENTS TLV 1 mg/m3 Misper Case Solvent (CAS 34742-10-5) Extracts. Petroleum, Residual Oil Solvent (CAS 34742-10-5) PORTIGIATES TLV 1 mg/m3 Misper Case Solvent (CAS 34742-10-5) TWA 5 mg/m3 Initiating Solvent (CAS 34742-10-5) PORTIGIATES PETROLEUM) SOLVENT-DEWAXED Heavy PARAFINIC (CAS 34742-10-5) PETROLEUM) SOLVENT-DEWAXED Heavy PARAFINIC (CAS 34742-10-5) PORTIGIATES PETROLEUM) SOLVENT-DEWAXED Heavy PARAFINIC (CAS 34742-10-5) PORTIGIATES PORTIGIATES PORTIGIATES PORTIGIATES STEL 10 mg/m3 Acc 34742-10-5) TWA 5 mg/m3 Acc 34742-10-5)	ist.
Components Type Value For DISTILLATES TLV 1 mg/m3 Misparate per per policy on 6 June 2014 on the maximum permissible ntensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Acceptable of the permitted o	ist.
PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS STA742-65-0) HEAVY PARAFFINIC (CAS STA742-65-0) Portinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Fortine Type Value Fortine Type DISTILLATES DISTILLATES DESTILLATES	orm
Residual Oil Solvent (CAS 64742-10-5) Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Initiative Permissible intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value For DISTILLATES TWA 5 mg/m3 Initiative Permissible intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 For DISTILLATES Petroleum, TWA 5 mg/m3 Initiative Petroleum, STEL 10 mg/m3 Active Permissible intensities of the per	ist.
Ordinance of the Minister of Labour and Social Policy on 6 June 2014 on the maximum permissible intensities of harmful health factors in the work environment, Journal of Laws 2014, item 817 Components Type Value Formation DISTILLATES PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 84742-65-0) Extracts, Petroleum, Excessidual Oil Solvent (CAS 84742-10-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Components Type Value Formation DISTILLATES PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 84742-65-0) TWA STEL 10 mg/m3 Accupation of the Minister of Labour and Social Policy on 6 June 2014, item 817 TWA STEL 10 mg/m3 Accupation of the Minister of Labour and Social Policy on 6 June 2014, item 817 TWA STEL 10 mg/m3 Accupation of the Minister of Labour and Social Policy on 6 June 2014, item 817 TWA STEL 10 mg/m3 Accupation of the Minister of Labour and Social Policy on 6 June 2014, item 817 TWA STEL TWA STEL 10 mg/m3 Accupation of the Minister of Labour and Social Policy on 6 June 2014, item 817 TWA STEL TWA STEL 10 mg/m3 Accupation Accupation Residual Oil Solvent (CAS 84742-10-5) TWA STEL TWA STEL 10 mg/m3 Accupation Residual Oil Solvent (CAS 84742-10-5) TWA STEL TWA STEL TO mg/m3 Accupation Residual Oil Solvent (CAS 84742-10-5) TWA STEL TWA STEL TO mg/m3 Accupation Residual Oil Solvent (CAS 84742-10-5) TWA STEL TWA STEL TO mg/m3 Accupation TWA TWA TWA TWA TWA TWA TWA TW	ist.
(PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) Extracts, Petroleum, TWA 5 mg/m3 Ini Residual Oil Solvent (CAS 64742-10-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Components Type Value Fo DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) TWA 5 mg/m3 Ae Extracts, Petroleum, STEL 10 mg/m3 Ae Extracts, Petroleum, STEL 10 mg/m3 Ae Residual Oil Solvent (CAS 64742-10-5) TWA 5 mg/m3 Ae Residual Oil Solvent (CAS 64742-10-5) TWA 5 mg/m3 Ae Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value DISTILLATES (PETROLEUM) SOLVENT-DEWAXED	orm
Residual Oil Solvent (CAS 64742-10-5) Portugal. VLEs. Norm on occupational exposure to chemical agents (NP 1796) Components Type Value For International Exposure to Components STEL 10 mg/m3 Accupational Exposure to Chemical Agents (NP 1796) DISTILLATES STEL 10 mg/m3 Accupational Exposure to Chemical Exposure to Chemical Agents at the Workplace Components TWA 5 mg/m3 Accupational Exposure to Chemical Agents at the Workplace Components TWA 5 mg/m3 Accupational Exposure to Chemical Agents at the Workplace Components Type Value DISTILLATES STEL 10 mg/m3 PETROLEUM) SOLVENT-DEWAXED	halable fraction.
Components Type Value FC DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) TWA 5 mg/m3 Ac Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5) TWA 5 mg/m3 Ac Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value DISTILLATES (PETROLEUM) SOLVENT-DEWAXED	halable fraction.
PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0) TWA 5 mg/m3 Ac Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5) TWA 5 mg/m3 Ac Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value DISTILLATES PETROLEUM) SOLVENT-DEWAXED	orm
TWA 5 mg/m3 Acceptances, Petroleum, STEL 10 mg/m3 Acceptances (CAS 54742-10-5) TWA 5 mg/m3 Acceptances (CAS 54742-10-5) TWA 5 mg/m3 Acceptances (Components Type Value (CAS 54742-10-5) DISTILLATES STEL 10 mg/m3 (CAS 5 mg/m3 Acceptances (CAS 5 mg/m3	erosol
Residual Oil Solvent (CAS 64742-10-5) TWA 5 mg/m3 Ae Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value DISTILLATES STEL 10 mg/m3 PETROLEUM) SOLVENT-DEWAXED	erosol
TWA 5 mg/m3 Ae Romania. OELs. Protection of workers from exposure to chemical agents at the workplace Components Type Value DISTILLATES STEL 10 mg/m3 PETROLEUM) SOLVENT-DEWAXED	erosol
Components Type Value DISTILLATES STEL 10 mg/m3 PETROLEUM) SOLVENT-DEWAXED	erosol
DISTILLATES STEL 10 mg/m3 PETROLEUM) SOLVENT-DEWAXED	
HEAVY PARAFFINIC (CAS	
54742-65-0) TWA 5 mg/m3	

Extracts, Petroleum,	STEL	10 mg/m3	
Residual Oil Solvent (CAS 64742-10-5)	OTEL	To mg/mo	
	TWA	5 mg/m3	
Slovakia. OELs. Regulation Components	No. 300/2007 concerning protection Type	n of health in work with chemi Value	ical agents Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	3 mg/m3	Fume and mist.
		15 ppm	Fume and mist.
	TWA	1 mg/m3	Fume and mist.
		5 ppm	Fume and mist.
Spain. Occupational Expos			_
Components	Туре	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	STEL	10 mg/m3	Mist.
	TWA	5 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	10 mg/m3	Mist.
,	TWA	5 mg/m3	Mist.
Sweden. OELs. Work Enviro Components	onment Authority (AV), Occupationa Type	al Exposure Limit Values (AFS Value	S 2015:7) Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	STEL	3 mg/m3	Mist.
	TWA	1 mg/m3	Mist.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)	STEL	3 mg/m3	Mist.
•	TWA	1 mg/m3	Mist.
Switzerland. SUVA Grenzwo	erte am Arbeitsplatz Type	Value	Form
DISTILLATES (PETROLEUM) SOLVENT-DEWAXED HEAVY PARAFFINIC (CAS 64742-65-0)	TWA	5 mg/m3	Inhalable dust.
	TWA	5 mg/m3	Inhalable dust.
Extracts, Petroleum, Residual Oil Solvent (CAS 64742-10-5)			
Residual Oil Solvent (CAS	No biological exposure limits noted	for the ingredient(s).	

Derived no effect levels

(DNELs)

Not available.

Predicted no effect concentrations (PNECs)

Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical stateSolid.FormSolid. Paste.ColourBrown.

Odour Characteristic. Hydrocarbon-like.

Odour threshold Not available.

pH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapour pressureNot available.Vapour densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water)Not available.Partition coefficientNot available.

(n-octanol/water)

Auto-ignition temperature

Decomposition temperature

Viscosity

Explosive properties

Oxidising properties

Not available.

Not available.

Not explosive.

Not oxidising.

9.2. Other information

Density 0,87 g/cm3 estimated

Specific gravity 0,88 estimated

SECTION 10: Stability and reactivity

10.1. ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

10.6. Hazardous No hazardous decomposition products are known.

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact

No adverse effects due to skin contact are expected.

Eye contact

Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity Not known.

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

Due to partial or complete lack of data the classification is not possible.

irritation

Respiratory sensitisation

Due to partial or complete lack of data the classification is not possible.

Skin sensitisation

Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Hungary. 26/2000 EüM Ordinance on protection against and preventing risk relating to exposure to carcinogens at work (as amended)

Not listed.

Reproductive toxicity

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazardDue to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information This product has no known adverse effect on human health.

SECTION 12: Ecological information

12.1. ToxicityBased on available data, the classification criteria are not met for hazardous to the aquatic

environment.

12.2. Persistence and

degradability

No data is available on the degradability of any ingredients in the mixture.

12.3. Bioaccumulative potential No data available. **Partition coefficient** Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT and vPvB Not a PBT or vPvB substance or mixture. Not available.

assessment

Material name: Longwrap Paste
918 Version #: 02 Revision date: 11-February-2019 Issue date: 08-February-2019

12.6. Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste codeThe Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautionsDispose in accordance with all applicable regulations.

Not applicable.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk according to Annex II of

MARPOL 73/78 and the IBC

Code

General information IMDG Regulated Marine Pollutant.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

NOL IISLEG.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Material name: Longwrap Paste

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation on the protection of workers from the risks of exposure to carcinogens

and mutagens at work, in accordance with Directive 2004/37/EC.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements or R-phrases and H-statements under Sections 2 to 15

None.

Revision information Transport Information: Material Transportation Information **Training information** Follow training instructions when handling this material.

Issued by Dan Libby

Disclaimer The information offered in this data sheet is designed only as guidance for the safe use, storage

and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication, however, no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. This material is intended for industrial use only.

No warranty, expressed or implied is made.

Material name: Longwrap Paste

10 / 10

918 Version #: 02 Revision date: 11-February-2019 Issue date: 08-February-2019