

GPS RECEIVER


- **GNSS Receiver Puck**
- **Real time Positioning**
- **-159dBm**
- **5 V, Low Power**
- **Serial Port RJ11**

The ADA-R158 mobile locator is a low cost/ high quality GPS solution for AVL, Fleet Management System and Marine Navigational Aids. The unit is a single GPS Receiver/ Antenna in a low profile, waterproof enclosure with bolt mount. It interfaces to a RS-232 with an RJ11 serial com port of your computing device that utilizes NMEA 0183 data output sentences.



Specification

Category	Performance
Built-in Antenna	Ceramic Patch
Receiving Frequency	1575.42 MHz, C/A Code
Sensitivity	-159dBm
Receiver Architecture	20 parallel Channels
Start up Time	<5 sec (Hot start)
	>45 sec (Warm start)
	45 sec (Cold start)
Position Accuracy	1,5 m CEP
Velocity	100 m/s, 223 Miles/hour, 360 Km/hour
Altitude	50 Km, 164.000 ft
Update Rate	1 Hz
Power Supply	RJ11 @ 5 Volt
Current Consump.	60 mA @ 5 V
Baud Rate	4800 bps
Protocol	NMEA V 3.0
Output Sentences	GGA, RMC, GSV, VTG, GSA
Datum	WGS-84
Signal Level	EIA/TIA-232
Enclosure	Ultrasonic Welded, Waterproof, Magnetic Mount
Dimension	46.2 mm x 38 mm x 16.1 mm
Weight	70 gram with Cable a RJ11 connector
Temperature, Operating	-20°C to +60°C
Connector	RJ11



Ordering codes

TYPE	Description	Comment
ADA-R158-RJ11	GPS Receiver Puck	GPS Receiver

For the latest updates, visit our Web site: www.adactus.se

Disclaimer

Information furnished is believed to be accurate and reliable. However, Adactus assumes no responsibility for the consequences of use of such information nor for any infringement of patents or other rights of third parties which may result from its use.

Adactus reserves the right to make changes without further notice to any product herein to improve reliability, function or design. Adactus does not assume any liability arising out of the application or use of any product described herein.

This publication supersedes and replaces all information previously supplied.

Adactus products are not authorized as critical components in life support devices or systems.