T: 02920 667555 F: 02920 667556

www.britaliadoors.co.uk



PRODUCT: SWITCHES

TYPE: Low Level Door Controller	TYPE: Push Button Switch	TYPE: Wireless Switch
HIGHLIGHTS:	HIGHLIGHTS:	HIGHLIGHTS:
BRAND: NECO	BRAND: NECO	Easy to install
Easy to install	Easy to install	Easy to programme
Two versions available: single-phase or three-phase	Two versions available: standard or with an 'isolator'	Two versions available: version 1 or rolling code
PRODUCT DESCRIPTION:	PRODUCT DESCRIPTION:	PRODUCT DESCRIPTION:
The NECO Low Level Door Controller is suitable for use with Industrial and Sectional	The NECO Push Button Switch is available as 'standard' model or with an isolator.	The Wireless Switch is battery powered 'version 1' model or 'rolling code'.
Door Motors.	The isolator disables the unit when it is switched off with the key.	Battery included.
TECHNICAL DATA:	TECHNICAL DATA:	TECHNICAL DATA:
No further information available.	No further information available.	No further information available.
DIMENSIONS:	DIMENSIONS:	DIMENSIONS:
Width 145mm	Width 70mm	Width 85mm
Length 230mm	Length 1350mm	Length 85mm
Depth 80mm	Depth 60mm	Depth 15mm

CONTACT DETAILS TO PLACE ORDER: Call FREEPHONE 0800 731 3682 or email sales@britaliadoors.co.uk

www.britaliadoors.co.uk



PRODUCT: SWITCHES

TYPE: Gewiss Rocker Switch	TYPE: Rotary Switch	TYPE: Piano Switch
HIGHLIGHTS: Easy to install	HIGHLIGHTS: Easy to use	HIGHLIGHTS: Two versions available: standard or water resistant
PRODUCT DESCRIPTION: The Gewiss Rocker Switch operates with spring loaded key, marked up and down. The switch offers easy access for the cables both top and bottom.	PRODUCT DESCRIPTION: The Rotary Switch has a spring loaded dial marked up and down. It is activated by rotating the dial from left or right. The switch can handle up to 300v/16amp.	PRODUCT DESCRIPTION: The Piano Switch is available as a 'standard' model or 'weather resistance'. Both models operate with two spring loaded keys marked up and down.
TECHNICAL DATA: No further information available.	TECHNICAL DATA: No further information available.	TECHNICAL DATA: IP 54 weatherproof case.
DIMENSIONS: Width 65mm Length 80mm Depth 55mm	DIMENSIONS: Width 44mm Length 44mm Depth 44mm	DIMENSIONS: Width 65mm Length 65mm Depth 40mm

T: 02920 667555 F: 02920 667556

www.britaliadoors.co.uk



PRODUCT: SWITCHES

TYPE: Wind and Sun Detector

HIGHLIGHTS:

Brand: NECO

Automatic

Easy to install

PRODUCT DESCRIPTION:

The NECO Wind and Sun Detector automatically closes the sun awning in windy or low light conditions.

The detector is operated via remote control.



TECHNICAL DATA:

Frequency 433.92 MHz

IP 44 Protection

Battery Operated 3.6v N1-M4 & solar panel

Working Current up to 12ma

DIMENSIONS:

Width 110mm (Base)

Length 230mm

Depth 60mm

The anemometer extends from the rear of the solar panel up to 60mm.