





THE NEW FIXED SCAFFOLD STAIR

COST EFFECTIVE COMPLIANCE

The VR Fixed Scaffold Stair meets or exceeds all applicable standards and is designed to provide simple, practical, cost effective access for the scaffolding industry.

Three standard units are available for the most common lift heights of 1m, 1.5m & 2m.

HIGHLY DURABLE

Made of corrosion resistant structural quality aluminium with specially extruded tread elements, the VR Fixed Scaffold Stair is designed to be stronger and longer lasting in the harsh environment of the construction site.

Safety and durability are the hallmarks of all VR Access Products and the VR Fixed Scaffold Stair continues this tradition.

VITAL STATISTICS

The VR Fixed Scaffold Stair is available from stock in 3 standard sizes.

| Model | Number of Steps | Nominal Height | Tread Width | Angle | Weight |
|--------|--------------------|-------------------|----------------|-------|--------|
| FS-011 | 4 | 1.0m | 500mm | 52° | 9.5kg |
| FS-012 | 6 | 1.5m | 500mm | 52° | 13.5kg |
| FS-013 | 9 | 2.0m | 500mm | 52° | 17.0kg |



EASY FIT

Designed to fit on 48mm scaffolding and requires no tools to lock the stair hook onto the transom, the VR Fixed Scaffold Stair unit is rapid and simple to install.



2 EASY FIX

Standardised components and bolted construction mean that the product is simple to maintain and repair in-house.



EASY LOAD

The VR Fixed Scaffold Stair unit is only 100mm deep so multiple units stack tightly making storage and delivery that bit simpler.

MAKE THE SAFEST CHOICE

- Designed to give scaffolders a cost effective stair access solution with practical, reliable and compliant equipment
- The VR Fixed Scaffold Stair gives a rapidly deployed solution for standard lift heights
- Made to fit 48mm tube and fitting scaffolding. With this product you can quickly install a fully compliant stair access to your scaffold
- The VR Fixed Scaffold Stair can be installed without the use of any tools to lock the top hooks onto the transom

- 3 standard models in the range for the most common lift heights of 1.0m, 1.5m and 2.0m
- Compliant handrails are available
- Made with standardised components and an all-bolted construction, the VR Fixed Scaffold Stair can be maintained by any competent operator
- With a clear width of 500mm, extruded, slip-resistant treads and tubular handrails, theVR Fixed Scaffold Stair is comfortable and convenient for the user
- Custom sizes also available

OTHER VR RANGES

















info@vrscaffold.com www.VRSCAFFOLD.com