

PRODUCT INFORMATION

ProtectoXtra

SUMMARY

ProtectoXtra is a mobile extraction system for filtration of particulate fumes, dusts and some gases. It is supplied on swivel casters for manoeuvrability and operates from a 110v/230v mains input supply.

TARGET APPLICATIONS

ProtectoXtra is provided with a 3m positional cantilever arm and canopy, designed for use in a welding bay, workshop or garage.

FURTHER INFORMATION

This low-vacuum extraction unit is ideal for extracting dust and fume from the source of pollution and features a cleanable filter making it more economical and efficient.

The 3m flexible extraction arm allows you to work in the most comfortable position and the swivel casters make it easy to manoeuvre the extraction unit around your workstation.

The W3 compliant ProtectoXtra should NOT be used for filtering fumes that contain oil, solvents, explosive dusts/gases or hybrid mixtures of wastes, etc.

EXT1LEV



TECHNICAL SPECIFICATION

Width (mm)	660
Length (mm)	805
Height (mm)	1,170
Weight (kg)	170
Motor power /RPM (kW - rpm)	1.1kW-2,950 rpm
Noise level (dB)	74
Fan capacity (m3/h)	2,200
Suction capacity (m3/h)	1,200
Fan pressure (pa)	1,500
Max operating temp (°C)	80

GENERAL FEATURES

Cartridge filter type	Cartridge
Cartridge filter material	100% polyester PTFE
Cartridge filter quantity	1
Total filtration area (m2)	10
Filtration efficiency	Up to 99.9% @ 0.2 – 2 μ
Automatic jet-pulse cleaning system	None – manual
Extraction arm dimensions	Ø160 – 3m x 1 pcs
Extraction arm type	Outer support
Dust drawer	Yes

ORDERING INFORMATION

ProtectoXtra Mobile Extractor 110v	EXT1LEV110
ProtectoXtra Mobile Extractor 230v	EXT1LEV230
ProtectoXtra Mobile Extractor 110v/230v	EXT1LEV
Cartridge	EXTLEVCART
Replacement Hose (10m)	EXTPVC160
Replacement Hood	EXTLEVHOOD

Doc Ref: WELDABILITY/PI/EXT1LEV

For further information, contact Extractability on 0845 862 2620 or email sales@extractability.eu



Registered in England No. 1684362 Registered Office: as above