

Interim teacher assessment framework at the end of key stage 1 - mathematics

Working towards the expected standard

- The pupil can demonstrate an understanding of place value, though may still need to use apparatus to support them (e.g. by stating the difference in the tens and ones between 2 numbers i.e. 77 and 33 has a difference of 40 for the tens and a difference of 4 for the ones; by writing number statements such as $35 < 53$ and $42 > 36$).
- The pupil can count in twos, fives and tens from 0 and use counting strategies to solve problems (e.g. count the number of chairs in a diagram when the chairs are organised in 7 rows of 5 by counting in fives).
- The pupil can read and write numbers correctly in numerals up to 100 (e.g. can write the numbers 14 and 41 correctly).
- The pupil can use number bonds and related subtraction facts within 20 (e.g. $18 = 9 + ?$; $15 = 6 + ?$).
- The pupil can add and subtract a two-digit number and ones and a two-digit number and tens where no regrouping is required (e.g. $23 + 5$; $46 + 20$), they can demonstrate their method using concrete apparatus or pictorial representations.
- The pupil can recall doubles and halves to 20 (e.g. pupil knows that double 2 is 4, double 5 is 10 and half of 18 is 9).
- The pupil can recognise and name triangles, rectangles, squares, circles, cuboids, cubes, pyramids and spheres from a group of shapes or from pictures of the shapes.

Working at the expected standard

- The pupil can partition two-digit numbers into different combinations of tens and ones. This may include using apparatus (e.g. 23 is the same as 2 tens and 3 ones which is the same as 1 ten and 13 ones).
- The pupil can add 2 two-digit numbers within 100 (e.g. $48 + 35$) and can demonstrate their method using concrete apparatus or pictorial representations.
- The pupil can use estimation to check that their answers to a calculation are reasonable (e.g. knowing that $48 + 35$ will be less than 100).
- The pupil can subtract mentally a two-digit number from another two-digit number when there is no regrouping required (e.g. $74 - 33$).
- The pupil can recognise the inverse relationships between addition and subtraction and use this to check calculations and work out missing number problems (e.g. $\Delta - 14 = 28$).
- The pupil can recall and use multiplication and division facts for the 2, 5 and 10 multiplication tables to solve simple problems, demonstrating an understanding of commutativity as necessary (e.g. knowing they can make 7 groups of 5 from 35 blocks and writing $35 \div 5 = 7$; sharing 40 cherries between 10 people and writing $40 \div 10 = 4$; stating the total value of six 5p coins).
- The pupil can identify $\frac{1}{3}$, $\frac{1}{4}$, $\frac{1}{2}$, $\frac{2}{4}$, $\frac{3}{4}$ and knows that all parts must be equal parts of the whole.

Continued on the next page

- The pupil can use different coins to make the same amount (e.g. pupil uses coins to make 50p in different ways; pupil can work out how many £2 coins are needed to exchange for a £20 note).
- The pupil can read scales in divisions of ones, twos, fives and tens in a practical situation where all numbers on the scale are given (e.g. pupil reads the temperature on a thermometer or measures capacities using a measuring jug).
- The pupil can read the time on the clock to the nearest 15 minutes.
- The pupil can describe properties of 2-D and 3-D shapes (e.g. the pupil describes a triangle: it has 3 sides, 3 vertices and 1 line of symmetry; the pupil describes a pyramid: it has 8 edges, 5 faces, 4 of which are triangles and one is a square).

Working at greater depth within the expected standard

- The pupil can reason about addition (e.g. pupil can reason that the sum of 3 odd numbers will always be odd).
- The pupil can use multiplication facts to make deductions outside known multiplication facts (e.g. a pupil knows that multiples of 5 have one digit of 0 or 5 and uses this to reason that 18×5 cannot be 92 as it is not a multiple of 5).
- The pupil can work out mental calculations where regrouping is required (e.g. $52 - 27$; $91 - 73$).
- The pupil can solve more complex missing number problems (e.g. $14 + \square - 3 = 17$; $14 + \Delta = 15 + 27$).
- The pupil can determine remainders given known facts (e.g. given $15 \div 5 = 3$ and has a remainder of 0, pupil recognises that $16 \div 5$ will have a remainder of 1; knowing that $2 \times 7 = 14$ and $2 \times 8 = 16$, pupil explains that making pairs of socks from 15 identical socks will give 7 pairs and one sock will be left).
- The pupil can solve word problems that involve more than one step (e.g. which has the most biscuits, 4 packets of biscuits with 5 in each packet or 3 packets of biscuits with 10 in each packet?).
- The pupil can recognise the relationships between addition and subtraction and can rewrite addition statements as simplified multiplication statements (e.g. $10 + 10 + 10 + 5 + 5 = 3 \times 10 + 2 \times 5 = 4 \times 10$).
- The pupil can find and compare fractions of amounts (e.g. $\frac{1}{4}$ of £20 = £5 and $\frac{1}{2}$ of £8 = £4 so $\frac{1}{4}$ of £20 is greater than $\frac{1}{2}$ of £8).
- The pupil can read the time on the clock to the nearest 5 minutes.
- The pupil can read scales in divisions of ones, twos, fives and tens in a practical situation where not all numbers on the scale are given.
- The pupil can describe similarities and differences of shape properties (e.g. finds 2 different 2-D shapes that only have one line of symmetry; that a cube and a cuboid have the same number of edges, faces and vertices but can describe what is different about them).