

**Driffield Junior School**



# **School Asthma Policy**

**November 2014**

**Name of School: Driffield Junior School**

**Name of Coordinator**

**Role of coordinator**

**School Nurse: Bridgett Graham**

**Contact details: 01262 400565**

**Date: January 2015**

**Review date  
January 2017**

## **Contents**

Policy statement  
Indemnity  
What is Asthma?  
Medication  
Record Keeping  
Physical Education  
School Trips/Residential Visits  
Training.  
Concerns  
Emergency Procedures  
Responsibilities

## **Policy statement**

This policy has been written with advice from Asthma UK and the Department for Children, Schools and Families in addition to advice from healthcare and education professionals.

This school recognises that asthma and recurrent wheezing are important conditions affecting increasing numbers of school age children. This school welcomes pupils with asthma.

This school encourages all children to achieve their full potential in all aspects of life by having a clear policy and procedures that are understood by school staff, parents / carers and by pupils.

All staff who have contact with these children are given the opportunity to receive training from the school nursing team/specialist nurses. Updates for training are offered at regular intervals and this school will ensure attendance by staff. This will take place at least every two years and more often if there are pupils within the school who have significant asthma symptoms or there are significant changes to the management of asthma in children.

Developing and implementing an asthma policy is essential for all schools.

## **Indemnity**

School staff are not required to administer asthma medication to pupils except in an emergency. However many staff may be happy to give routine medication on the advice of an appropriate healthcare professional. School staff who agree to administer asthma medication are insured by relevant authorities when acting in agreement with this policy.

All school staff will allow pupils **immediate** access to their own asthma medication when they need it.

## **What is Asthma?**

Asthma is a common condition which affects the airways in the lungs. Symptoms occur in response to exposure to a trigger e.g. pollen, dust, smoke, exercise etc. These symptoms include cough, wheeze, chest tightness and breathlessness. Symptoms are usually easily reversible by use of a reliever inhaler but all staff must be aware that sufferers may experience an acute episode which will require rapid medical or hospital treatment.

## **Medication**

Only reliever inhalers should be kept in school. Usually these are blue in colour.

### **Immediate access to reliever inhaler is vital.**

Children aged 7 years and over who are considered sufficiently mature are encouraged to carry their own inhaler with them, at the discretion of the parent/carer and teacher. Otherwise the inhaler must be kept wherever the child is at any time e.g. class, hall, playground etc.

Each teacher will have access to a spare inhaler, there will also be spare inhalers kept in the office and first aid room. These inhalers will be used in cases if the original runs out or is lost

N.B. Inhalers should not be stored in the school office or similar as this will not allow quick enough access in an emergency.

**Children, who are able to identify the need to use their medication, should be allowed to do so, as and when they feel it is necessary.**

## **Record Keeping**

When a child with asthma joins this school, parents/carers will be asked to complete a form, giving details of the condition and the treatment required. Information from this form will be used to compile an "Asthma Register" which is available for all school staff. This register will be updated at least annually or more frequently if required using the information supplied by the parent/carer.

## **Physical Education**

Taking part in sports is an essential part of school life and important for health and well being and children with asthma are encouraged to participate fully.

Symptoms of asthma are often brought on by exercise and therefore, each child's labelled inhaler will be available at the site of the lesson.

Certain types of exercise are potent triggers for asthma e.g. cross country running and field activities. Any child who knows that an activity will induce symptoms will be encouraged to use their reliever inhaler prior to exercise, will carry it with them and will be encouraged to warm up prior to participating and cool down after. The 'red first aid bag' will be taken to all PE sessions.

## **School Trips/Residential Visits**

No child will be denied the opportunity to take part in school trips/residential visits because of asthma, unless so advised by their GP or consultant.

The child's reliever inhaler will be readily available to them throughout the trip, being carried either by the child themselves or by the supervising adult when appropriate.

For residential visits, staff will be trained in the use of regular controller treatments, as well as emergency management. It is the responsibility of the parent/carer to provide written information about all asthma medication required by their child for the duration of the trip. Parents must be responsible for ensuring an adequate supply of medication is provided.

Group leaders will have appropriate contact numbers with them.

## **Training.**

On a bi-annual basis, **all** staff will receive training on signs and symptoms of asthma and how to treat it. This training will be delivered by a suitably qualified professional.

## **Concerns**

If a member of staff has concerns about the progress of a child with asthma, which they feel may be related to poor symptom control, they will be encouraged to discuss this with the parent/carer and/or school nurse.

### **Storage of Inhalers**

The following good practice guidelines for the storage of inhalers will be followed:

1. Inhalers will **NEVER** be locked away or kept in the school office.
2. Inhalers will be kept in the 'red first aid bag' in the classroom – this will be accessible for children.
3. Devices will always be taken with the child when moving out of the classroom for lessons, trips or activities.

## **N.B.**

**In the unlikely event of another pupil using someone else's blue inhaler there is little chance of harm. The drug in reliever inhalers is very safe and overdose is very unlikely.**

## **Colds/ Viruses**

When a child has a cold it is sometimes necessary for him/her to have regular Ventolin for a few days. Therefore a parent/carer may ask you to administer the blue inhaler every lunchtime for approximately 1 week. The number of puffs will be advised by the parent/carer but may be anything between 2 and 8 puffs.

This does not replace using the inhaler as and when needed – it is in addition to this.

Children should not be taking Ventolin every break/lunch time 'just in case' of symptoms.

# **Emergency Procedures**

A flow chart is issued with this policy outlining the action to be taken in an emergency. Good practice suggests that copies are printed and displayed in the school office, staff room and relevant locations including classrooms where a pupil is known to have severe asthma.

In an **emergency**, where a child, who is a **known asthmatic, is experiencing significant symptoms and has not got their own blue inhaler with them or it is found to be empty**, it is acceptable to use the schools emergency inhaler and spacer. Each class will have their own emergency inhaler, along with the school office and first aid room. This inhaler will be used as per the asthma flow chart.

This should then be recorded in the child's records and parent/carer informed.

## **Responsibilities**

### **Parents/Carers have a responsibility to:**

- Tell the school that their child has asthma.
- Ensure the school has complete and up to date information regarding their child's condition.
- Inform the school about the medicines their child requires during school hours.
- Inform the school of any medicines their child requires while taking part in visits, outings or field trips and other out of school activities.
- Inform the school of any changes to their child's medication.
- Inform the school if their child is or has been unwell which may affect the symptoms e.g. symptoms worsening or sleep disturbances due to symptoms.
- Ensure their child's inhaler (and spacer where relevant) is labelled with their child's name.
- Regularly check the inhalers kept in school to ensure there is

an adequate amount of medicine available and that it is in date.

**All school staff (teaching and non-teaching) have a responsibility to:**

- Understand the school asthma policy.
- Know which pupils they come into contact with have asthma.
- Know what to do in an asthma attack.
- Allow pupils with asthma immediate access to their reliever inhaler.
- Inform parents/carers if a child has had an asthma attack.
- Inform parents if they become aware of a child using more reliever inhaler than usual.
- Ensure inhalers are taken on external trips/outings.
- Be aware that a child may be more tired due to night time symptoms.
- Liaise with parents/carers, school nurse, SENCO, etc. if a child is falling behind with their work because of asthma
- A member of staff from first aid will check the dates of the inhalers/epi-pens and inform the office – termly.
- The office staff will inform parents of out of date inhalers/epi pens via text/phone call.



# Signs of Asthma Attack

## Signs & Symptoms

Cough  
Wheezing  
Tight Chest  
Shortness of Breath  
Tummy ache (younger child)

## Signs of Asthma Attack

**NB Not all symptoms need to be present for a child to be having an asthma attack**



Administer 2 puffs of **blue Reliever** medication  
**STAY CALM**



After 2-3 minutes



Improved




Return to normal activities



Document episode in child's medical record.  
Dose may be repeated if symptoms return.  
Inform parent/carer at end of day.

**If, at any stage, the symptoms appear to be worsening i.e. more breathless, difficulty in speaking, more distressed, change of skin colour dial 999 for an ambulance immediately. Continue to use the blue inhaler whilst waiting for help.**



No Improvement



Administer up to a further 8 puffs of **blue reliever** medication (through spacer device if available) 1 puff every minute



No Improvement/  
Difficulty Talking/ Obvious Distress/Pale Skin/Dusky/  
Collapse

**DIAL 999 IMMEDIATELY**



Remain with child reassure and keep calm. Administer up to a further 10 puffs **blue reliever** medication whilst



Improved



Contact Parent/Carer



## Further Information

### **Asthma UK**

[www.asthma.org.uk](http://www.asthma.org.uk)

### **Mrs Daryl Perkins**

Paediatric Asthma Specialist Nurse

The Admin Suite

Women & Children's Hospital

Hull Royal Infirmary

Anlaby Road

Hull

HU3 2JZ

Mobile: 07964686783

Email: [daryl.perkins@hey.nhs.uk](mailto:daryl.perkins@hey.nhs.uk)

Driffield Junior School  
Driffield  
East Yorkshire  
YO25 5HN  
(01377) 253371

Adrian Cracea  
Tesco Pharmacist  
George Street  
Driffield

Dear Pharmacist

Please can I place an order for the following items to be used as emergency treatment in the management of asthma as per School Asthma Policy November 2014.

Salbutamol Metered Dose Inhaler 100mcgs **x25**  
Volumatic Spacer Device with Mask **x6**

Yours Sincerely

Kelly Foxtton

SEnCo

