

Python on the Pitch: How Germany will win World Cup 2026

Ruslan Kornichuk | 24.04.2025

ver. 1.1.0



football analysis

Search term



sports analytics

Search term



football analyst

Search term



+ Add comparison


Worldwide ▾

Past 5 years ▾

All categories ▾

Web Search ▾

Interest over time ?



Compared breakdown by region

Region ▾



TABLE OF CONTENTS

01

Hudl Statsbomb

02

Sportmonks

03

Understat

04

Extras

05

Learning materials

06

Closing slides

tinyurl.com/PYCONLT2



01

Hudl Statsbomb

open-data

Public

Watch 211

Fork 811

Starred 2.6k

master

2 Branches

0 Tags

Go to file

Add file

Code

 cddr	Added Euros 2024 and Copa America 2024	03d3ff7 · 9 months ago	🕒 1,084 Commits
data	Added Euros 2024 and Copa America 2024	9 months ago	
doc	Upload docs with new branding	3 years ago	
img	Delete statsbomb-logo.jpg	3 years ago	
.DS_Store	Added 370 new games, updated 1087 games.	2 years ago	
LICENSE.pdf	Update LICENSE.pdf	2 years ago	
README.md	Update README.md	3 years ago	

README

License

StatsBomb Open Data

Welcome to the StatsBomb Open Data repository.

StatsBomb are committed to sharing new data and research publicly to enhance understanding of the game of Football. We want to actively encourage new research and analysis at all levels. Therefore we have made certain leagues of StatsBomb Data freely available for public use for research projects and genuine interest in football analytics.

StatsBomb are hoping that by making data freely available, we will extend the wider football analytics community and attract new talent to the industry.

Terms & Conditions

About

Free football data from StatsBomb

statsbomb.com/resource-centre/

- soccer
- open-data
- football-data
- football
- sports-stats
- sports-data

- Readme
- Activity
- Custom properties
- 2.6k stars
- 211 watching
- 811 forks

Report repository

Releases

No releases published

Packages

No packages published

Contributors 5



Hudl Statsbomb Open Data structure

The data is provided as **JSON files** exported from the Statsbomb Data API, in the following structure:

- competition and seasons stored in **competitions.json**
- matches for each competition and season, stored in the **matches folder**. Each folder within is named for a competition ID, each file is named for a season ID within that competition
- events and lineups for each match, stored in **events** and **lineups** respectively. Each file is named for a match ID

[Code](#) [Issues](#) 33 [Pull requests](#) 1 [Security](#) [Insights](#)

Files



master



Go to file



- data
 - events
 - lineups
 - matches
 - three-sixty
 - competitions.json
- doc
- img
 - .DS_Store
 - LICENSE.pdf
 - README.md

open-data / data / competitions.json



cddr Added Euros 2024 and Copa America 2024

03d3ff7 · 9 months ago



History

Code

Blame

963 lines (963 loc) · 31.5 KB



Raw



```
1  [ {
2    "competition_id" : 9,
3    "season_id" : 281,
4    "country_name" : "Germany",
5    "competition_name" : "1. Bundesliga",
6    "competition_gender" : "male",
7    "competition_youth" : false,
8    "competition_international" : false,
9    "season_name" : "2023/2024",
10   "match_updated" : "2024-07-15T14:15:54.671676",
11   "match_updated_360" : "2024-07-15T14:17:00.877356",
12   "match_available_360" : "2024-07-15T14:17:00.877356",
13   "match_available" : "2024-07-15T14:15:54.671676"
14 }, {
15   "competition_id" : 9,
16   "season_id" : 27,
17   "country_name" : "Germany",
18   "competition_name" : "1. Bundesliga",
19   "competition_gender" : "male",
20   "competition_youth" : false,
21   "competition_international" : false,
22   "season_name" : "2015/2016",
```

```
[
  {
    "competition_id" : 9,
    "season_id" : 281,
    "country_name" : "Germany",
    "competition_name" : "1. Bundesliga",
    "competition_gender" : "male",
    "competition_youth" : false,
    "competition_international" : false,
    "season_name" : "2023/2024",
    "match_updated" : "2024-07-15T14:15:54.671676",
    "match_updated_360" : "2024-07-15T14:17:00.877356",
    "match_available_360" : "2024-07-15T14:17:00.877356",
    "match_available" : "2024-07-15T14:15:54.671676"
  }, {
    "competition_id" : 9,
    "season_id" : 27,
    "country_name" : "Germany",
    "competition_name" : "1. Bundesliga",
    "competition_gender" : "male",
    "competition_youth" : false,
    "competition_international" : false,
    "season_name" : "2015/2016",
    "match_updated" : "2024-05-19T11:11:14.192381",
    "match_updated_360" : null,
    "match_available_360" : null,
    "match_available" : "2024-05-19T11:11:14.192381"
  }, {
    "competition_id" : 1267,
    "season_id" : 107,
    "country_name" : "Africa",
```

Hudl Statsbomb: Competitions

statsbomb_0001.ipynb

Open in... Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests
```

```
[2]: pd.set_option("display.max.columns", None)
pd.set_option("display.max.rows", None)
```

Load `competitions.json` file from Hudl Statsbomb GitHub and transform to Pandas DataFrame

```
[3]: url = "https://raw.githubusercontent.com/statsbomb/open-data/refs/heads/master/data/competitions.json"
data = requests.get(url).json()
competitions = pd.json_normalize(data)
competitions.head(3)
```

	competition_id	season_id	country_name	competition_name	competition_gender	competition_youth	competition_international	season_name	match_updated	match_updated
0	9	281	Germany	1. Bundesliga	male	False	False	2023/2024	2024-07-15T14:15:54.671676	2024-07-15T14:17:00.87
1	9	27	Germany	1. Bundesliga	male	False	False	2015/2016	2024-05-19T11:11:14.192381	
2	1267	107	Africa	African Cup of Nations	male	False	True	2023	2024-06-13T07:51:02.452825	

Competitions with `season_name`, `competition_id`, and `season_id`

```
[4]: competitions[["competition_name", "season_name", "competition_id", "season_id"]].head(3)
```

	competition_name	season_name	competition_id	season_id
0	1. Bundesliga	2023/2024	9	281
1	1. Bundesliga	2015/2016	9	27
2	African Cup of Nations	2023	1267	107

Hudl Statsbomb: Matches

statsbomb_0002.ipynb

Open in... Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests
```

FIFA World Cup 2022

```
[2]: competition_id = 43
season_id = 106
```

```
[3]: url = f"https://raw.githubusercontent.com/statsbomb/open-data/refs/heads/master/data/matches/{competition_id}/{season_id}.json"
data = requests.get(url).json()
matches = pd.json_normalize(data)
matches.head(2)
```

	match_id	match_date	kick_off	home_score	away_score	match_status	match_status_360	last_updated	last_updated_360	match_week	...	competition_stage_id	co
0	3857256	2022-12-02	21:00:00.000	2	3	available	available	2023-02-17T23:45:15.306706	2023-04-26T23:49:58.956186	3	...	10	
1	3869151	2022-12-03	21:00:00.000	2	1	available	available	2023-07-30T07:46:05.382784	2023-07-30T07:48:51.865595	4	...	33	

2 rows x 42 columns

```
[4]: len(matches)
```

```
[4]: 64
```

```
[5]: for _, row in matches.head(2).iterrows():
    print(
        f"{row['home_team.home_team_name']} {row['away_team.away_team_name']} "
        f"{row['home_score']}:{row['away_score']} ({row['match_id']})"
    )
```

Serbia Switzerland 2:3 (3857256)
Argentina Australia 2:1 (3869151)

Hudl Statsbomb: Matches (filtered)

```
statsbomb_0003.ipynb x +
[1]: import pandas as pd
import requests

FIFA World Cup 2022

[2]: competition_id = 43
season_id = 106

[3]: url = f"https://raw.githubusercontent.com/statsbomb/open-data/refs/heads/master/data/matches/{competition_id}/{season_id}.json"
data = requests.get(url).json()
matches = pd.json_normalize(data)

Germany

[4]: team = "Germany"

filtered = matches[(matches["home_team.home_team_name"] == team) | (matches["away_team.away_team_name"] == team)]

for _, row in filtered.iterrows():
    print(
        f"{row['home_team.home_team_name']} {row['away_team.away_team_name']} "
        f"{row['home_score']}:{row['away_score']} ({row['match_id']})"
    )

Spain Germany 1:1 (3857263)
Germany Japan 1:2 (3857284)
Costa Rica Germany 2:4 (3857292)
```

Statsbomb event data

Hudl Statsbomb: Match events

statsbomb_0004.ipynb

Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests

Costa Rica 2:4 Germany

[2]: match_id = 3857292

[3]: url = f"https://raw.githubusercontent.com/statsbomb/open-data/refs/heads/master/data/events/{match_id}.json"
data = requests.get(url).json()
events = pd.json_normalize(data)

[4]: len(events)

[4]: 3869

[5]: events.head(3)
```

	id	index	period	timestamp	minute	second	possession	duration	type.id	type.name	...	substitution.outcome.name	substitution.replacement.id	substitution.replacement.
0	2194e9dd-089b-44f8-a5c7-60436a00f0f9	1	1	00:00:00.000	0	0	1	0.0	35	Starting XI	...	NaN	NaN	
1	1247d52e-3c53-4106-bcf9-36c14a0c352d	2	1	00:00:00.000	0	0	1	0.0	35	Starting XI	...	NaN	NaN	
2	5ba53280-4efe-4482-b727-1328f6654d2a	3	1	00:00:00.000	0	0	1	0.0	18	Half Start	...	NaN	NaN	

3 rows × 116 columns

```
[6]: events.to_pickle("events.pkl")
```

Hudl Statsbomb: Event types

```
statsbomb_0005.ipynb x +
[1]: import pandas as pd

[2]: events = pd.read_pickle("events.pkl")

Event type frequency

[3]: events["type.name"].value_counts().head(5)

[3]: type.name
Pass      1140
Ball Receipt*  1062
Carry      868
Pressure   265
Ball Recovery  105
Name: count, dtype: int64

Event type frequency (Germany)

[4]: events_de = events.loc[events["possession_team.name"] == "Germany"]
events_de["type.name"].value_counts().head(5)

[4]: type.name
Pass      776
Ball Receipt*  733
Carry      606
Pressure   128
Ball Recovery   66
Name: count, dtype: int64

[5]: events_de.to_pickle("events_de.pkl")
```

Hudl Statsbomb: Event types

```
statsbomb_0006.ipynb
```

Open in... Python 3 (ipykernel)

```
[1]: import pandas as pd

[2]: events_de = pd.read_pickle("events_de.pkl")
```

Passes (Germany)

```
[3]: passes_de = events_de.loc[events_de['type.name'] == 'Pass']
     passes_de[["player.name", "pass.recipient.name", "location", "pass.end_location"]].head(3)
```


```
[3]:
```

	player.name	pass.recipient.name	location	pass.end_location
4	Thomas Müller	Antonio Rüdiger	[61.0, 40.1]	[40.1, 36.2]
7	Antonio Rüdiger	Joshua Kimmich	[39.8, 36.4]	[40.6, 58.5]
10	Joshua Kimmich	Thomas Müller	[47.2, 62.2]	[89.9, 45.4]

Most frequent passing combinations between players

```
[4]: passes_de[["player.name", "pass.recipient.name"]].value_counts().head(10)
```

```
[4]: player.name    pass.recipient.name    count
Joshua Kimmich    Niklas Süle             29
Niklas Süle       Joshua Kimmich           26
                  Antonio Rüdiger          22
Antonio Rüdiger   Niklas Süle              20
Niklas Süle       İlkay Gündoğan           18
Antonio Rüdiger   David Raum               16
Ilkay Gündoğan    Niklas Süle              15
David Raum        Antonio Rüdiger           15
Joshua Kimmich    Lukas Klostermann         14
Antonio Rüdiger   Joshua Kimmich           14
Name: count, dtype: int64
```



Hudl Statsbomb: Team's formation

```
statsbomb_0007.ipynb x +
Python 3 (ipykernel)

[1]: import pandas as pd

[2]: events_de = pd.read_pickle("events_de.pkl")

Team's formation (Germany)

[3]: events_de[events_de['type.id'] == 35] # Starting XI

[3]: id index period timestamp minute second possession duration type.id type.name ... substitution.outcome.name substitution.replacement.id substitution.replacement.name foul_committe

0 rows x 116 columns

[4]: tactical_shift = events_de[events_de['type.id'] == 36] # Tactical Shift
tactical_shift[["type.name", "tactics.formation", "tactics.lineup"]]

[4]: type.name tactics.formation tactics.lineup
2384 Tactical Shift 442.0 [{"player": {"id": 5570, "name": "Manuel Neuer...
2757 Tactical Shift 352.0 [{"player": {"id": 5570, "name": "Manuel Neuer...
3492 Tactical Shift 343.0 [{"player": {"id": 5597, "name": "Keylor Navas...

[5]: tactical_shift["tactics.lineup"].head(1).tolist()[0][0:3]

[5]: [{"player": {"id": 5570, "name": "Manuel Neuer"},
      "position": {"id": 1, "name": "Goalkeeper"},
      "jersey_number": 1},
      {"player": {"id": 8507, "name": "Lukas Klostermann"},
      "position": {"id": 2, "name": "Right Back"},
      "jersey_number": 16},
      {"player": {"id": 6322, "name": "Niklas Süle"},
      "position": {"id": 3, "name": "Right Center Back"},
      "jersey_number": 15}]
```

Position Number	Position Abbreviation	Position Name
1	GK	Goalkeeper
2	RB	Right Back
3	RCB	Right Center Back
4	CB	Center Back
5	LCB	Left Center Back
6	LB	Left Back
7	RWB	Right Wing Back
8	LWB	Left Wing Back
9	RDM	Right Defensive Midfield
10	CDM	Center Defensive Midfield
11	LDM	Left Defensive Midfield
12	RM	Right Midfield
13	RCM	Right Center Midfield
14	CM	Center Midfield
15	LCM	Left Center Midfield
16	LM	Left Midfield
17	RW	Right Wing
18	RAM	Right Attacking Midfield
19	CAM	Center Attacking Midfield
20	LAM	Left Attacking Midfield
21	LW	Left Wing
22	RCF	Right Center Forward
23	ST	Striker
24	LCF	Left Center Forward
25	SS	Secondary Striker

Hudl IQ

(American football)



The unrivaled standard for verified football data.

Powered by AI, computer vision and expert data collectors, Hudl IQ delivers **10x more data** than any one provider, and in less time.



Save Hours
Every Week



Advanced
Physical Metrics



Revolutionary
Recruiting Tools



Dedicated Analysis
Platforms



Commitment to
Your Privacy



Transparent Data
Collection Methods

02

Sportmonks

A slide with no useful information at all

- Just filling in the gap between the last slide and the next one (which will be along in just a moment)
- No need to write this down, unless you feel compelled to do so
- Nothing on this slide is examinable
- In fact, I am not really sure why I bothered with it

A slide with no useful information at all

- Just filling in the gap between the last slide and the next one (which will be along in just a moment)
- No need to write this down, unless you feel compelled to do so
- Nothing on this slide is examinable
- In fact, I am not really sure why I bothered with it





FREE SUBSCRIPTION

You are currently on the Free Subscription, please check the leagues and features below



Football Free Plan

Standard

Data Features



4

Leagues



V3



Cricket Free Plan

Standard

Data Features



3

Leagues



Ready to explore more leagues and more data features?

Start new Subscription

ENHANCE YOUR SPORTMONKS EXPERIENCE

Football

Football Free Plan

€0

Total of plan

€0

Cricket

Cricket Free Plan

€0

Total of plan

€0

Free Widgets

€0

Total of widgets

€0

Get in Touch

FEATURES

This plan has *standard* features and access to API Version 3

	BASIC	STANDARD	ADVANCED
Live Data			
Events	✓	✓	✓
Livescores	✓	✓	✓
Tv Stations And Highlights	-	✓	✓
Commentaries	-	✓	✓
Match Statistics	-	✓	✓
Lineups	-	✓	✓
Ball Coordinates	-	-	✓

[Visit our Coverage page](#)

API STRUCTURE

Subscription and API


ENRICHMENTS

FILTERS

RESOURCES

TYPES

LEAGUES



Also available:

Venues, TV stations, Groups,
Transfers, Rivals and More

Sportmonks: Leagues and countries

```
sportmonks_0001.ipynb
```

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX208tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN}

Get leagues

[3]: leagues = requests.get("https://api.sportmonks.com/v3/football/leagues", params=params).json()["data"]
len(leagues)

[3]: 4

[4]: country_ids = set()
for league in leagues:
    country_id = league["country_id"]
    country_ids.add(country_id)

[5]: country_ids

[5]: {320, 1161}

Get countries

[6]: for country_id in country_ids:
    name = requests.get(f"https://api.sportmonks.com/v3/core/countries/{country_id}", params=params).json()["data"]["name"]
    print(name)

Denmark
Scotland
```

Sportmonks: Fixtures (matches) by date

sportmonks_0002.ipynb

Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLvRZkwcwrhfbRjR9T5ZAQWXovTUEByt14onZ"
params = {"api_token": API_TOKEN}

Fixtures (matches) by date ( YYYY-MM-DD )

[3]: date = "2025-04-21"
data= requests.get(f"https://api.sportmonks.com/v3/football/fixtures/date/{date}", params=params).json()["data"]
matches = pd.json_normalize(data)
matches
```

	id	sport_id	league_id	season_id	stage_id	group_id	aggregate_id	round_id	state_id	venue_id	name	starting_at	result_info	leg	details	length	placeholder	has_odds	has
0	19404981	1	271	23584	77471147	None	None	369912	5	4832	Vejle Boldklub vs Silkeborg IF	2025-04-21 12:00:00	Silkeborg IF won after full-time.	1/1	None	90	False	True	
1	19404982	1	271	23584	77471147	None	None	369912	5	1467	Viborg FF vs Lyngby Boldklub	2025-04-21 12:00:00	Game ended in draw.	1/1	None	90	False	True	
2	19404953	1	271	23584	77471146	None	None	369902	5	5659	Brøndby IF vs Randers FC	2025-04-21 14:00:00	Brøndby IF won after full-time.	1/1	None	90	False	True	
3	19404954	1	271	23584	77471146	None	None	369902	5	5655	FC København vs AGF	2025-04-21 16:00:00	FC København won after full-time.	1/1	None	90	False	True	

Sportmonks: Fixtures (matches) by date range

sportmonks_0003.ipynb

Open in... Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests
```

```
[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
```

Fixtures (matches) by date range (max 100 days)

```
[3]: start_date = "2025-01-01"
end_date = "2025-04-01"

data = []
page = 1
has_more = True

while has_more:
    params = {"api_token": API_TOKEN, "per_page": 50, "page": page}
    r = requests.get(f"https://api.sportmonks.com/v3/football/fixtures/between/{start_date}/{end_date}", params=params).json()
    data.extend(r["data"])
    has_more = r["pagination"]["has_more"]
    page += 1
```

```
[4]: matches = pd.json_normalize(data)
matches.head(2)
```

```
[4]:
```

	id	sport_id	league_id	season_id	stage_id	group_id	aggregate_id	round_id	state_id	venue_id	name	starting_at	result_info	leg	details	length	placeholder	has_odds	ha
0	19146817	1	501	23690	77471570	None	None	340593	5	8928	Aberdeen vs Ross County	2025-01-02 15:00:00	Ross County won after full-time.	1/1	None	90	False	True	
1	19146818	1	501	23690	77471570	None	None	340593	5	336296	Hearts vs Motherwell	2025-01-02 15:00:00	Hearts won after full-time.	1/1	None	90	False	True	

Sportmonks: Fixture (match) by ID

```
sportmonks_0004.ipynb
```

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN}

Aberdeen vs Ross County ( 19146817 )

[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]

[4]: match = pd.json_normalize(data)

[5]: match.columns

[5]: Index(['id', 'sport_id', 'league_id', 'season_id', 'stage_id', 'group_id',
        'aggregate_id', 'round_id', 'state_id', 'venue_id', 'name',
        'starting_at', 'result_info', 'leg', 'details', 'length', 'placeholder',
        'has_odds', 'has_premium_odds', 'starting_at_timestamp'],
        dtype='object')
```

Sportmonks: Fixture (match) statistics

sportmonks_0005.ipynb

+

Python 3 (ipykernel)

Code

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN, "include": "statistics.type;events;formations;timeline;lineups.details.type"}

[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]
match = pd.json_normalize(data)
match.columns

[3]: Index(['id', 'sport_id', 'league_id', 'season_id', 'stage_id', 'group_id',
        'aggregate_id', 'round_id', 'state_id', 'venue_id', 'name',
        'starting_at', 'result_info', 'leg', 'details', 'length', 'placeholder',
        'has_odds', 'has_premium_odds', 'starting_at_timestamp', 'statistics',
        'events', 'formations', 'timeline', 'lineups'],
        dtype='object')

[4]: statistics = pd.json_normalize(match.statistics[0])

[5]: statistics.head(5)
```

	id	fixture_id	type_id	participant_id	location	data.value	type.id	type.name	type.code	type.developer_name	type.model_type	type.stat_group
0	207022998	19146817	34	273	home	9	34	Corners	corners	CORNERS	statistic	offensive
1	207023003	19146817	84	273	home	2	84	Yellowcards	yellowcards	YELLOWCARDS	statistic	overall
2	207023280	19146817	1605	273	home	33	1605	Successful Dribbles Percentage	successful-dribbles-percentage	SUCCESSFUL_DRIBBLES_PERCENTAGE	statistic	offensive
3	207023287	19146817	1605	246	away	38	1605	Successful Dribbles Percentage	successful-dribbles-percentage	SUCCESSFUL_DRIBBLES_PERCENTAGE	statistic	offensive
4	207023271	19146817	45	273	home	66	45	Ball Possession %	ball-possession	BALL_POSSESSION	statistic	overall

sport round stage group aggregate league season venue state
weatherReport lineups events timeline comments trends statistics
periods participants odds premiumOdds ↗ inplayOdds postmatchNews
prematchNews metadata tvStations predictions referees formations
ballCoordinates sidelined metadata scores

Sportmonks: Fixture (match) events

sportmonks_0006.ipynb

+

Python 3 (ipykernel)

Code

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN, "include": "events"}

[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]
match = pd.json_normalize(data)

[4]: events = pd.json_normalize(match.events[0])
len(events)

[4]: 17

[5]: events.head(5)
```

	id	fixture_id	period_id	participant_id	type_id	section	player_id	related_player_id	player_name	related_player_name	...	info	addition	minute	extra_minute	injured	on_ber
0	148273586	19146817	5800865	273	18	event	173059	464190.0	Kevin Nisbet	Ester Sokler	...	None	1st Substitution	30	NaN	None	Fa
1	148273591	19146817	5800865	246	19	event	123690	NaN	James Brown	None	...	Foul	2nd Yellowcard	31	NaN	None	Fa
2	148273534	19146817	5800865	273	19	event	37344344	NaN	T. Keskinen	None	...	Foul	1st Yellowcard	23	NaN	None	Fa
3	148273728	19146817	5800865	273	14	event	173059	NaN	Kevin Nisbet	None	...	Field Goal	2nd Goal	45	11.0	None	Fa
4	148273645	19146817	5800865	246	18	event	4893665	546803.0	George Harmon	Michee Efete	...	None	2nd Substitution	44	NaN	None	Fa

5 rows x 21 columns

Sportmonks: Formations

```
sportmonks_0007.ipynb
```

Open in... Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN, "include": "formations"}

[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]
match = pd.json_normalize(data)

[4]: formations = pd.json_normalize(match.formations[0])

[5]: formations.head(5)
```

	id	fixture_id	participant_id	formation	location
0	8387600	19146817	246	3-5-1-1	away
1	8387601	19146817	273	4-2-3-1	home

Sportmonks: Fixture (match) timeline

sportmonks_0008.ipynb

Python 3 (ipykernel)

```
[1]: import pandas as pd
import requests
```

```
[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN, "include": "timeline"}
```

```
[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]
match = pd.json_normalize(data)
```

```
[4]: timeline = pd.json_normalize(match.timeline[0])
len(timeline)
```

```
[4]: 17
```

```
[5]: timeline.head(5)
```

```
[5]:
```

	id	fixture_id	period_id	participant_id	type_id	section	player_id	related_player_id	player_name	related_player_name	...	info	addition	minute	extra_minute	injured	on_bench
0	148273597	19146817	5800865	246	126	timeline	None	None	None	None	...	None	3rd Corner	37	NaN	None	False
1	148273435	19146817	5800865	246	126	timeline	None	None	None	None	...	None	1st Corner	6	NaN	None	False
2	148273535	19146817	5800865	246	126	timeline	None	None	None	None	...	None	2nd Corner	24	NaN	None	False
3	148273629	19146817	5800865	273	126	timeline	None	None	None	None	...	None	6th Corner	38	NaN	None	False
4	148273735	19146817	5800865	273	126	timeline	None	None	None	None	...	None	8th Corner	45	NaN	None	False

5 rows × 21 columns

Sportmonks: Fixture (match) lineups

```
sportmonks_0009.ipynb
```

```
[1]: import pandas as pd
import requests

[2]: API_TOKEN = "tqz8BHX200tyVADTRuvyBaGmLVrZkwcwrhfbRjR9T5ZAQWXovTUEBytl4onZ"
params = {"api_token": API_TOKEN, "include": "lineups.details.type"}

[3]: data = requests.get("https://api.sportmonks.com/v3/football/fixtures/19146817", params=params).json()["data"]
match = pd.json_normalize(data)

[4]: lineups = pd.json_normalize(match.lineups[0])
len(lineups)

[4]: 40

[5]: lineups.head(5)
```

	id	sport_id	fixture_id	player_id	team_id	position_id	formation_field	type_id	formation_position	player_name	jersey_number	details
0	14597927439	1	19146817	123690	246	26	None	11	5.0	James Brown	2	[{'id': 1362633034, 'fixture_id': 19146817, 'p...
1	14597927412	1	19146817	580993	246	25	None	11	4.0	Ryan David Leak	3	[{'id': 1362630528, 'fixture_id': 19146817, 'p...
2	14597927435	1	19146817	9654	246	25	None	11	2.0	Akil Wright	4	[{'id': 1362630743, 'fixture_id': 19146817, 'p...
3	14597927126	1	19146817	174741	246	26	None	12	NaN	Scott Allardice	6	[{'id': 1362737010, 'fixture_id': 19146817, 'p...
4	14597927130	1	19146817	34422813	246	26	None	12	NaN	Victor Loturi	7	[]

03

Understat

Expected goals (xG) is the new revolutionary football metric, which allows you to evaluate team and player performance.

In a low-scoring game such as football, final match score does not provide a clear picture of performance.

This is why more and more sports analytics turn to the advanced models like xG, which is a statistical measure of the quality of chances created and conceded.


Our goal was to create the most precise method for shot quality evaluation.

For this case, we trained neural network prediction algorithms with the large dataset (>100,000 shots, over 10 parameters for each).

On this site, you will find our detailed xG statistics for the top European leagues.

league

EPL ▼



04

Extras

 mplsoccer

Public

Watch 16

Fork 84

Starred 453

main

12 Branches

0 Tags

Go to file

Add file

<> Code

 **andrewRowlinson** Install via uv rather than Conda. Fix docs. 688 Commits

d196598 · 2 days ago

docs	Install via uv rather than Conda. Fix docs.	2 days ago
examples	Install via uv rather than Conda. Fix docs.	2 days ago
mplsoccer	Pass sonars (#108)	8 months ago
tests	fixed bin statistic so it is consistent by pitch type, previously i...	3 years ago
.gitignore	Install via uv rather than Conda. Fix docs.	2 days ago
.pylintrc	update .pylintrc and linting fixes.	3 years ago
.readthedocs.yml	Install via uv rather than Conda. Fix docs.	2 days ago
CHANGELOG.md	Pass sonars (#108)	8 months ago
LICENSE	Install via uv rather than Conda. Fix docs.	2 days ago
README.md	fix README version 1.2.1.	2 years ago
pyproject.toml	Install via uv rather than Conda. Fix docs.	2 days ago

About

Football pitch plotting library for matplotlib

- Readme
- MIT license
- Activity
- 453 stars
- 16 watching
- 84 forks

Report repository


Releases

No releases published

Packages

No packages published

Contributors 18





Enter Person, Team, Section, etc

Search

Players

Clubs

Competitions

Matches ²⁵

Awards

Stathead

Languages

Mailing List

Full Site Menu Below ▼

Football Stats and History Statistics, scores and history for 100+ men's and women's club and national team competitions.


Football Players



Search our database of over 223,000 players

Enter Player Name

Search



Play Immaculate Footy

Put your football knowledge to the test with our daily football trivia game. Can you complete the grid?

Play [World Footy](#)
or [English Footy](#) (NEW)

Trending Player Pages

Football Squads

Men's Squads



Women's Squads



View a Club:

Choose a League ▼

Then a Club ▼

Go!

Stathead FBref Powered By FBref

The sports search engine that was made for *fans like you*

The dev-friendly football API

RESTful. Reliable. Free to use. Easy to integrate.

Did you realize the delay in the table below? That was the time it took to make a

```
GET https://api.football-data.org/v4/matches
```

in the background. But in the end it's that easy... one request.

Date/Status		Opponents		Score
24/04/2025	17h00 TIMED	 CD Leganés	vs.  Girona FC	-:-
24/04/2025	17h00 TIMED	 CA Osasuna	vs.  Sevilla FC	-:-
24/04/2025	19h30 TIMED	 Real Betis Balompie	vs.  Real Valladolid CF	-:-
24/04/2025	19h30 TIMED	 Club Atlético de Madrid	vs.  Rayo Vallecano de Madrid	-:-

05

Learning materials

< Ted Lasso

S3.E7 < All episodes >

Cast & crew · User reviews · Trivia

IMDbPro



All topics



The Strings That Bind Us

Episode aired Apr 26, 2023 · TV-MA · 57m

IMDb RATING

8.2/10
8K

YOUR RATING



Rate

Comedy

Drama

Sport

The Greyhounds try a new strategy that has everyone thinking outside the box. Sam prepares to host a VIP guest at Ola's.

Director [Matt Lipsey](#)**Writers** [Jason Sudeikis](#) · [Bill Lawrence](#) · [Brendan Hunt](#) >**Stars**[Jason Sudeikis](#) · [Hannah Waddingham](#) · [Jeremy Swift](#) >IMDbPro See production info at IMDbPro [↗](#)

+ Add to Watchlist



Mark as watched

29 User reviews 5 Critic reviews

How To Get Started In Football Analytics

By Hudl Statsbomb | August 29, 2024 | 6 min read

Share This Article



How To Get Started In Football Analytics

Share This Article



Since our inception, Hudl Statsbomb has been at the forefront of educating the next generation of football analysts. We're committed to providing materials and resources to develop the skills needed to enter the industry, from free datasets and code to industry-standard education and training courses. We've opened the doors to our extensive knowledge base, all to help aspiring analysts hone their craft.

One of the most common questions we receive is, "How do I get

How to Learn Sports Analytics for Beginners: A Step-by-Step Guide

By McKay Johns • November 24, 2024

If you feel lost with learning sports analytics, let's dive into the step by step guide on how to do it.

Python

R

sports analytics

coding

Sports analytics has revolutionized how teams, coaches, and fans understand the game. From predicting player performance to optimizing game strategies, analytics plays a pivotal role in modern sports. If you're a beginner intrigued by the idea of analyzing game data and uncovering actionable insights, this guide will show you how to get started.

What is Sports Analytics?

[About](#)[Outcomes](#)[Courses](#)[Testimonials](#)

Specialization - 5 course series

Sports analytics has emerged as a field of research with increasing popularity propelled, in part, by the real-world success illustrated by the best-selling book and motion picture, Moneyball. Analysis of team and player performance data has continued to revolutionize the sports industry on the field,

[Read more](#)

Foundations of Sports Analytics: Data, Representation, and ...

Course 1 • 49 hours • 4.4 ★ (186 ratings)



Moneyball and Beyond

Course 2 • 28 hours • 4.6 ★ (51 ratings)



Prediction Models with Sports Data

Course 3 • 33 hours • 4.5 ★ (39 ratings)



Wearable Technologies and Sports Analytics



Instructors



Stefan Szymanski

University of Michigan

3 Courses • 26,513 learners



Youngho Park

University of Michigan

1 Course • 6,157 learners



[View all 5 instructors](#)

06

Closing slides



python-on-the-pitch-pycon-lithuania-2025 Public



🔗 main ▾

🔗 1 Branch 🏷 0 Tags

🔍 Go to file

t

Add file ▾

<> Code ▾



korniichuk Add Sportmonks files

4b52a20 · 28 minutes ago

🕒 4 Commits



sportmonks

Add Sportmonks files

28 minutes ago



statsbomb

Add Statsbomb team's formation

2 hours ago



.gitignore

Initial commit

5 hours ago



LICENSE

Initial commit

5 hours ago



README.md

Initial commit

5 hours ago



README



Unlicense license



python-on-the-pitch-pycon-lithuania-2025

Python on the Pitch

About

Python on the Pitch

📖 Readme

📄 Unlicense license

📈 Activity

☆ 0 stars

👁 1 watching

🔗 0 forks

Releases

No releases published

[Create a new release](#)

Packages

No packages published

[Publish your first package](#)

Languages



RUSLAN KORNIICHUK

Software and Platform Engineer in Poland



Hire me

Solid experience of 10+ years in IT. Former Software Engineer and Architect at Fortune 500 companies. Core areas: Cloud Computing, and Software Engineering. Especially interested in Platform Engineering. Click the button above to hire me.



DONATE TO UKRAINE ARMY FUNDRAISER

Select the destination of your assistance

ARMY ASSISTANCE

SUPPORT THE FUND

All funds raised to help the army will be spent exclusively on purchases for the Armed Forces of Ukraine and other components of the Defense Forces.

Payment method

PAYMENT BY CARD

SWIFT TRANSFERS

CRYPTOCURRENCY

Regularity

ONE TIME

SUBSCRIPTION EVEN BETTER

Payment currency

UAH, ₴

USD, \$

EUR, €

Amount of donation*

€ 10

Email*

example@example.com

☐ I consent to the processing of my email address to receive email newsletters (twice a month), invitations and receipts.

PAY

 Payment secured

tinyurl.com/PYCONLT2

