

GALIO BLACK AUTOMATIC FREESTANDING OUTDOOR GAS FIREPLACE

Gas Technology

OPTIONAL GAS CYLINDER CASE

A matching black case to aesthetically cover the gas cylinder.



ROBUST DESIGN

The freestanding design and black finish make Galio Corten a perfect fireplace for outdoor spaces. It is resistant to severe weather conditions.



REMOTE CONTROL

Control the fire with the remote, app on your smartphone or a home automation system.



OPTIONAL COVER

A dedicated fabric cover that protects the fireplace when not used.



AUTOMATIC CONTROL

The device is controlled by an electronic system. To start the device or adjust the height of the flame you can use the control panel, remote or mobile application via the WiFi module. Galio is also compatible with Smart Home Systems.



Galio Corten Automatic

(Gas Technology)

Fuel type	Natural Gas / LPG
Heat output	(NG) max. 9.4 kW 32 070 BTU/h (LPG) max. 11.8 kW 40 260 BTU/h
Gas consumption	(NG) max. 1.0 m ³ /h 35.3 ft ³ /h (LPG) max. 0.93 kg/h 2.05 lb/h
Gas pressure	(NG) 20 mbar 8 WC (LPG) 37 mbar 14.9 WC
Total gas hose length	4 m 13 ft <i>(measured from valve to pressure regulator)</i>
Weight	31.0 kg 68.3 lb
Power supply	remote: 2x 1.5V AAA batteries receiver: 4x 1.5V AA Wi-Fi: 6V DC
Flue	not required
Flame height regulation	yes
Materials	steel 316
Decorative accessories	black diamond stones
Application	for outdoor use only

CONTROL OPTIONS



included



optional




compatible

'PLANIKA GAS CONTROL' APP

Control the fire with your smartphone!



custom size and shape
available on request



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing. The actual consumption of individual devices may vary. The images are indicative only.

GALIO BLACK MANUAL

FREESTANDING OUTDOOR GAS FIREPLACE

Gas Technology


OPTIONAL GAS CYLINDER CASE

A matching black case to aesthetically cover the gas cylinder.




ROBUST DESIGN

The freestanding design and black finish make Galio Corten a perfect fireplace for outdoor spaces. It is resistant to severe weather conditions.



OPTIONAL COVER

A dedicated fabric cover that protects the fireplace when not used.



MANUAL CONTROL


Galio introduces an intuitive control system that allow you to control the flame with a single knob. Simply rotate it to set the flame height at the desired level.



Galio Black Manual

(Gas Technology)

Fuel type	Natural Gas / LPG
Heat output	(NG) max. 13.6 kW 46 400 BTU/h (LPG) max. 11.8 kW 40 260 BTU/h
Gas consumption	(NG) max. 1.22 m ³ /h 43.1 ft ³ /h (LPG) max. 0.93 kg/h 2.05 lb/h
Gas pressure	(NG) 20 mbar 8 WC (LPG) 37 mbar 14.9 WC
Total gas hose length	4 m 13 ft <i>(measured from valve to pressure regulator)</i>
Weight	31.0 kg 68.3 lb
Flue	not required
Flame height regulation	yes
Power supply	control panel: 1 x AAA battery
Materials	steel 316, tempered glass
Decorative accessories	black diamond stones
Application	for outdoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing. The actual consumption of individual devices may vary. The images are indicative only.

GALIO CORTEN AUTOMATIC FREESTANDING OUTDOOR GAS FIREPLACE

Gas Technology

OPTIONAL GAS CYLINDER CASE

A matching corten case to aesthetically cover the gas cylinder.



ROBUST DESIGN

The freestanding design and rusty finish make Galio Corten a perfect fireplace for outdoor spaces. It is resistant to severe weather conditions.



REMOTE CONTROL

Control the fire with the remote, app on your smartphone or a home automation system.



OPTIONAL COVER

A dedicated fabric cover that protects the fireplace when not used.



AUTOMATIC CONTROL

The device is controlled by an electronic system. To start the device or adjust the height of the flame you can use the control panel, remote or mobile application via the WiFi module. Galio is also compatible with Smart Home Systems.



Galio Corten Automatic (Gas Technology)

Fuel type	Natural Gas / LPG
Heat output	(NG) max. 9.4 kW 32 070 BTU/h (LPG) max. 11.8 kW 40 260 BTU/h
Gas consumption	(NG) max. 1.0 m ³ /h 35.3 ft ³ /h (LPG) max. 0.93 kg/h 2.05 lb/h
Gas pressure	(NG) 20 mbar 8 WC (LPG) 37 mbar 14.9 WC
Total gas hose length	4 m 13 ft <i>(measured from valve to pressure regulator)</i>
Weight	31.0 kg 68.3 lb
Power supply	remote: 2x 1.5V AAA batteries receiver: 4x 1.5V AA Wi-Fi: 6V DC
Flue	not required
Flame height regulation	yes
Materials	steel 316
Decorative accessories	black diamond stones
Application	for outdoor use only

CONTROL OPTIONS



included



optional




compatible

'PLANIKA GAS CONTROL' APP

Control the fire with your smartphone!



custom size and shape
available on request



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing. The actual consumption of individual devices may vary. The images are indicative only.

GALIO CORTEN MANUAL

FREESTANDING OUTDOOR GAS FIREPLACE

Gas Technology

OPTIONAL GAS CYLINDER CASE

A matching corten case to aesthetically cover the gas cylinder.


ROBUST DESIGN

The freestanding design and rusty finish make Galio Corten a perfect fireplace for outdoor spaces. It is resistant to severe weather conditions.



OPTIONAL COVER

A dedicated fabric cover that protects the fireplace when not used.



MANUAL CONTROL


Galio introduces an intuitive control system that allow you to control the flame with a single knob. Simply rotate it to set the flame height at the desired level.



Galio Corten Manual

(Gas Technology)

Fuel type	Natural Gas / LPG
Heat output	(NG) max. 13.6 kW 46 400 BTU/h (LPG) max. 11.8 kW 40 260 BTU/h
Gas consumption	(NG) max. 1.22 m ³ /h 43.1 ft ³ /h (LPG) max. 0.93 kg/h 2.05 lb/h
Gas pressure	(NG) 20 mbar 8 WC (LPG) 37 mbar 14.9 WC
Total gas hose length	4 m 13 ft <i>(measured from valve to pressure regulator)</i>
Weight	31.0 kg 68.3 lb
Flue	not required
Flame height regulation	yes
Power supply	control panel: 1 x AAA battery
Materials	steel 316, tempered glass
Decorative accessories	black diamond stones
Application	for outdoor use only



All product specifications and data are subject to change without notice and are believed to be accurate as of the date hereof. Planika Sp. z o.o., its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "Planika Sp. z o.o."), disclaim any and all liability for any errors, inaccuracies or incompleteness contained in any document or in any other disclosure relating to any product. To the maximum extent permitted by applicable law, Planika Sp. z o.o. disclaims any and all liability arising out of the application or use of any product. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of Planika Sp. z o.o.. Customers using or selling Planika Sp. z o.o.'s products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify Planika Sp. z o.o. for any damages arising or resulting from such use or sale. The provided fuel consumption is based on laboratory testing. The actual consumption of individual devices may vary. The images are indicative only.