

The Hall

CAPACITIES

Gig - 1300

Standing social - 800

Activations - 650

Theatre - 650

Dining banquet - 420

Dining round tables - 340

ADDITIONAL

- 3 green rooms
- Accessibility
- Goods lift
- Pop up bars available
- Air Conditioning
- Loading bay access
- State of the art sound system
- Gobo projection
- Dedicated high speed wifi
- Showers/washing facilities

PERKS

- Built in stage and bar
- In house production
- Option to live record
- State of the art tech
- Excellent acoustics
- Stage lighting
- Immersive disco ceiling
- Original grade 2 fixtures

PERFECT FOR

- Awards & dinners
- Conferences/lectures
- Exhibitions
- Training days
- Product launches
- Christmas parties
- Fashion shows
- Filming/photoshoots



Tech spec

SPEAKER SYSTEM

- 12 L-Acoustics K3
- 4 L-Acoustics X8 2 L-Acoustics X15HiQ
- 4 L-Acoustics KIVA II
- 6 L-Acoustics KS28 Inc all necessary motors, rigging, amplifiers & cabling

MIXING CONSOLES & ACCESSORIES

- 2 DiGiCo SD12 Mixing Console with HMA Optics
- 2 DiGiCo D2 Rack BNC (48 in, 32 out)
- STAGE MONITORS

- 12 Adlib 15" & 2" MP5 Bi Amp Wedge
- 1 Adlib AAMP4 Sub
- 2 x 15"

MONITOR AMPLIFIERS

- 4 Linea Research 44M20 Amplifier

MIC SPLITTER

- 1 Adlib Splitter 48ch

MULTICORES

- 1 4x BNC, 1x 12 Pair, 1x 32A 120m Multicore MAINS
- 1 63A 3PH Mains Distribution System MICROPHONES
- 4 Shure SM58
- 6 Shure SM57
- 6 Shure Beta 58A
- 4 Shure Beta 57A
- 6 Sennheiser e604
- 2 AKG C414
- 1 Shure Beta 91A
- 1 Beyerdynamic M88
- 1 Shure Beta 52A
- 4 AKG C451
- 10 Jack Cable - Short
- 10 Radial J48 DI Box

PA INPUTS

- 1- PA L- K2 + House L FF
- 2- PA R- K2 + House R FF
- 3- SUB- KS28
- 4- Centre- Kiva

MICROPHONE STANDS


- 10 K&M 210/9 Tall Standard Tripod Stand c/w Boom Arm
- 10 K&M 25900 Short Standard Tripod Stand c/w Boom Arm
- 3 K&M 260/1 Tall Straight Stand - Black
- 3 K&M Round Base for Tall Straight Stand
- 4 K&M 23323 Short Straight Stand c/w Boom Arm
- 4 K&M Round Base for Small Straight Stand



The Hall - Floor plan

DIMENSIONS

582 sq.m



VENUE HALL PLAN @ 1:100

