



DUSTEX QUICK PROPS

The rapid fit, temporary barrier system

Quick and easy to install


Key Product Features

- ✓ Quick and easy to install, no training needed; a 10m screen can be erected in less than 5 minutes.
- ✓ Create exactly the length, height and shape of screen required.
- ✓ Perfect for suspended ceilings, can also be used on angled or vaulted ceilings due to adjustable head.
- ✓ Can be used time and time again
- ✓ Rubber non-stick floor and ceiling contact points ensure stability and reduce risk of marking.
- ✓ Tight-Seal™ accessories mean no need for taping screen edges.
- ✓ Re-sealable Zipwall® door system gives easy access to working area.
- ✓ Gives a professional appearance to any project.
- ✓ Easily stored and transported in hard wearing Zipwall® carry bag.

Zipwall®, a unique temporary screening system, can be installed in minutes by just one person without the need for using tape, nails or ladders.

This makes it the ideal solution to control and prevent airborne dust produced during refurbishment works from contaminating the surrounding environment.

According to health and safety research, dust inhalation on construction sites affects many thousands of workers throughout the UK every year. The side effects of dust inhalation can not only cause sickness but can be fatal. Dust from internal refurbishment programmes particularly in occupied areas or live store environments also causes disruption and can damage your reputation through a poorly presented site, not to mention the time and cost of clean-up.





Key Product Features

- ✓ Rapid fit - **Saves time**
- ✓ No tape, no nails or screws - **Saves damage**
- ✓ Can be used time after time - **Saves money**
- ✓ Provides complete seal - **Stops dust spreading**
- ✓ No ladders or steps needed - **Improves safety**
- ✓ No other fixing accessories required - **Saves hassle**



Quick Props are available in up to 3.66m and 6m lengths.



Quick Props provides an instant barrier between the working environment and surrounding areas





The Pole

This patented system is vastly superior to other screening methods.

Key Product Features

- ✓ Robust and durable.
- ✓ Integral spring-loaded head ensuring tension maintained. Up to 3m between poles possible.
- ✓ Simply twist pole to lock - no time wasting or hassle.
- ✓ Two piece system assembled in seconds, no numerous fixings to get lost or misplaced.



The Prop head fixes simply and securely to the barrier sheeting

Other Uses for the Poles



Flood-light support




Plasterboard support



Holding cabinets




Crown moulding



Adhere ceiling tiles



Easily installed in minutes by just one person



Simply twist the pole to lock firmly in place.





Tight-Seal Foam

The Tight-Seal[®] Foam rail and side clamp system enables you to create extra tight dust seals without using tape.

Key Product Features

- ✓ Soft Foam Rail creates a completely dust tight seal.
- ✓ Quick and easy to use, fixes to existing
- ✓ Prophead.
- ✓ 1.5 metre length seals a large area rapidly.
- ✓ Can be cut or overlapped to meet exact screen size.
- ✓ Spring-loaded side clamp creates dust tight seal.
- ✓ No need for ladders, tape or nails.
- ✓ Re-usable time and time again.



1.5m Tight-Seal Soft Foam Rail



Tight-Seal Side Clamp securely fixes Foam Rail to the wall

Caution Tape Reel

The Caution Tape Reel accessory pack enables you to set up a neat barrier quickly without the need to tie caution tape to chairs, doorknobs or heavy stanchions.

Key Product Features

- ✓ Professional looking. The tape stays straight and upright.
- ✓ Tape can be rewound and used time and time again.
- ✓ Can be used on the pole with or without plastic sheeting.
- ✓ Reel holds caution tape rolls of all sizes up to 300m.





Door System

The Zipwall® Door System allows you to create a resealable zipped entrance doorway to enclosures whilst ensuring the spread of dust is prevented.

Key Product Features

- ✓ Self-adhesive zip system adheres directly to screening material.
- ✓ Heavy duty two-sided zip allows access and locking from both sides of the screen.
- ✓ Create a door space to any size.
- ✓ Can be used with any type of screening material.
- ✓ Kit comes with unique safe to use Zipper knife.
- ✓ Comes complete with tie backs for secure opening during use.
- ✓ Quick and simple to install.



Self-adhesive zippers easily adhere to the screening material.



Using the unique Zipwall Knife™ to double cut the screening material for a jam free opening.

The doorway can be made to any size.

With the zippers undone the doorway can be rolled up and secured with the ties provided





System Components

SLP12 2-pack

2 x 3.66m poles, extends from 1.4m to 3.66m



SLP6 6-pack

6 x 3.66m poles



SLP20 2-pack

2 x 6m poles



4PL

Starter pack including 4 poles, 2 foam rails, 1pkt of zippers, 1 carry bag



HDA22 Zipper kit

2 heavy duty zippers, 2 tie strings, 1 Zipwall® zipper knife



FR2 2-pack Foam Rails

2 x 1.52m Tight Seal™ Foam Rails



CB1 Carry Bag



SC2 Tight Seal Side Clamps

Packed 2 per pack



RLPK Reel Pack

1 tape reel, 1 x 100m Caution tape 6 tape clips





Screening Materials

STD Polythene

Standard polythene sheet available in 4m wide rolls in medium or heavy gauge




Flame Retardant Polythene

Flat polythene sheet available in 4m wide , available in medium gauge



Flame Retardant Barrier Sheet

A tough, reinforced, heavy duty, puncture a tear resistant polythene material, available in 4m wide rolls



According to health and safety research, dust inhalation on construction sites affects many thousands of workers throughout the UK every year. The side effects of dust inhalation can not only cause sickness but can be fatal. Dust from internal refurbishment programmes particularly in occupied areas or live store environments also causes disruption and can damage your reputation through a poorly presented site, not to mention the time and cost of clean-up.



Prospect House
Riverside Way
Dartford
Kent
DA1 5BS

T. +44 (0) 844 324 0601
F. +44 (0) 844 324 0602
E. info@rvtgroup.co.uk

www.rvtgroup.co.uk

