

Site Lighting



LED Non Corrosive Work Light

An LED non corrosive work light range with a operating temperature of 0°C to +50°C, ideal for use in any indoor/outdoor commercial or industrial construction sites.



Material construction

- Polycarbonate – Yellow base
- Polycarbonate – Opal diffuser



120° Beam angle








Dual brackets included for suspension and wall mounting



3 hour emergency duration option available



Kellihers Code	Model No.	Colour	Emergency	Wattage (W)	Lumens (lm)	Efficacy (Lm/W)	Colour Temperature (K)
2170001	RXL-TRLED8010	2FT WEATHERPROOF 110V YELLOW BODY		20	2000	100	6300K
2170002	RXL-TRLED8011	2FT WEATHERPROOF 110V YELLOW BODY E3	Y	20	2000	100	6300K
2170301	RXL-TRLED8020	5FT WEATHERPROOF 110V YELLOW BODY		36	3960	110	6300K
2170302	RXL-TRLED8021	5FT WEATHERPROOF 110V YELLOW BODY E3	Y	36	3960	110	6300K



LED Plasterers Light

An LED Plasterers light perfect for working in both indoor and outdoor confined spaces, with operating temperatures of 0°C to +40°C.



Material construction

- Polycarbonate - Yellow base
- Polycarbonate - Opal diffuser



120° Beam angle



Supplied with foldaway stand for ease of storage and transportation






Supplied with two 16A outlet connections for linkable applications



5m lead and 16A 110V yellow plug



Kellihers Code	Model No.	Description	Wattage (W)	Lumens (lm)	Efficacy (lm/W)	Colour Temperature (K)
2172402	RXL-P1000	2FT PLASTERERS LIGHT A-FRAME 110V	20	2200	110	6300K
2172405	RXL-P1010	2FT PLASTERERS LIGHT TRIPOD 110V	20	2200	110	6300K
2172406	RXL-P1020	5FT PLASTERERS LIGHT TRIPOD 110V	30	3300	110	6300K



LED Task Light

A range of task and tripod worklights perfect for indoor and outdoor illumination.



Material construction



- Aluminium body – Yellow
- Tempered glass cover



Complete with 1.5m lead and 16A plug



Kellihers Code	Model No.	Colour	Wattage (W)	Lumens (lm)	Efficacy (Lm/W)	Colour Temperature (K)
2172407	RXL-S4010	110v PORTABLE TASK LIGHT	10	900	90	4000K



LED Tripod Worklight

A range of task and tripod worklights perfect for indoor and outdoor illumination.



Material construction

- Light fitting -Aluminium body - Yellow
- Tempered glass cover
- Tripod - Die cast Aluminium - Yellow



Comes with a telescopic tripod for easy storage and transportation



Complete with 3m lead and 16A plug






Kellihers Code	Model No.	Colour	Wattage (W)	Lumens (lm)	Efficacy (Lm/W)	Colour Temperature (K)
2172408	RXL-S4110	110V TRIPOD TASK LIGHT	10	900	90	4000K
2172409	RXL-S4120	110V TWIN TRIPOD TASK LIGHT	10	900	90	4000K



RXL-S4110

RXL-S4120



Site Floodlight

A range of floodlights suitable for use in industrial and commercial applications such as construction sites.



Material construction

- Aluminium body – Yellow
- Toughened glass cover




500mm lead




Kellihers Code	Model No.	Colour	Wattage (W)	Lumens (lm)	Efficacy (Lm/W)	Colour Temperature (K)
2172601	RXL-N6279	110V SITE FLOODLIGHT	50	4500	90	4000K
2172602	RXL-N6280	110V SITE FLOODLIGHT	70	6300	90	4000K
2172603	RXL-N6281	110V SITE FLOODLIGHT	100	9000	90	4000K
2172604	RXL-N6282	110V SITE FLOODLIGHT	150	13500	90	4000K



RXL-N6279 / RXL-N6280 /
RXL-N6281



RXL-N6282



LED Festoon Kits

A range of festoon lighting kits that are an ideal temporary lighting solution for construction sites due to their light weight and flexibility.



22M Length with 2M Spacings



Option to have festoon only or lamp included kit comes with 10 LED lamps



Kellihers Code	Model No.	Description
2176801	RXL-SEFLEDES	110V 22M KIT INC ES LAMPS
2176802	RXL-SEFLEDBC	110V 22M KIT INC BC LAMPS



Integrated Festoon Kit



Suitable temporary lighting solution for indoor & outdoor use



Complete 20m kit with 7 fully integrated LED lamps



Kellihers Code	Model No.	Description
2176801	SEFLKITINT	20M INTEGRATED FESTOON KIT 7 X 10W



Site Accessories

A range of site accessories ideal for domestic, commercial and industrial applications.

110V Transformers



Robust GRP case with carry handle



Resettable thermal cut out



Supplied with 2M cable and 13A plug



Kellihers Code	Model No.	Colour	Intermittent Rating	Continuous Rating	Weight
4859808	RXL-15002/B	1500VA SITE TRANSFORMER	1.5KVA	0.9KVA	13
4859805	RXL-3300/2/B	3300VA SITE TRANSFORMER	3.3KVA	2.2KVA	18
4859809	RXL-10000/1PH	10000VA SITE TRANSFORMER	10KVA	7.0KVA	63



Power Splitter



Power splitter with four 16A 110V outlets



Heavy duty yellow steel case with carry handle



Complete with lead and 16A 110V plug



Kellihers Code	Model No.	Colour	Lead Length	Sockets
3450301	RXL-PS45	POWER SPLITTER WITH CABLE	2.5M	4



Site Accessories

Extension Lead Reels




-  2 x 110V 16A dust covered outlet sockets
-  Easy wind handle
-  Optimised design for increased cable capacity



Kellihers Code	Model No.	Description	Length (Metres)	Voltage (V)	Max Load Unwound	Max Load Wound
3450363	RXL-SE1010	CASSETTE CABLE REEL 16A	10	110v	1760	770
3450365	RXL-SE1030	OPEN CABLE REEL 16A	25	110v	1760	660



Extension Lead

-  Made with highly durable arctic grade cable
-  Fitted with 16A 110v plug and coupler
-  Must be used uncoiled



Kellihers Code	Model No.	Description	Length (Metres)	Max Load Unwound	Max Load Wound	H Frame
3450302	RXL-SE3010	YELLOW 1.5MM 16A EXT LEAD	14	1760	770	
3450303	RXL-SE3030	YELLOW 2.5MM 16A EXT LEAD	14	1760	770	
3450310	RXL-SE3050	YELLOW 1.5MM 16A EXT LEAD	25	1760	770	Y
3450311	RXL-SE3070	YELLOW 2.5MM 16A EXT LEAD	25	1760	770	Y

