





Product Service

# CERTIFICATE

No. Z1A 021662 0303 Rev. 00

**Factories:** 021662

**Model(s):** COROCORD™  
COR 1710, COR 1713, COR 1714, COR 1716,  
COR 1717, COR 1718, COR 1720, COR 1723,  
COR 1724, COR 1726, COR 1727, COR 1728,  
COR 1730, COR 1733, COR 1734, COR 1735,  
COR 1736, COR 1737, COR 1738

**Parameter:** **COR 1710 Super Frisbee:**  
Horizontal ring-shaped net structure consisting of part sections with different mesh widths, fixed firmly between tubular steel circles,  
area approx. Ø 6.00 m height 2.10 m  
Hercules rope Ø 19 mm, made of galvanised six-strand steel wire ropes, strands wrapped in PES yarn and inductively welded on,  
Hercules rope Ø 21 mm core reinforced with steel wire.  
Attachments and rope / net structure connected by means of stainless steel S-clamps Ø 8 mm, stainless steel eyelets or rope pressings.  
Support construction outer ring Ø 6 m made of curved tubular steel segment Ø 168.3 x 6.3 mm, inner ring Ø 3 m made of curved tubular steel segments Ø 139.7 x 4.0 mm, elevated all round  
on 8 vertical support posts Ø 114.3 x 8.0 mm, in different lengths made of seamless hot-galvanised tubular steel, hot-galvanised and colour-coated.

**Attachments:**  
COR 1713 HDPE access ladder  
COR 1714 Liana ropes  
COR 1716 PP coconut rope  
COR 1717 Climbing clamps  
COR 1718 Play shell

L/W/H: 6.00/ 5.92/ 2.10 m  
Max. falling height: 2.10 m



Product Service

# CERTIFICATE

No. Z1A 021662 0303 Rev. 00

## COR 1720 Mega Frisbee:

Horizontal ring-shaped net structure consisting of part sections with different mesh widths, fixed firmly between tubular steel circles,  
 area approx. Ø 8.00 m height 2.75 m  
 Hercules rope Ø 19 mm, made of galvanised six-strand steel wire ropes, strands wrapped in PES yarn and inductively welded on,  
 Hercules rope Ø 21 mm core reinforced with steel wire.  
 Attachments and rope / net structure connected by means of stainless steel S-clamps Ø 8 mm, stainless steel eyelets or rope pressings.  
 Support construction outer ring Ø 8 m made of curved tubular steel segment Ø 168.3 x 4.0 mm, inner ring Ø 4 m made of curved tubular steel segments Ø 139.7 x 4.0 mm, elevated all round  
 on 8 vertical support posts Ø 114.3 x 10.0 mm, in different lengths made of seamless hot-galvanised tubular steel, hot-galvanised and colour-coated.

## Attachments:

- COR 1723 HDPE access ladder
- COR 1724 Liana ropes
- COR 1726 PP coconut rope
- COR 1727 Climbing clamps
- COR 1728 Play shell

L/W/H: 8.00/ 7.89/ 2.85 m  
 Max. falling height: 2.85 m

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD  
 ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

# CERTIFICATE

No. Z1A 021662 0303 Rev. 00

## COR 1730 Giga Frisbee:

Horizontal ring-shaped net structure consisting of part sections with different mesh widths, fixed firmly between tubular steel circles, area approx. Ø 12.00 m height 2.80 m Hercules rope Ø 19 mm, made of galvanised six-strand steel wire ropes, strands wrapped in PES yarn and inductively welded on, Hercules rope Ø 21 mm core reinforced with steel wire. Attachments and rope / net structure connected by means of stainless steel S-clamps Ø 8 mm, stainless steel eyelets or rope pressings.

Support construction outer ring Ø 12 m and inner ring Ø 6 m made of curved tubular steel segment Ø 168.3 x 6.3 mm, elevated all round on 12 vertical support posts Ø 114.3 x 12.5 mm, in different lengths, made of seamless hot-galvanised tubular steel, hot-galvanised and colour-coated.

## Attachments:

COR 1733 Access ladder, HDPE  
COR 1734 Liana ropes  
COR 1735 Climbing net  
COR 1736 Coconut rope, PP  
COR 1737 Climbing clamps  
COR 1738 Play shell

L/W/H: 12.00/ 11.77/ 2.90 m  
Max. falling height: 2.90 m

TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD TÜV SÜD  
ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFIKAT ◆ CERTIFICATE