



Product Service

CERTIFICATE

No. Z1A 021662 0304 Rev. 00

Holder of Certificate: **Kompan Design Studio & Manufacturing, Berlin GmbH**
Holzhauser Str. 139
13509 Berlin
GERMANY

Certification Mark:



Product: **Playground equipment**

Tested according to: DIN EN 1176-1:2017
DIN EN 1176-11:2014
EN 1176-1:2017
EN 1176-11:2014
AfPS GS 2014:01 PAK

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 713150160-06

Valid until: 2024-03-27

Date, 2019-04-03

(Jens Biesenack)

ZERTIFIKAT ◆ CERTIFICATE ◆ 認證證書 ◆ CERTIFICADO ◆ CERTIFICAT



Product Service

CERTIFICATE

No. Z1A 021662 0304 Rev. 00

Factories: 021662

Model(s): COROCORD™
COR 2010, COR 2020, COR 2021, COR 2060,
COR 2070, COR 2080, COR 2081, COR 2082,
COR 2083, COR 2084

Parameter: Small climbing nets made of ropes d = 16 mm connected with stainless steel S-clamps, supported on hot-galvanised steel posts.

Alternatively equipped with

- * 7.5 mm thick polyester fabric membrane
- * Stainless steel slide-climbing rod, d = 38 mm
- * EPDM discs d = 140 – 450 mm
- * Corocord rope rungs, d = 28 mm
- * HDPE climbing wall
- * Wobble beam
- * HDPE rungs

COR 2010 SPIDA

L/W/H: 3.45/ 2.60/ 2.90 m

Max. falling height: 1.70 m

COR 2020 Small arch

L/W/H: 2.90/ 0.80/ 1.30 m

Max. falling height: 1.30 m

COR 2021 Large arch

L/W/H: 4.30/ 0.80/ 2.00 m

Max. falling height: 2.00 m

COR 2060 Shell

L/W/H: 6.10/ 4.20/ 2.50 m

Max. falling height: 2.50 m

COR 2070 Emerald

Ø/H: 5.40/ 3.90 m

Max. falling height: 2.00 m

COR 2080 UFO trail

L/W/H: 7.50/ 2.10/ 2.20 m

Max. falling height: 2.00 m

