

2.3 Combination Capacity: 3MXT24AVJU9, 3MXTH24AVJU9 Cooling [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	3.71 ~ 9.30	620	380 ~ 830	3.0	1.9 ~ 4.1	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	3.71 ~ 12.00	800	380 ~ 1080	3.9	1.9 ~ 5.3	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	3.78 ~ 14.80	1040	380 ~ 1360	5.1	1.9 ~ 6.7	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	6.16 ~ 20.00	1220	520 ~ 1670	6.0	2.6 ~ 8.2	98
18	Wall	—	—	—	—	18.00	—	—	—	—	18.00	6.23 ~ 24.00	1480	530 ~ 2130	7.3	2.6 ~ 10.4	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	6.09 ~ 18.70	1090	520 ~ 1590	5.3	2.6 ~ 7.8	98
07 + 09	Wall	Wall	—	—	—	7.00	9.00	—	—	—	16.00	6.09 ~ 21.30	1280	520 ~ 1790	6.3	2.6 ~ 8.8	98
07 + 12	Wall	Wall	—	—	—	7.00	12.00	—	—	—	19.00	6.16 ~ 25.20	1590	520 ~ 2260	7.8	2.6 ~ 11.1	98
07 + 15	Wall	Wall	—	—	—	7.00	15.00	—	—	—	22.00	7.07 ~ 28.80	1730	520 ~ 2490	8.5	2.6 ~ 12.2	98
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.54 ~ 30.00	1940	670 ~ 2640	9.5	3.3 ~ 13.0	98
09 + 09	Wall	Wall	—	—	—	9.00	9.00	—	—	—	18.00	6.16 ~ 24.00	1470	520 ~ 2120	7.2	2.6 ~ 10.4	98
09 + 12	Wall	Wall	—	—	—	9.00	12.00	—	—	—	21.00	6.16 ~ 27.60	1790	520 ~ 2530	8.8	2.6 ~ 12.4	98
09 + 15	Wall	Wall	—	—	—	9.00	15.00	—	—	—	24.00	8.54 ~ 30.00	1930	670 ~ 2630	9.5	3.3 ~ 12.9	98
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.61 ~ 30.00	1920	670 ~ 2610	9.4	3.3 ~ 12.8	98
12 + 12	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 30.00	2120	520 ~ 2820	10.4	2.6 ~ 13.8	98
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.54 ~ 30.00	1920	670 ~ 2610	9.4	3.3 ~ 12.8	98
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.61 ~ 30.00	1900	670 ~ 2580	9.3	3.3 ~ 12.7	98
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	9.52 ~ 30.00	1770	670 ~ 2460	8.7	3.3 ~ 12.1	98
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	9.59 ~ 30.00	1750	670 ~ 2360	8.6	3.3 ~ 11.6	98
18 + 18	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	9.66 ~ 30.00	1730	680 ~ 2330	8.5	3.3 ~ 11.4	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.00	7.00	7.00	—	—	21.00	7.00 ~ 27.60	1660	510 ~ 2340	8.1	2.5 ~ 11.5	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.00	7.00	9.00	—	—	23.00	7.00 ~ 30.00	1860	510 ~ 2620	9.1	2.5 ~ 12.9	98
07 + 07 + 12	Wall	Wall	Wall	—	—	6.46	6.46	11.08	—	—	24.00	8.47 ~ 30.00	1980	660 ~ 2610	9.7	3.2 ~ 12.8	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	9.38 ~ 30.00	1770	660 ~ 2460	8.7	3.2 ~ 12.1	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	9.45 ~ 30.00	1750	670 ~ 2430	8.6	3.3 ~ 11.9	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	7.07 ~ 30.00	1920	510 ~ 2620	9.4	2.5 ~ 12.9	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.54 ~ 30.00	1900	660 ~ 2590	9.3	3.2 ~ 12.7	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	9.45 ~ 30.00	1760	660 ~ 2440	8.6	3.2 ~ 12.0	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	9.52 ~ 30.00	1740	670 ~ 2340	8.5	3.3 ~ 11.5	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.54 ~ 30.00	1870	660 ~ 2550	9.2	3.2 ~ 12.5	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	9.45 ~ 30.00	1730	660 ~ 2410	8.5	3.2 ~ 11.8	98
07 + 12 + 18	Wall	Wall	Wall	—	—	4.54	7.78	11.68	—	—	24.00	9.52 ~ 30.00	1730	670 ~ 2330	8.5	3.3 ~ 11.4	98
07 + 15 + 15	Wall	Wall	Wall	—	—	4.54	9.73	9.73	—	—	24.00	10.43 ~ 30.00	1600	670 ~ 2210	7.8	3.3 ~ 10.8	98
09 + 09 + 09	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.54 ~ 30.00	1910	660 ~ 2600	9.4	3.2 ~ 12.8	98
09 + 09 + 12	Wall	Wall	Wall	—	—	7.20	7.20	9.60	—	—	24.00	8.54 ~ 30.00	1880	660 ~ 2560	9.2	3.2 ~ 12.6	98
09 + 09 + 15	Wall	Wall	Wall	—	—	6.55	6.55	10.91	—	—	24.00	9.52 ~ 30.00	1740	660 ~ 2420	8.5	3.2 ~ 11.9	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	9.59 ~ 30.00	1720	670 ~ 2320	8.4	3.3 ~ 11.4	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.61 ~ 30.00	1860	660 ~ 2530	9.1	3.2 ~ 12.4	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	9.52 ~ 30.00	1720	660 ~ 2310	8.4	3.2 ~ 11.3	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	9.59 ~ 30.00	1740	670 ~ 2350	8.5	3.3 ~ 11.5	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.44	9.23	9.23	—	—	24.00	10.43 ~ 30.00	1620	670 ~ 2220	7.9	3.3 ~ 10.9	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.61 ~ 30.00	1830	660 ~ 2500	9.0	3.2 ~ 12.3	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	9.52 ~ 30.00	1740	660 ~ 2340	8.5	3.2 ~ 11.5	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 39.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type A series
9.0 kBtu/h class; wall mount type A series
12.0 kBtu/h class; wall mount type A series
15.0 kBtu/h class; wall mount type A series
18.0 kBtu/h class; wall mount type A series

3D159668
3D159669

Heating [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	8.90	—	—	—	—	8.90	3.23 ~ 14.00	630	300 ~ 1050	3.1	1.5 ~ 5.2	98
09	Wall	—	—	—	—	11.50	—	—	—	—	11.50	3.23 ~ 18.10	830	300 ~ 1380	4.1	1.5 ~ 6.8	98
12	Wall	—	—	—	—	15.30	—	—	—	—	15.30	3.23 ~ 24.10	1150	300 ~ 1930	5.6	1.5 ~ 9.5	98
15	Wall	—	—	—	—	19.20	—	—	—	—	19.20	3.30 ~ 30.10	1360	320 ~ 2390	6.7	1.6 ~ 11.7	98
18	Wall	—	—	—	—	23.00	—	—	—	—	23.00	3.30 ~ 36.10	1700	330 ~ 3000	8.3	1.6 ~ 14.7	98
07 + 07	Wall	Wall	—	—	—	8.95	8.95	—	—	—	17.90	3.30 ~ 28.10	1230	300 ~ 2170	6.0	1.5 ~ 10.6	98
07 + 09	Wall	Wall	—	—	—	8.93	11.48	—	—	—	20.40	3.30 ~ 32.10	1440	300 ~ 2540	7.1	1.5 ~ 12.5	98
07 + 12	Wall	Wall	—	—	—	8.51	14.59	—	—	—	23.10	3.30 ~ 36.80	1650	300 ~ 3010	8.1	1.5 ~ 14.8	98
07 + 15	Wall	Wall	—	—	—	7.51	16.09	—	—	—	23.60	4.43 ~ 38.90	1550	390 ~ 3020	7.6	1.9 ~ 14.8	98
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	6.08 ~ 41.00	1550	510 ~ 3210	7.6	2.5 ~ 15.7	98
09 + 09	Wall	Wall	—	—	—	11.50	11.50	—	—	—	23.00	3.30 ~ 36.10	1650	300 ~ 2940	8.1	1.5 ~ 14.4	98
09 + 12	Wall	Wall	—	—	—	10.03	13.37	—	—	—	23.40	3.30 ~ 38.20	1640	310 ~ 3130	8.0	1.5 ~ 15.4	98
09 + 15	Wall	Wall	—	—	—	8.96	14.94	—	—	—	23.90	6.08 ~ 40.30	1540	500 ~ 3140	7.6	2.5 ~ 15.4	98
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	6.08 ~ 41.00	1570	520 ~ 3250	7.7	2.6 ~ 15.9	98
12 + 12	Wall	Wall	—	—	—	11.95	11.95	—	—	—	23.90	4.35 ~ 40.30	1690	380 ~ 3410	8.3	1.9 ~ 16.7	98
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	6.08 ~ 41.00	1560	510 ~ 3250	7.7	2.5 ~ 15.9	98
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	6.08 ~ 41.00	1610	540 ~ 3340	7.9	2.6 ~ 16.4	98
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.15 ~ 41.00	1510	530 ~ 3060	7.4	2.6 ~ 15.0	98
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	6.23 ~ 41.00	1550	550 ~ 3130	7.6	2.7 ~ 15.4	98
18 + 18	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 41.00	1540	580 ~ 3120	7.6	2.8 ~ 15.3	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.80	7.80	7.80	—	—	23.40	3.38 ~ 38.20	1470	310 ~ 2850	7.2	1.5 ~ 14.0	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.21	7.21	9.27	—	—	23.70	4.43 ~ 39.60	1510	380 ~ 2960	7.4	1.9 ~ 14.5	98
07 + 07 + 12	Wall	Wall	Wall	—	—	6.46	6.46	11.08	—	—	24.00	6.08 ~ 41.00	1520	490 ~ 3180	7.5	2.4 ~ 15.6	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	6.15 ~ 41.00	1470	500 ~ 2990	7.2	2.5 ~ 14.7	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	6.23 ~ 41.00	1510	530 ~ 3060	7.4	2.6 ~ 15.0	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	4.43 ~ 41.00	1500	380 ~ 3150	7.4	1.9 ~ 15.5	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	6.08 ~ 41.00	1540	500 ~ 3230	7.6	2.5 ~ 15.8	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	6.23 ~ 41.00	1480	510 ~ 3030	7.3	2.5 ~ 14.9	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	6.23 ~ 41.00	1470	540 ~ 3020	7.2	2.6 ~ 14.8	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	6.08 ~ 41.00	1580	510 ~ 3240	7.8	2.5 ~ 15.9	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	6.23 ~ 41.00	1470	530 ~ 3030	7.2	2.6 ~ 14.9	98
07 + 12 + 18	Wall	Wall	Wall	—	—	4.54	7.78	11.68	—	—	24.00	6.23 ~ 41.00	1510	560 ~ 3100	7.4	2.7 ~ 15.2	98
07 + 15 + 15	Wall	Wall	Wall	—	—	4.54	9.73	9.73	—	—	24.00	6.30 ~ 41.00	1400	540 ~ 2810	6.9	2.6 ~ 13.8	98
09 + 09 + 09	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	6.08 ~ 41.00	1520	490 ~ 3190	7.5	2.4 ~ 15.6	98
09 + 09 + 12	Wall	Wall	Wall	—	—	7.20	7.20	9.60	—	—	24.00	6.08 ~ 41.00	1560	510 ~ 3200	7.7	2.5 ~ 15.7	98
09 + 09 + 15	Wall	Wall	Wall	—	—	6.55	6.55	10.91	—	—	24.00	6.23 ~ 41.00	1450	520 ~ 2990	7.1	2.6 ~ 14.7	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	6.23 ~ 41.00	1490	550 ~ 3060	7.3	2.7 ~ 15.0	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	6.15 ~ 41.00	1600	520 ~ 3280	7.8	2.6 ~ 16.1	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	6.23 ~ 41.00	1480	540 ~ 3060	7.3	2.6 ~ 15.0	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	6.23 ~ 41.00	1530	570 ~ 3140	7.5	2.8 ~ 15.4	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	6.30 ~ 41.00	1420	550 ~ 2850	7.0	2.7 ~ 14.0	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	6.15 ~ 41.00	1640	540 ~ 3350	8.0	2.6 ~ 16.4	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	6.23 ~ 41.00	1520	550 ~ 3140	7.5	2.7 ~ 15.4	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 39.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type A series
9.0 kBtu/h class; wall mount type A series
12.0 kBtu/h class; wall mount type A series
15.0 kBtu/h class; wall mount type A series
18.0 kBtu/h class; wall mount type A series

3D159664

3D159665

Cooling [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	3.71 ~ 9.30	620	380 ~ 830	2.8	1.7 ~ 3.7	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	3.71 ~ 12.00	800	380 ~ 1080	3.5	1.7 ~ 4.8	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	3.78 ~ 14.80	1040	380 ~ 1360	4.6	1.7 ~ 6.0	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	6.16 ~ 20.00	1220	520 ~ 1670	5.4	2.3 ~ 7.4	98
18	Wall	—	—	—	—	18.00	—	—	—	—	18.00	6.23 ~ 24.00	1480	530 ~ 2130	6.6	2.4 ~ 9.4	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	6.09 ~ 18.70	1090	520 ~ 1590	4.8	2.3 ~ 7.1	98
07 + 09	Wall	Wall	—	—	—	7.00	9.00	—	—	—	16.00	6.09 ~ 21.30	1280	520 ~ 1790	5.7	2.3 ~ 7.9	98
07 + 12	Wall	Wall	—	—	—	7.00	12.00	—	—	—	19.00	6.16 ~ 25.20	1590	520 ~ 2260	7.1	2.3 ~ 10.0	98
07 + 15	Wall	Wall	—	—	—	7.00	15.00	—	—	—	22.00	7.07 ~ 28.80	1730	520 ~ 2490	7.7	2.3 ~ 11.0	98
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	8.54 ~ 30.00	1940	670 ~ 2640	8.6	3.0 ~ 11.7	98
09 + 09	Wall	Wall	—	—	—	9.00	9.00	—	—	—	18.00	6.16 ~ 24.00	1470	520 ~ 2120	6.5	2.3 ~ 9.4	98
09 + 12	Wall	Wall	—	—	—	9.00	12.00	—	—	—	21.00	6.16 ~ 27.60	1790	520 ~ 2530	7.9	2.3 ~ 11.2	98
09 + 15	Wall	Wall	—	—	—	9.00	15.00	—	—	—	24.00	8.54 ~ 30.00	1930	670 ~ 2630	8.6	3.0 ~ 11.7	98
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	8.61 ~ 30.00	1920	670 ~ 2610	8.5	3.0 ~ 11.6	98
12 + 12	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 30.00	2120	520 ~ 2820	9.4	2.3 ~ 12.5	98
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	8.54 ~ 30.00	1920	670 ~ 2610	8.5	3.0 ~ 11.6	98
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	8.61 ~ 30.00	1900	670 ~ 2580	8.4	3.0 ~ 11.4	98
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	9.52 ~ 30.00	1770	670 ~ 2460	7.9	3.0 ~ 10.9	98
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	9.59 ~ 30.00	1750	670 ~ 2360	7.8	3.0 ~ 10.5	98
18 + 18	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	9.66 ~ 30.00	1730	680 ~ 2330	7.7	3.0 ~ 10.3	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.00	7.00	7.00	—	—	21.00	7.00 ~ 27.60	1660	510 ~ 2340	7.4	2.3 ~ 10.4	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.00	7.00	9.00	—	—	23.00	7.00 ~ 30.00	1860	510 ~ 2620	8.3	2.3 ~ 11.6	98
07 + 07 + 12	Wall	Wall	Wall	—	—	6.46	6.46	11.08	—	—	24.00	8.47 ~ 30.00	1980	660 ~ 2610	8.8	2.9 ~ 11.6	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	9.38 ~ 30.00	1770	660 ~ 2460	7.9	2.9 ~ 10.9	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	9.45 ~ 30.00	1750	670 ~ 2430	7.8	3.0 ~ 10.8	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	7.07 ~ 30.00	1920	510 ~ 2620	8.5	2.3 ~ 11.6	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	8.54 ~ 30.00	1900	660 ~ 2590	8.4	2.9 ~ 11.5	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	9.45 ~ 30.00	1760	660 ~ 2440	7.8	2.9 ~ 10.8	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	9.52 ~ 30.00	1740	670 ~ 2340	7.7	3.0 ~ 10.4	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	8.54 ~ 30.00	1870	660 ~ 2550	8.3	2.9 ~ 11.3	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	9.45 ~ 30.00	1730	660 ~ 2410	7.7	2.9 ~ 10.7	98
07 + 12 + 18	Wall	Wall	Wall	—	—	4.54	7.78	11.68	—	—	24.00	9.52 ~ 30.00	1730	670 ~ 2330	7.7	3.0 ~ 10.3	98
07 + 15 + 15	Wall	Wall	Wall	—	—	4.54	9.73	9.73	—	—	24.00	10.43 ~ 30.00	1600	670 ~ 2210	7.1	3.0 ~ 9.8	98
09 + 09 + 09	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.54 ~ 30.00	1910	660 ~ 2600	8.5	2.9 ~ 11.5	98
09 + 09 + 12	Wall	Wall	Wall	—	—	7.20	7.20	9.60	—	—	24.00	8.54 ~ 30.00	1880	660 ~ 2560	8.3	2.9 ~ 11.4	98
09 + 09 + 15	Wall	Wall	Wall	—	—	6.55	6.55	10.91	—	—	24.00	9.52 ~ 30.00	1740	660 ~ 2420	7.7	2.9 ~ 10.7	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	9.59 ~ 30.00	1720	670 ~ 2320	7.6	3.0 ~ 10.3	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	8.61 ~ 30.00	1860	660 ~ 2530	8.3	2.9 ~ 11.2	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	9.52 ~ 30.00	1720	660 ~ 2310	7.6	2.9 ~ 10.2	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	9.59 ~ 30.00	1740	670 ~ 2350	7.7	3.0 ~ 10.4	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	10.43 ~ 30.00	1620	670 ~ 2220	7.2	3.0 ~ 9.8	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	8.61 ~ 30.00	1830	660 ~ 2500	8.1	2.9 ~ 11.1	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	9.52 ~ 30.00	1740	660 ~ 2340	7.7	2.9 ~ 10.4	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 39.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type A series
9.0 kBtu/h class; wall mount type A series
12.0 kBtu/h class; wall mount type A series
15.0 kBtu/h class; wall mount type A series
18.0 kBtu/h class; wall mount type A series

3D159670
3D159671

Heating [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	8.90	—	—	—	—	8.90	3.23 ~ 14.00	630	300 ~ 1050	2.8	1.3 ~ 4.7	98
09	Wall	—	—	—	—	11.50	—	—	—	—	11.50	3.23 ~ 18.10	830	300 ~ 1380	3.7	1.3 ~ 6.1	98
12	Wall	—	—	—	—	15.30	—	—	—	—	15.30	3.23 ~ 24.10	1150	300 ~ 1930	5.1	1.3 ~ 8.6	98
15	Wall	—	—	—	—	19.20	—	—	—	—	19.20	3.30 ~ 30.10	1360	320 ~ 2390	6.0	1.4 ~ 10.6	98
18	Wall	—	—	—	—	23.00	—	—	—	—	23.00	3.30 ~ 36.10	1700	330 ~ 3000	7.5	1.5 ~ 13.3	98
07 + 07	Wall	Wall	—	—	—	8.95	8.95	—	—	—	17.90	3.30 ~ 28.10	1230	300 ~ 2170	5.5	1.3 ~ 9.6	98
07 + 09	Wall	Wall	—	—	—	8.93	11.48	—	—	—	20.40	3.30 ~ 32.10	1440	300 ~ 2540	6.4	1.3 ~ 11.3	98
07 + 12	Wall	Wall	—	—	—	8.51	14.59	—	—	—	23.10	3.30 ~ 36.80	1650	300 ~ 3010	7.3	1.3 ~ 13.4	98
07 + 15	Wall	Wall	—	—	—	7.51	16.09	—	—	—	23.60	4.43 ~ 38.90	1550	390 ~ 3020	6.9	1.7 ~ 13.4	98
07 + 18	Wall	Wall	—	—	—	6.72	17.28	—	—	—	24.00	6.08 ~ 41.00	1550	510 ~ 3210	6.9	2.3 ~ 14.2	98
09 + 09	Wall	Wall	—	—	—	11.50	11.50	—	—	—	23.00	3.30 ~ 36.10	1650	300 ~ 2940	7.3	1.3 ~ 13.0	98
09 + 12	Wall	Wall	—	—	—	10.03	13.37	—	—	—	23.40	3.30 ~ 38.20	1640	310 ~ 3130	7.3	1.4 ~ 13.9	98
09 + 15	Wall	Wall	—	—	—	8.96	14.94	—	—	—	23.90	6.08 ~ 40.30	1540	500 ~ 3140	6.8	2.2 ~ 13.9	98
09 + 18	Wall	Wall	—	—	—	8.00	16.00	—	—	—	24.00	6.08 ~ 41.00	1570	520 ~ 3250	7.0	2.3 ~ 14.4	98
12 + 12	Wall	Wall	—	—	—	11.95	11.95	—	—	—	23.90	4.35 ~ 40.30	1690	380 ~ 3410	7.5	1.7 ~ 15.1	98
12 + 15	Wall	Wall	—	—	—	10.67	13.33	—	—	—	24.00	6.08 ~ 41.00	1560	510 ~ 3250	6.9	2.3 ~ 14.4	98
12 + 18	Wall	Wall	—	—	—	9.60	14.40	—	—	—	24.00	6.08 ~ 41.00	1610	540 ~ 3340	7.1	2.4 ~ 14.8	98
15 + 15	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.15 ~ 41.00	1510	530 ~ 3060	6.7	2.4 ~ 13.6	98
15 + 18	Wall	Wall	—	—	—	10.91	13.09	—	—	—	24.00	6.23 ~ 41.00	1550	550 ~ 3130	6.9	2.4 ~ 13.9	98
18 + 18	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 41.00	1540	580 ~ 3120	6.8	2.6 ~ 13.8	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.80	7.80	7.80	—	—	23.40	3.38 ~ 38.20	1470	310 ~ 2850	6.5	1.4 ~ 12.6	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.21	7.21	9.27	—	—	23.70	4.43 ~ 39.60	1510	380 ~ 2960	6.7	1.7 ~ 13.1	98
07 + 07 + 12	Wall	Wall	Wall	—	—	6.46	6.46	11.08	—	—	24.00	6.08 ~ 41.00	1520	490 ~ 3180	6.7	2.2 ~ 14.1	98
07 + 07 + 15	Wall	Wall	Wall	—	—	5.79	5.79	12.41	—	—	24.00	6.15 ~ 41.00	1470	500 ~ 2990	6.5	2.2 ~ 13.3	98
07 + 07 + 18	Wall	Wall	Wall	—	—	5.25	5.25	13.50	—	—	24.00	6.23 ~ 41.00	1510	530 ~ 3060	6.7	2.4 ~ 13.6	98
07 + 09 + 09	Wall	Wall	Wall	—	—	6.72	8.64	8.64	—	—	24.00	4.43 ~ 41.00	1500	380 ~ 3150	6.7	1.7 ~ 14.0	98
07 + 09 + 12	Wall	Wall	Wall	—	—	6.00	7.71	10.29	—	—	24.00	6.08 ~ 41.00	1540	500 ~ 3230	6.8	2.2 ~ 14.3	98
07 + 09 + 15	Wall	Wall	Wall	—	—	5.42	6.97	11.61	—	—	24.00	6.23 ~ 41.00	1480	510 ~ 3030	6.6	2.3 ~ 13.4	98
07 + 09 + 18	Wall	Wall	Wall	—	—	4.94	6.35	12.71	—	—	24.00	6.23 ~ 41.00	1470	540 ~ 3020	6.5	2.4 ~ 13.4	98
07 + 12 + 12	Wall	Wall	Wall	—	—	5.42	9.29	9.29	—	—	24.00	6.08 ~ 41.00	1580	510 ~ 3240	7.0	2.3 ~ 14.4	98
07 + 12 + 15	Wall	Wall	Wall	—	—	4.94	8.47	10.59	—	—	24.00	6.23 ~ 41.00	1470	530 ~ 3030	6.5	2.4 ~ 13.4	98
07 + 12 + 18	Wall	Wall	Wall	—	—	4.54	7.78	11.68	—	—	24.00	6.23 ~ 41.00	1510	560 ~ 3100	6.7	2.5 ~ 13.8	98
07 + 15 + 15	Wall	Wall	Wall	—	—	4.54	9.73	9.73	—	—	24.00	6.30 ~ 41.00	1400	540 ~ 2810	6.2	2.4 ~ 12.5	98
09 + 09 + 09	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	6.08 ~ 41.00	1520	490 ~ 3190	6.7	2.2 ~ 14.2	98
09 + 09 + 12	Wall	Wall	Wall	—	—	7.20	7.20	9.60	—	—	24.00	6.08 ~ 41.00	1560	510 ~ 3200	6.9	2.3 ~ 14.2	98
09 + 09 + 15	Wall	Wall	Wall	—	—	6.55	6.55	10.91	—	—	24.00	6.23 ~ 41.00	1450	520 ~ 2990	6.4	2.3 ~ 13.3	98
09 + 09 + 18	Wall	Wall	Wall	—	—	6.00	6.00	12.00	—	—	24.00	6.23 ~ 41.00	1490	550 ~ 3060	6.6	2.4 ~ 13.6	98
09 + 12 + 12	Wall	Wall	Wall	—	—	6.55	8.73	8.73	—	—	24.00	6.15 ~ 41.00	1600	520 ~ 3280	7.1	2.3 ~ 14.6	98
09 + 12 + 15	Wall	Wall	Wall	—	—	6.00	8.00	10.00	—	—	24.00	6.23 ~ 41.00	1480	540 ~ 3060	6.6	2.4 ~ 13.6	98
09 + 12 + 18	Wall	Wall	Wall	—	—	5.54	7.38	11.08	—	—	24.00	6.23 ~ 41.00	1530	570 ~ 3140	6.8	2.5 ~ 13.9	98
09 + 15 + 15	Wall	Wall	Wall	—	—	5.54	9.23	9.23	—	—	24.00	6.30 ~ 41.00	1420	550 ~ 2850	6.3	2.4 ~ 12.6	98
12 + 12 + 12	Wall	Wall	Wall	—	—	8.00	8.00	8.00	—	—	24.00	6.15 ~ 41.00	1640	540 ~ 3350	7.3	2.4 ~ 14.9	98
12 + 12 + 15	Wall	Wall	Wall	—	—	7.38	7.38	9.23	—	—	24.00	6.23 ~ 41.00	1520	550 ~ 3140	6.7	2.4 ~ 13.9	98

- Notes:**
- Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 - The total capacity of connected indoor units is up to 39.0 kBtu/h.
 - It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 - The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type A series
9.0 kBtu/h class; wall mount type A series
12.0 kBtu/h class; wall mount type A series
15.0 kBtu/h class; wall mount type A series
18.0 kBtu/h class; wall mount type A series

3D159666
3D159667