

2.4 Combination Capacity: 4MXT36AVJU9, 4MXTH36AVJU9 Cooling [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	3.71 ~ 9.30	620	380 ~ 830	3.0	1.9 ~ 4.1	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	3.71 ~ 12.00	800	380 ~ 1080	3.9	1.9 ~ 5.3	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	3.78 ~ 14.80	1040	380 ~ 1360	5.1	1.9 ~ 6.7	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	6.16 ~ 20.00	1220	520 ~ 1670	6.0	2.6 ~ 8.2	98
18	Wall	—	—	—	—	18.00	—	—	—	—	18.00	6.23 ~ 24.00	1480	530 ~ 2130	7.3	2.6 ~ 10.4	98
24	Wall	—	—	—	—	24.00	—	—	—	—	24.00	6.44 ~ 30.80	2090	540 ~ 2850	10.3	2.6 ~ 14.0	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	6.09 ~ 18.70	1090	520 ~ 1590	5.3	2.6 ~ 7.8	98
07 + 09	Wall	Wall	—	—	—	7.00	9.00	—	—	—	16.00	6.09 ~ 21.30	1280	520 ~ 1790	6.3	2.6 ~ 8.8	98
07 + 12	Wall	Wall	—	—	—	7.00	12.00	—	—	—	19.00	6.16 ~ 25.20	1590	520 ~ 2260	7.8	2.6 ~ 11.1	98
07 + 15	Wall	Wall	—	—	—	7.00	15.00	—	—	—	22.00	7.07 ~ 28.80	1730	520 ~ 2490	8.5	2.6 ~ 12.2	98
07 + 18	Wall	Wall	—	—	—	7.00	18.00	—	—	—	25.00	8.54 ~ 31.60	2070	670 ~ 2860	10.2	3.3 ~ 14.0	98
07 + 24	Wall	Wall	—	—	—	7.00	24.00	—	—	—	31.00	8.82 ~ 36.50	2660	690 ~ 3320	13.0	3.4 ~ 16.3	98
09 + 09	Wall	Wall	—	—	—	9.00	9.00	—	—	—	18.00	6.16 ~ 24.00	1470	520 ~ 2120	7.2	2.6 ~ 10.4	98
09 + 12	Wall	Wall	—	—	—	9.00	12.00	—	—	—	21.00	6.16 ~ 27.60	1790	520 ~ 2530	8.8	2.6 ~ 12.4	98
09 + 15	Wall	Wall	—	—	—	9.00	15.00	—	—	—	24.00	8.54 ~ 30.80	1930	670 ~ 2700	9.5	3.3 ~ 13.2	98
09 + 18	Wall	Wall	—	—	—	9.00	18.00	—	—	—	27.00	8.61 ~ 33.20	2260	670 ~ 2980	11.1	3.3 ~ 14.6	98
09 + 24	Wall	Wall	—	—	—	9.00	24.00	—	—	—	33.00	8.82 ~ 38.10	2850	690 ~ 3520	14.0	3.4 ~ 17.3	98
12 + 12	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 30.80	2120	520 ~ 2890	10.4	2.6 ~ 14.2	98
12 + 15	Wall	Wall	—	—	—	12.00	15.00	—	—	—	27.00	8.54 ~ 33.20	2260	670 ~ 2970	11.1	3.3 ~ 14.6	98
12 + 18	Wall	Wall	—	—	—	12.00	18.00	—	—	—	30.00	8.61 ~ 35.70	2580	670 ~ 3240	12.7	3.3 ~ 15.9	98
12 + 24	Wall	Wall	—	—	—	11.47	22.93	—	—	—	34.40	8.89 ~ 40.50	2950	690 ~ 3770	14.5	3.4 ~ 18.5	98
15 + 15	Wall	Wall	—	—	—	15.00	15.00	—	—	—	30.00	9.52 ~ 35.70	2460	670 ~ 3120	12.1	3.3 ~ 15.3	98
15 + 18	Wall	Wall	—	—	—	15.00	18.00	—	—	—	33.00	9.59 ~ 38.10	2720	670 ~ 3390	13.3	3.3 ~ 16.6	98
15 + 24	Wall	Wall	—	—	—	13.23	21.17	—	—	—	34.40	9.80 ~ 40.50	2880	690 ~ 3650	14.1	3.4 ~ 17.9	98
18 + 18	Wall	Wall	—	—	—	17.20	17.20	—	—	—	34.40	9.66 ~ 40.50	2830	680 ~ 3580	13.9	3.3 ~ 17.6	98
18 + 24	Wall	Wall	—	—	—	14.74	19.66	—	—	—	34.40	9.87 ~ 40.50	2940	690 ~ 3720	14.4	3.4 ~ 18.2	98
24 + 24	Wall	Wall	—	—	—	17.20	17.20	—	—	—	34.40	10.08 ~ 40.50	3090	710 ~ 3920	15.2	3.5 ~ 19.2	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.00	7.00	7.00	—	—	21.00	7.00 ~ 27.60	1660	510 ~ 2340	8.1	2.5 ~ 11.5	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.00	7.00	9.00	—	—	23.00	7.00 ~ 30.00	1860	510 ~ 2620	9.1	2.5 ~ 12.9	98
07 + 07 + 12	Wall	Wall	Wall	—	—	7.00	7.00	12.00	—	—	26.00	8.47 ~ 32.40	2190	660 ~ 2900	10.7	3.2 ~ 14.2	98
07 + 07 + 15	Wall	Wall	Wall	—	—	7.00	7.00	15.00	—	—	29.00	9.38 ~ 34.80	2320	660 ~ 3050	11.4	3.2 ~ 15.0	98
07 + 07 + 18	Wall	Wall	Wall	—	—	7.00	7.00	18.00	—	—	32.00	9.45 ~ 37.30	2650	670 ~ 3240	13.0	3.3 ~ 15.9	98
07 + 07 + 24	Wall	Wall	Wall	—	—	6.34	6.34	21.73	—	—	34.40	9.73 ~ 40.50	2860	680 ~ 3620	14.0	3.3 ~ 17.8	98
07 + 09 + 09	Wall	Wall	Wall	—	—	7.00	9.00	9.00	—	—	25.00	7.07 ~ 31.60	2060	510 ~ 2840	10.1	2.5 ~ 13.9	98
07 + 09 + 12	Wall	Wall	Wall	—	—	7.00	9.00	12.00	—	—	28.00	8.54 ~ 34.00	2380	660 ~ 3100	11.7	3.2 ~ 15.2	98
07 + 09 + 15	Wall	Wall	Wall	—	—	7.00	9.00	15.00	—	—	31.00	9.45 ~ 36.50	2510	660 ~ 3170	12.3	3.2 ~ 15.6	98
07 + 09 + 18	Wall	Wall	Wall	—	—	7.00	9.00	18.00	—	—	34.00	9.52 ~ 38.90	2840	670 ~ 3440	13.9	3.3 ~ 16.9	98
07 + 09 + 24	Wall	Wall	Wall	—	—	6.02	7.74	20.64	—	—	34.40	9.73 ~ 40.50	2880	680 ~ 3650	14.1	3.3 ~ 17.9	98
07 + 12 + 12	Wall	Wall	Wall	—	—	7.00	12.00	12.00	—	—	31.00	8.54 ~ 36.50	2690	660 ~ 3350	13.2	3.2 ~ 16.4	98
07 + 12 + 15	Wall	Wall	Wall	—	—	7.00	12.00	15.00	—	—	34.00	9.45 ~ 38.90	2830	660 ~ 3440	13.9	3.2 ~ 16.9	98
07 + 12 + 18	Wall	Wall	Wall	—	—	6.51	11.16	16.74	—	—	34.40	9.52 ~ 40.50	2830	670 ~ 3660	13.9	3.3 ~ 18.0	98
07 + 12 + 24	Wall	Wall	Wall	—	—	5.60	9.60	19.20	—	—	34.40	9.80 ~ 40.50	2960	680 ~ 3750	14.5	3.3 ~ 18.4	98
07 + 15 + 15	Wall	Wall	Wall	—	—	6.51	13.95	13.95	—	—	34.40	10.43 ~ 40.50	2710	670 ~ 3470	13.3	3.3 ~ 17.0	98
07 + 15 + 18	Wall	Wall	Wall	—	—	6.02	12.90	15.48	—	—	34.40	10.50 ~ 40.50	2740	670 ~ 3520	13.4	3.3 ~ 17.3	98
07 + 15 + 24	Wall	Wall	Wall	—	—	5.23	11.22	17.95	—	—	34.40	10.71 ~ 40.50	2860	690 ~ 3680	14.0	3.4 ~ 18.1	98
07 + 18 + 18	Wall	Wall	Wall	—	—	5.60	14.40	14.40	—	—	34.40	10.57 ~ 40.50	2820	670 ~ 3620	13.8	3.3 ~ 17.8	98
09 + 09 + 09	Wall	Wall	Wall	—	—	9.00	9.00	9.00	—	—	27.00	8.54 ~ 33.20	2250	660 ~ 2960	11.0	3.2 ~ 14.5	98
09 + 09 + 12	Wall	Wall	Wall	—	—	9.00	9.00	12.00	—	—	30.00	8.54 ~ 35.70	2560	660 ~ 3290	12.6	3.2 ~ 16.1	98
09 + 09 + 15	Wall	Wall	Wall	—	—	9.00	9.00	15.00	—	—	33.00	9.52 ~ 38.10	2700	660 ~ 3370	13.2	3.2 ~ 16.5	98
09 + 09 + 18	Wall	Wall	Wall	—	—	8.60	8.60	17.20	—	—	34.40	9.59 ~ 40.50	2810	670 ~ 3640	13.8	3.3 ~ 17.9	98
09 + 09 + 24	Wall	Wall	Wall	—	—	7.37	7.37	19.66	—	—	34.40	9.80 ~ 40.50	2930	680 ~ 3710	14.4	3.3 ~ 18.2	98
09 + 12 + 12	Wall	Wall	Wall	—	—	9.00	12.00	12.00	—	—	33.00	8.61 ~ 38.10	2880	660 ~ 3550	14.1	3.2 ~ 17.4	98
09 + 12 + 15	Wall	Wall	Wall	—	—	8.60	11.47	14.33	—	—	34.40	9.52 ~ 40.50	2880	660 ~ 3640	14.1	3.2 ~ 17.9	98
09 + 12 + 18	Wall	Wall	Wall	—	—	7.94	10.58	15.88	—	—	34.40	9.59 ~ 40.50	2850	670 ~ 3610	14.0	3.3 ~ 17.7	98
09 + 12 + 24	Wall	Wall	Wall	—	—	6.88	9.17	18.35	—	—	34.40	9.80 ~ 40.50	3030	680 ~ 3840	14.9	3.3 ~ 18.8	98
09 + 15 + 15	Wall	Wall	Wall	—	—	7.94	13.23	13.23	—	—	34.40	10.43 ~ 40.50	2730	670 ~ 3500	13.4	3.3 ~ 17.2	98
09 + 15 + 18	Wall	Wall	Wall	—	—	7.37	12.29	14.74	—	—	34.40	10.50 ~ 40.50	2790	670 ~ 3570	13.7	3.3 ~ 17.5	98
09 + 15 + 24	Wall	Wall	Wall	—	—	6.45	10.75	17.20	—	—	34.40	10.78 ~ 40.50	2920	690 ~ 3760	14.3	3.4 ~ 18.4	98
09 + 18 + 18	Wall	Wall	Wall	—	—	6.88	13.76	13.76	—	—	34.40	10.57 ~ 40.50	2890	670 ~ 3620	14.2	3.3 ~ 17.8	98
12 + 12 + 12	Wall	Wall	Wall	—	—	11.47	11.47	11.47	—	—	34.40	8.61 ~ 40.50	2990	660 ~ 3810	14.7	3.2 ~ 18.7	98
12 + 12 + 15	Wall	Wall	Wall	—	—	10.58	10.58	13.23	—	—	34.40	9.52 ~ 40.50	2840	660 ~ 3680	13.9	3.2 ~ 18.1	98
12 + 12 + 18	Wall	Wall	Wall	—	—	9.83	9.83	14.74	—	—	34.40	9.66 ~ 40.50	2900	670 ~ 3680	14.2	3.3 ~ 18.1	98
12 + 12 + 24	Wall	Wall	Wall	—	—	8.60	8.60	17.20	—	—	34.40	9.87 ~ 40.50	3130	680 ~ 3960	15.4	3.3 ~ 19.4	98
12 + 15 + 15	Wall	Wall	Wall	—	—	9.83	12.29	12.29	—	—	34.40	10.50 ~ 40.50	2780	670 ~ 3570	13.6	3.3 ~ 17.5	98
12 + 15 + 18	Wall	Wall	Wall	—	—	9.17	11.47	13.76	—	—	34.40	10.57 ~ 40.50	2880	670 ~ 3700	14.1	3.3 ~ 18.2	98
12 + 18 + 18	Wall	Wall	Wall	—	—	8.60	12.90	12.90	—	—	34.40	10.64 ~ 40.50	2990	670 ~ 3740	14.7	3.3 ~ 18.3	98
15 + 15 + 15	Wall	Wall	Wall	—	—	11.47	11.47	11.47	—	—	34.40	11.41 ~ 40.50	2750	670 ~ 3490	13.5	3.3 ~ 17.1	98
15 + 15 + 18	Wall	Wall	Wall	—	—	10.75	10.75	12.90	—	—	34.40	11.48 ~ 40.50	2770	670 ~ 3610	13.6	3.3 ~ 17.7	98
07 + 07 + 07 + 07	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	7.00	—	28.00	9.31 ~ 34.00	2250	650 ~ 2900	11.0	3.2 ~ 14.2	98
07 + 07 + 07 + 09	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	9.00	—	30.00	9.38 ~ 35.70	2440	650 ~ 3100	12.0	3.2 ~ 15.2	98
07 + 07 + 07 + 12	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	12.00	—	33.00	9.38 ~ 38.10	2760	650 ~ 3360	13.5	3.2 ~ 16.5	98
07 + 07 + 07 + 15	Wall	Wall	Wall	Wall	—	6.69	6.69	6.69	14.33	—	34.40						

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBtu/h)					Total capacity (kBtu/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07 + 07 + 15 + 15	Wall	Wall	Wall	Wall	—	5.47	5.47	11.73	11.73	—	34.40	11.34 ~ 40.50	2710	660 ~ 3440	13.3	3.2 ~ 16.9	98
07 + 07 + 15 + 18	Wall	Wall	Wall	Wall	—	5.12	5.12	10.98	13.17	—	34.40	11.41 ~ 40.50	2810	670 ~ 3560	13.8	3.3 ~ 17.5	98
07 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	7.00	9.00	9.00	9.00	—	34.00	9.45 ~ 38.90	2820	650 ~ 3420	13.8	3.2 ~ 16.8	98
07 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	6.51	8.37	8.37	11.16	—	34.40	9.45 ~ 40.50	2880	650 ~ 3640	14.1	3.2 ~ 17.9	98
07 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	6.02	7.74	7.74	12.90	—	34.40	10.43 ~ 40.50	2730	660 ~ 3500	13.4	3.2 ~ 17.2	98
07 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	5.60	7.20	7.20	14.40	—	34.40	10.50 ~ 40.50	2810	660 ~ 3600	13.8	3.2 ~ 17.7	98
07 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	6.02	7.74	10.32	10.32	—	34.40	9.52 ~ 40.50	2920	650 ~ 3680	14.3	3.2 ~ 18.1	98
07 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	5.60	7.20	9.60	12.00	—	34.40	10.43 ~ 40.50	2800	660 ~ 3600	13.7	3.2 ~ 17.7	98
07 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	5.23	6.73	8.97	13.46	—	34.40	10.50 ~ 40.50	2910	660 ~ 3730	14.3	3.2 ~ 18.3	98
07 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	5.23	6.73	11.22	11.22	—	34.40	11.34 ~ 40.50	2770	660 ~ 3520	13.6	3.2 ~ 17.3	98
07 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	5.60	9.60	9.60	9.60	—	34.40	9.52 ~ 40.50	2920	650 ~ 3790	14.3	3.2 ~ 18.6	98
07 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	5.23	8.97	8.97	11.22	—	34.40	10.50 ~ 40.50	2900	660 ~ 3720	14.2	3.2 ~ 18.2	98
09 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	8.60	8.60	8.60	8.60	—	34.40	9.52 ~ 40.50	2860	650 ~ 3630	14.0	3.2 ~ 17.8	98
09 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	7.94	7.94	7.94	10.58	—	34.40	9.52 ~ 40.50	2910	650 ~ 3670	14.3	3.2 ~ 18.0	98
09 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	7.37	7.37	7.37	12.29	—	34.40	10.43 ~ 40.50	2770	660 ~ 3560	13.6	3.2 ~ 17.5	98
09 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	6.88	6.88	6.88	13.76	—	34.40	10.50 ~ 40.50	2870	660 ~ 3690	14.1	3.2 ~ 18.1	98
09 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	7.37	7.37	9.83	9.83	—	34.40	9.59 ~ 40.50	2890	650 ~ 3740	14.2	3.2 ~ 18.3	98
09 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	6.88	6.88	9.17	11.47	—	34.40	10.50 ~ 40.50	2870	660 ~ 3680	14.1	3.2 ~ 18.1	98
09 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	6.45	6.45	8.60	12.90	—	34.40	10.57 ~ 40.50	2970	660 ~ 3810	14.6	3.2 ~ 18.7	98
09 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	6.45	6.45	10.75	10.75	—	34.40	11.41 ~ 40.50	2830	660 ~ 3600	13.9	3.2 ~ 17.7	98
09 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	6.88	9.17	9.17	9.17	—	34.40	9.59 ~ 40.50	2990	650 ~ 3790	14.7	3.2 ~ 18.6	98
09 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	6.45	8.60	8.60	10.75	—	34.40	10.50 ~ 40.50	2970	660 ~ 3810	14.6	3.2 ~ 18.7	98
12 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	8.60	8.60	8.60	8.60	—	34.40	9.59 ~ 40.50	3090	650 ~ 3920	15.2	3.2 ~ 19.2	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 48.0 kBtu/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBtu/h class; wall mount type A series
9.0 kBtu/h class; wall mount type A series
12.0 kBtu/h class; wall mount type A series
15.0 kBtu/h class; wall mount type A series
18.0 kBtu/h class; wall mount type A series
24.0 kBtu/h class; wall mount type A series

3D159650

3D159651

3D159652

Heating [60 Hz, 208 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07	Wall	—	—	—	—	8.90	—	—	—	—	8.90	3.23 ~ 14.00	630	300 ~ 1050	3.1	1.5 ~ 5.2	98
09	Wall	—	—	—	—	11.50	—	—	—	—	11.50	3.23 ~ 18.10	830	300 ~ 1380	4.1	1.5 ~ 6.8	98
12	Wall	—	—	—	—	15.30	—	—	—	—	15.30	3.23 ~ 24.10	1150	300 ~ 1930	5.6	1.5 ~ 9.5	98
15	Wall	—	—	—	—	19.20	—	—	—	—	19.20	3.30 ~ 30.10	1360	320 ~ 2390	6.7	1.6 ~ 11.7	98
18	Wall	—	—	—	—	23.00	—	—	—	—	23.00	3.30 ~ 36.10	1700	330 ~ 3000	8.3	1.6 ~ 14.7	98
24	Wall	—	—	—	—	27.40	—	—	—	—	27.40	4.35 ~ 42.20	2060	410 ~ 3750	10.1	2.0 ~ 18.4	98
07 + 07	Wall	Wall	—	—	—	8.95	8.95	—	—	—	17.90	3.30 ~ 28.10	1230	300 ~ 2170	6.0	1.5 ~ 10.6	98
07 + 09	Wall	Wall	—	—	—	8.93	11.48	—	—	—	20.40	3.30 ~ 32.10	1440	300 ~ 2540	7.1	1.5 ~ 12.5	98
07 + 12	Wall	Wall	—	—	—	8.73	14.97	—	—	—	23.70	3.30 ~ 37.10	1710	300 ~ 3090	8.4	1.5 ~ 15.2	98
07 + 15	Wall	Wall	—	—	—	8.24	17.66	—	—	—	25.90	4.43 ~ 40.20	1710	390 ~ 3160	8.4	1.9 ~ 15.5	98
07 + 18	Wall	Wall	—	—	—	7.87	20.23	—	—	—	28.10	6.08 ~ 43.30	1870	510 ~ 3500	9.2	2.5 ~ 17.2	98
07 + 24	Wall	Wall	—	—	—	7.20	24.70	—	—	—	31.90	6.08 ~ 49.40	2380	550 ~ 4550	11.7	2.7 ~ 22.3	98
09 + 09	Wall	Wall	—	—	—	11.50	11.50	—	—	—	23.00	3.30 ~ 36.10	1650	300 ~ 2940	8.1	1.5 ~ 14.4	98
09 + 12	Wall	Wall	—	—	—	10.80	14.40	—	—	—	25.20	3.30 ~ 39.20	1810	310 ~ 3280	8.9	1.5 ~ 16.1	98
09 + 15	Wall	Wall	—	—	—	10.28	17.13	—	—	—	27.40	6.08 ~ 42.20	1810	500 ~ 3350	8.9	2.5 ~ 16.4	98
09 + 18	Wall	Wall	—	—	—	9.83	19.67	—	—	—	29.50	6.08 ~ 45.30	2080	520 ~ 3770	10.2	2.6 ~ 18.5	98
09 + 24	Wall	Wall	—	—	—	8.84	23.56	—	—	—	32.40	6.08 ~ 51.40	2470	560 ~ 4880	12.1	2.7 ~ 23.9	98
12 + 12	Wall	Wall	—	—	—	13.70	13.70	—	—	—	27.40	4.35 ~ 42.20	1980	380 ~ 3640	9.7	1.9 ~ 17.9	98
12 + 15	Wall	Wall	—	—	—	13.11	16.39	—	—	—	29.50	6.08 ~ 45.30	2070	510 ~ 3770	10.2	2.5 ~ 18.5	98
12 + 18	Wall	Wall	—	—	—	12.68	19.02	—	—	—	31.70	6.08 ~ 48.40	2310	540 ~ 4270	11.3	2.6 ~ 20.9	98
12 + 24	Wall	Wall	—	—	—	11.07	22.13	—	—	—	33.20	6.08 ~ 54.50	2600	570 ~ 5460	12.8	2.8 ~ 26.8	98
15 + 15	Wall	Wall	—	—	—	15.85	15.85	—	—	—	31.70	6.15 ~ 48.40	2110	530 ~ 3930	10.4	2.6 ~ 19.3	98
15 + 18	Wall	Wall	—	—	—	14.73	17.67	—	—	—	32.40	6.23 ~ 51.40	2220	550 ~ 4420	10.9	2.7 ~ 21.7	98
15 + 24	Wall	Wall	—	—	—	12.77	20.43	—	—	—	33.20	6.23 ~ 54.50	2430	590 ~ 5160	11.9	2.9 ~ 25.3	98
18 + 18	Wall	Wall	—	—	—	16.60	16.60	—	—	—	33.20	6.23 ~ 54.50	2330	580 ~ 4940	11.4	2.8 ~ 24.2	98
18 + 24	Wall	Wall	—	—	—	14.23	18.97	—	—	—	33.20	6.23 ~ 54.50	2450	610 ~ 5210	12.0	3.0 ~ 25.6	98
24 + 24	Wall	Wall	—	—	—	16.60	16.60	—	—	—	33.20	6.23 ~ 54.50	2400	600 ~ 5100	11.8	2.9 ~ 25.0	98
07 + 07 + 07	Wall	Wall	Wall	—	—	8.40	8.40	8.40	—	—	25.20	3.38 ~ 39.20	1630	310 ~ 2990	8.0	1.5 ~ 14.7	98
07 + 07 + 09	Wall	Wall	Wall	—	—	8.10	8.10	10.41	—	—	26.60	4.43 ~ 41.20	1730	380 ~ 3170	8.5	1.9 ~ 15.6	98
07 + 07 + 12	Wall	Wall	Wall	—	—	7.75	7.75	13.29	—	—	28.80	6.08 ~ 44.30	1900	490 ~ 3540	9.3	2.4 ~ 17.4	98
07 + 07 + 15	Wall	Wall	Wall	—	—	7.48	7.48	16.03	—	—	31.00	6.15 ~ 47.30	2000	500 ~ 3700	9.8	2.5 ~ 18.2	98
07 + 07 + 18	Wall	Wall	Wall	—	—	7.04	7.04	18.11	—	—	32.20	6.23 ~ 50.40	2160	530 ~ 4170	10.6	2.6 ~ 20.5	98
07 + 07 + 24	Wall	Wall	Wall	—	—	6.12	6.12	20.97	—	—	33.20	6.23 ~ 54.50	2370	570 ~ 5060	11.6	2.8 ~ 24.8	98
07 + 09 + 09	Wall	Wall	Wall	—	—	7.87	10.12	10.12	—	—	28.10	4.43 ~ 43.30	1820	380 ~ 3360	8.9	1.9 ~ 16.5	98
07 + 09 + 12	Wall	Wall	Wall	—	—	7.58	9.74	12.99	—	—	30.30	6.08 ~ 46.30	2110	500 ~ 3820	10.4	2.5 ~ 18.7	98
07 + 09 + 15	Wall	Wall	Wall	—	—	7.20	9.26	15.44	—	—	31.90	6.23 ~ 49.40	2080	510 ~ 3970	10.2	2.5 ~ 19.5	98
07 + 09 + 18	Wall	Wall	Wall	—	—	6.73	8.66	17.31	—	—	32.70	6.23 ~ 52.50	2190	540 ~ 4550	10.7	2.6 ~ 22.3	98
07 + 09 + 24	Wall	Wall	Wall	—	—	5.81	7.47	19.92	—	—	33.20	6.23 ~ 54.50	2400	580 ~ 5130	11.8	2.8 ~ 25.2	98
07 + 12 + 12	Wall	Wall	Wall	—	—	7.20	12.35	12.35	—	—	31.90	6.08 ~ 49.40	2280	510 ~ 4330	11.2	2.5 ~ 21.2	98
07 + 12 + 15	Wall	Wall	Wall	—	—	6.73	11.54	14.43	—	—	32.70	6.23 ~ 52.50	2190	530 ~ 4560	10.7	2.6 ~ 22.4	98
07 + 12 + 18	Wall	Wall	Wall	—	—	6.28	10.77	16.15	—	—	33.20	6.23 ~ 54.50	2300	560 ~ 4920	11.3	2.7 ~ 24.1	98
07 + 12 + 24	Wall	Wall	Wall	—	—	5.40	9.27	18.53	—	—	33.20	6.23 ~ 54.50	2390	580 ~ 5110	11.7	2.8 ~ 25.1	98
07 + 15 + 15	Wall	Wall	Wall	—	—	6.28	13.46	13.46	—	—	33.20	6.30 ~ 54.50	2080	540 ~ 4510	10.2	2.6 ~ 22.1	98
07 + 15 + 18	Wall	Wall	Wall	—	—	5.81	12.45	14.94	—	—	33.20	6.30 ~ 54.50	2130	570 ~ 4610	10.4	2.8 ~ 22.6	98
07 + 15 + 24	Wall	Wall	Wall	—	—	5.05	10.83	17.32	—	—	33.20	6.30 ~ 54.50	2120	570 ~ 4580	10.4	2.8 ~ 22.5	98
07 + 18 + 18	Wall	Wall	Wall	—	—	5.40	13.90	13.90	—	—	33.20	6.38 ~ 54.50	2120	590 ~ 4580	10.4	2.9 ~ 22.5	98
09 + 09 + 09	Wall	Wall	Wall	—	—	9.83	9.83	9.83	—	—	29.50	6.08 ~ 45.30	1970	490 ~ 3700	9.7	2.4 ~ 18.2	98
09 + 09 + 12	Wall	Wall	Wall	—	—	9.51	9.51	12.68	—	—	31.70	6.08 ~ 48.40	2260	510 ~ 4200	11.1	2.5 ~ 20.6	98
09 + 09 + 15	Wall	Wall	Wall	—	—	8.84	8.84	14.73	—	—	32.40	6.23 ~ 51.40	2160	520 ~ 4340	10.6	2.6 ~ 21.3	98
09 + 09 + 18	Wall	Wall	Wall	—	—	8.30	8.30	16.60	—	—	33.20	6.23 ~ 54.50	2270	550 ~ 4860	11.1	2.7 ~ 23.8	98
09 + 09 + 24	Wall	Wall	Wall	—	—	7.11	7.11	18.97	—	—	33.20	6.23 ~ 54.50	2400	580 ~ 5120	11.8	2.8 ~ 25.1	98
09 + 12 + 12	Wall	Wall	Wall	—	—	8.84	11.78	11.78	—	—	32.40	6.15 ~ 51.40	2380	520 ~ 4730	11.7	2.6 ~ 23.2	98
09 + 12 + 15	Wall	Wall	Wall	—	—	8.30	11.07	13.83	—	—	33.20	6.23 ~ 54.50	2270	540 ~ 4870	11.1	2.6 ~ 23.9	98
09 + 12 + 18	Wall	Wall	Wall	—	—	7.66	10.22	15.32	—	—	33.20	6.23 ~ 54.50	2330	570 ~ 4990	11.4	2.8 ~ 24.5	98
09 + 12 + 24	Wall	Wall	Wall	—	—	6.64	8.85	17.71	—	—	33.20	6.23 ~ 54.50	2350	570 ~ 5030	11.5	2.8 ~ 24.7	98
09 + 15 + 15	Wall	Wall	Wall	—	—	7.66	12.77	12.77	—	—	33.20	6.30 ~ 54.50	2100	550 ~ 4570	10.3	2.7 ~ 22.4	98
09 + 15 + 18	Wall	Wall	Wall	—	—	7.11	11.86	14.23	—	—	33.20	6.30 ~ 54.50	2120	570 ~ 4600	10.4	2.8 ~ 22.6	98
09 + 15 + 24	Wall	Wall	Wall	—	—	6.23	10.38	16.60	—	—	33.20	6.30 ~ 54.50	2080	560 ~ 4500	10.2	2.7 ~ 22.1	98
09 + 18 + 18	Wall	Wall	Wall	—	—	6.64	13.28	13.28	—	—	33.20	6.38 ~ 54.50	2080	580 ~ 4510	10.2	2.8 ~ 22.1	98
12 + 12 + 12	Wall	Wall	Wall	—	—	11.07	11.07	11.07	—	—	33.20	6.15 ~ 54.50	2500	540 ~ 5290	12.3	2.6 ~ 26.0	98
12 + 12 + 15	Wall	Wall	Wall	—	—	10.22	10.22	12.77	—	—	33.20	6.23 ~ 54.50	2330	550 ~ 5000	11.4	2.7 ~ 24.5	98
12 + 12 + 18	Wall	Wall	Wall	—	—	9.49	9.49	14.23	—	—	33.20	6.23 ~ 54.50	2350	580 ~ 5040	11.5	2.8 ~ 24.7	98
12 + 12 + 24	Wall	Wall	Wall	—	—	8.30	8.30	16.60	—	—	33.20	6.23 ~ 54.50	2300	560 ~ 4930	11.3	2.7 ~ 24.2	98
12 + 15 + 15	Wall	Wall	Wall	—	—	9.49	11.86	11.86	—	—	33.20	6.30 ~ 54.50	2120	560 ~ 4610	10.4	2.7 ~ 22.6	98
12 + 15 + 18	Wall	Wall	Wall	—	—	8.85	11.07	13.28	—	—	33.20	6.38 ~ 54.50	2080	570 ~ 4510	10.2	2.8 ~ 22.1	98
12 + 18 + 18	Wall	Wall	Wall	—	—	8.30	12.45	12.45	—	—	33.20	6.38 ~ 54.50	2040	570 ~ 4340	10.0	2.8 ~ 21.3	98
15 + 15 + 15	Wall	Wall	Wall	—	—	11.07	11.07	11.07	—	—	33.20	6.45 ~ 54.50	1860	550 ~ 4100	9.1	2.7 ~ 20.1	98
15 + 15 + 18	Wall	Wall	Wall	—	—	10.38	10.38	12.45	—	—	33.20	6.45 ~ 54.50	1830	560 ~ 3940	9.0	2.7 ~ 19.3	98
07 + 07 + 07 + 07	Wall	Wall	Wall	Wall	—	7.58	7.58	7.58	7.58	—	30.30	6.23 ~ 46.30	1890	480 ~ 3470	9.3	2.4 ~ 17.0	98
07 + 07 + 07 + 09	Wall	Wall	Wall	Wall	—	7.40	7.40	7.40	9.51	—	31.70	6.23 ~ 48.40	2030	490 ~ 3810	10.0	2.4 ~ 18.7	98
07 + 07 + 07 + 12	Wall	Wall	Wall	Wall	—	6.87	6.87	6.87	11.78	—	32.40	6.23 ~ 51.40	2130	510 ~ 4300	10.4	2.5 ~ 21.1	98
07 + 07 + 07 + 15	Wall	Wall	Wall	Wall	—	6.46	6.46	6.46	13.83	—	33.20	6.30 ~ 54.50	2020	520 ~ 4410</			

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07 + 07 + 15 + 15	Wall	Wall	Wall	Wall	—	5.28	5.28	11.32	11.32	—	33.20	6.45 ~ 54.50	1840	540 ~ 4070	9.0	2.6 ~ 20.0	98
07 + 07 + 15 + 18	Wall	Wall	Wall	Wall	—	4.94	4.94	10.60	12.71	—	33.20	6.45 ~ 54.50	1800	540 ~ 3900	8.8	2.6 ~ 19.1	98
07 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	6.73	8.66	8.66	8.66	—	32.70	6.23 ~ 52.50	2130	510 ~ 4390	10.4	2.5 ~ 21.5	98
07 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	6.28	8.08	8.08	10.77	—	33.20	6.23 ~ 54.50	2240	520 ~ 4830	11.0	2.6 ~ 23.7	98
07 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	5.81	7.47	7.47	12.45	—	33.20	6.38 ~ 54.50	2070	540 ~ 4530	10.2	2.6 ~ 22.2	98
07 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	5.40	6.95	6.95	13.90	—	33.20	6.38 ~ 54.50	2060	550 ~ 4500	10.1	2.7 ~ 22.1	98
07 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	5.81	7.47	9.96	9.96	—	33.20	6.23 ~ 54.50	2300	540 ~ 4960	11.3	2.6 ~ 24.3	98
07 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	5.40	6.95	9.27	11.58	—	33.20	6.38 ~ 54.50	2060	540 ~ 4510	10.1	2.6 ~ 22.1	98
07 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	5.05	6.50	8.66	12.99	—	33.20	6.38 ~ 54.50	2020	540 ~ 4330	9.9	2.6 ~ 21.2	98
07 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	5.05	6.50	10.83	10.83	—	33.20	6.45 ~ 54.50	1800	530 ~ 3920	8.8	2.6 ~ 19.2	98
07 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	5.40	9.27	9.27	9.27	—	33.20	6.23 ~ 54.50	2290	540 ~ 4940	11.2	2.6 ~ 24.2	98
07 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	5.05	8.66	8.66	10.83	—	33.20	6.38 ~ 54.50	2020	530 ~ 4330	9.9	2.6 ~ 21.2	98
09 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	8.30	8.30	8.30	8.30	—	33.20	6.23 ~ 54.50	2210	520 ~ 4780	10.8	2.6 ~ 23.4	98
09 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	7.66	7.66	7.66	10.22	—	33.20	6.23 ~ 54.50	2270	530 ~ 4900	11.1	2.6 ~ 24.0	98
09 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	7.11	7.11	7.11	11.86	—	33.20	6.38 ~ 54.50	2070	540 ~ 4520	10.2	2.6 ~ 22.2	98
09 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	6.64	6.64	6.64	13.28	—	33.20	6.38 ~ 54.50	2030	550 ~ 4340	10.0	2.7 ~ 21.3	98
09 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	7.11	7.11	9.49	9.49	—	33.20	6.23 ~ 54.50	2290	540 ~ 4950	11.2	2.6 ~ 24.3	98
09 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	6.64	6.64	8.85	11.07	—	33.20	6.38 ~ 54.50	2020	530 ~ 4350	9.9	2.6 ~ 21.3	98
09 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	6.23	6.23	8.30	12.45	—	33.20	6.38 ~ 54.50	1980	540 ~ 4250	9.7	2.6 ~ 20.8	98
09 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	6.23	6.23	10.38	10.38	—	33.20	6.45 ~ 54.50	1770	520 ~ 3850	8.7	2.6 ~ 18.9	98
09 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	6.64	8.85	8.85	8.85	—	33.20	6.30 ~ 54.50	2250	530 ~ 4770	11.0	2.6 ~ 23.4	98
09 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	6.23	8.30	8.30	10.38	—	33.20	6.38 ~ 54.50	1980	520 ~ 4260	9.7	2.6 ~ 20.9	98
12 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	8.30	8.30	8.30	8.30	—	33.20	6.30 ~ 54.50	2200	530 ~ 4680	10.8	2.6 ~ 23.0	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 48.0 kBTU/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBTU/h class; wall mount type A series
9.0 kBTU/h class; wall mount type A series
12.0 kBTU/h class; wall mount type A series
15.0 kBTU/h class; wall mount type A series
18.0 kBTU/h class; wall mount type A series
24.0 kBTU/h class; wall mount type A series

3D159644

3D159645

3D159646

Cooling [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	
07	Wall	—	—	—	—	7.00	—	—	—	—	7.00	3.71 ~ 9.30	620	380 ~ 830	2.8	1.7 ~ 3.7	98
09	Wall	—	—	—	—	9.00	—	—	—	—	9.00	3.71 ~ 12.00	800	380 ~ 1080	3.5	1.7 ~ 4.8	98
12	Wall	—	—	—	—	12.00	—	—	—	—	12.00	3.78 ~ 14.80	1040	380 ~ 1360	4.6	1.7 ~ 6.0	98
15	Wall	—	—	—	—	15.00	—	—	—	—	15.00	6.16 ~ 20.00	1220	520 ~ 1670	5.4	2.3 ~ 7.4	98
18	Wall	—	—	—	—	18.00	—	—	—	—	18.00	6.23 ~ 24.00	1480	530 ~ 2130	6.6	2.4 ~ 9.4	98
24	Wall	—	—	—	—	24.00	—	—	—	—	24.00	6.44 ~ 30.80	2090	540 ~ 2850	9.3	2.4 ~ 12.6	98
07 + 07	Wall	Wall	—	—	—	7.00	7.00	—	—	—	14.00	6.09 ~ 18.70	1090	520 ~ 1590	4.8	2.3 ~ 7.1	98
07 + 09	Wall	Wall	—	—	—	7.00	9.00	—	—	—	16.00	6.09 ~ 21.30	1280	520 ~ 1790	5.7	2.3 ~ 7.9	98
07 + 12	Wall	Wall	—	—	—	7.00	12.00	—	—	—	19.00	6.16 ~ 25.20	1590	520 ~ 2260	7.1	2.3 ~ 10.0	98
07 + 15	Wall	Wall	—	—	—	7.00	15.00	—	—	—	22.00	7.07 ~ 28.80	1730	520 ~ 2490	7.7	2.3 ~ 11.0	98
07 + 18	Wall	Wall	—	—	—	7.00	18.00	—	—	—	25.00	8.54 ~ 31.60	2070	670 ~ 2860	9.2	3.0 ~ 12.7	98
07 + 24	Wall	Wall	—	—	—	7.00	24.00	—	—	—	31.00	8.82 ~ 36.50	2660	690 ~ 3320	11.8	3.1 ~ 14.7	98
09 + 09	Wall	Wall	—	—	—	9.00	9.00	—	—	—	18.00	6.16 ~ 24.00	1470	520 ~ 2120	6.5	2.3 ~ 9.4	98
09 + 12	Wall	Wall	—	—	—	9.00	12.00	—	—	—	21.00	6.16 ~ 27.60	1790	520 ~ 2530	7.9	2.3 ~ 11.2	98
09 + 15	Wall	Wall	—	—	—	9.00	15.00	—	—	—	24.00	8.54 ~ 30.80	1930	670 ~ 2700	8.6	3.0 ~ 12.0	98
09 + 18	Wall	Wall	—	—	—	9.00	18.00	—	—	—	27.00	8.61 ~ 33.20	2260	670 ~ 2980	10.0	3.0 ~ 13.2	98
09 + 24	Wall	Wall	—	—	—	9.00	24.00	—	—	—	33.00	8.82 ~ 38.10	2850	690 ~ 3520	12.6	3.1 ~ 15.6	98
12 + 12	Wall	Wall	—	—	—	12.00	12.00	—	—	—	24.00	6.23 ~ 30.80	2120	520 ~ 2890	9.4	2.3 ~ 12.8	98
12 + 15	Wall	Wall	—	—	—	12.00	15.00	—	—	—	27.00	8.54 ~ 33.20	2260	670 ~ 2970	10.0	3.0 ~ 13.2	98
12 + 18	Wall	Wall	—	—	—	12.00	18.00	—	—	—	30.00	8.61 ~ 35.70	2580	670 ~ 3240	11.4	3.0 ~ 14.4	98
12 + 24	Wall	Wall	—	—	—	11.47	22.93	—	—	—	34.40	8.89 ~ 40.50	2950	690 ~ 3770	13.1	3.1 ~ 16.7	98
15 + 15	Wall	Wall	—	—	—	15.00	15.00	—	—	—	30.00	9.52 ~ 35.70	2460	670 ~ 3120	10.9	3.0 ~ 13.8	98
15 + 18	Wall	Wall	—	—	—	15.00	18.00	—	—	—	33.00	9.59 ~ 38.10	2720	670 ~ 3390	12.1	3.0 ~ 15.0	98
15 + 24	Wall	Wall	—	—	—	13.23	21.17	—	—	—	34.40	9.80 ~ 40.50	2880	690 ~ 3650	12.8	3.1 ~ 16.2	98
18 + 18	Wall	Wall	—	—	—	17.20	17.20	—	—	—	34.40	9.66 ~ 40.50	2830	680 ~ 3580	12.6	3.0 ~ 15.9	98
18 + 24	Wall	Wall	—	—	—	14.74	19.66	—	—	—	34.40	9.87 ~ 40.50	2940	690 ~ 3720	13.0	3.1 ~ 16.5	98
24 + 24	Wall	Wall	—	—	—	17.20	17.20	—	—	—	34.40	10.08 ~ 40.50	3090	710 ~ 3920	13.7	3.1 ~ 17.4	98
07 + 07 + 07	Wall	Wall	Wall	—	—	7.00	7.00	7.00	—	—	21.00	7.00 ~ 27.60	1660	510 ~ 2340	7.4	2.3 ~ 10.4	98
07 + 07 + 09	Wall	Wall	Wall	—	—	7.00	7.00	9.00	—	—	23.00	7.00 ~ 30.00	1860	510 ~ 2620	8.3	2.3 ~ 11.6	98
07 + 07 + 12	Wall	Wall	Wall	—	—	7.00	7.00	12.00	—	—	26.00	8.47 ~ 32.40	2190	660 ~ 2900	9.7	2.9 ~ 12.9	98
07 + 07 + 15	Wall	Wall	Wall	—	—	7.00	7.00	15.00	—	—	29.00	9.38 ~ 34.80	2320	660 ~ 3050	10.3	2.9 ~ 13.5	98
07 + 07 + 18	Wall	Wall	Wall	—	—	7.00	7.00	18.00	—	—	32.00	9.45 ~ 37.30	2650	670 ~ 3240	11.8	3.0 ~ 14.4	98
07 + 07 + 24	Wall	Wall	Wall	—	—	6.34	6.34	21.73	—	—	34.40	9.73 ~ 40.50	2860	680 ~ 3620	12.7	3.0 ~ 16.1	98
07 + 09 + 09	Wall	Wall	Wall	—	—	7.00	9.00	9.00	—	—	25.00	7.07 ~ 31.60	2060	510 ~ 2840	9.1	2.3 ~ 12.6	98
07 + 09 + 12	Wall	Wall	Wall	—	—	7.00	9.00	12.00	—	—	28.00	8.54 ~ 34.00	2380	660 ~ 3100	10.6	2.9 ~ 13.8	98
07 + 09 + 15	Wall	Wall	Wall	—	—	7.00	9.00	15.00	—	—	31.00	9.45 ~ 36.50	2510	660 ~ 3170	11.1	2.9 ~ 14.1	98
07 + 09 + 18	Wall	Wall	Wall	—	—	7.00	9.00	18.00	—	—	34.00	9.52 ~ 38.90	2840	670 ~ 3440	12.6	3.0 ~ 15.3	98
07 + 09 + 24	Wall	Wall	Wall	—	—	6.02	7.74	20.64	—	—	34.40	9.73 ~ 40.50	2880	680 ~ 3650	12.8	3.0 ~ 16.2	98
07 + 12 + 12	Wall	Wall	Wall	—	—	7.00	12.00	12.00	—	—	31.00	8.54 ~ 36.50	2690	660 ~ 3350	11.9	2.9 ~ 14.9	98
07 + 12 + 15	Wall	Wall	Wall	—	—	7.00	12.00	15.00	—	—	34.00	9.45 ~ 38.90	2830	660 ~ 3440	12.6	2.9 ~ 15.3	98
07 + 12 + 18	Wall	Wall	Wall	—	—	6.51	11.16	16.74	—	—	34.40	9.52 ~ 40.50	2830	670 ~ 3660	12.6	3.0 ~ 16.2	98
07 + 12 + 24	Wall	Wall	Wall	—	—	5.60	9.60	19.20	—	—	34.40	9.80 ~ 40.50	2960	680 ~ 3750	13.1	3.0 ~ 16.6	98
07 + 15 + 15	Wall	Wall	Wall	—	—	6.51	13.95	13.95	—	—	34.40	10.43 ~ 40.50	2710	670 ~ 3470	12.0	3.0 ~ 15.4	98
07 + 15 + 18	Wall	Wall	Wall	—	—	6.02	12.90	15.48	—	—	34.40	10.50 ~ 40.50	2740	670 ~ 3520	12.2	3.0 ~ 15.6	98
07 + 15 + 24	Wall	Wall	Wall	—	—	5.23	11.22	17.95	—	—	34.40	10.71 ~ 40.50	2860	690 ~ 3680	12.7	3.1 ~ 16.3	98
07 + 18 + 18	Wall	Wall	Wall	—	—	5.60	14.40	14.40	—	—	34.40	10.57 ~ 40.50	2820	670 ~ 3620	12.5	3.0 ~ 16.1	98
09 + 09 + 09	Wall	Wall	Wall	—	—	9.00	9.00	9.00	—	—	27.00	8.54 ~ 33.20	2250	660 ~ 2960	10.0	2.9 ~ 13.1	98
09 + 09 + 12	Wall	Wall	Wall	—	—	9.00	9.00	12.00	—	—	30.00	8.54 ~ 35.70	2560	660 ~ 3290	11.4	2.9 ~ 14.6	98
09 + 09 + 15	Wall	Wall	Wall	—	—	9.00	9.00	15.00	—	—	33.00	9.52 ~ 38.10	2700	660 ~ 3370	12.0	2.9 ~ 15.0	98
09 + 09 + 18	Wall	Wall	Wall	—	—	8.60	8.60	17.20	—	—	34.40	9.59 ~ 40.50	2810	670 ~ 3640	12.5	3.0 ~ 16.1	98
09 + 09 + 24	Wall	Wall	Wall	—	—	7.37	7.37	19.66	—	—	34.40	9.80 ~ 40.50	2930	680 ~ 3710	13.0	3.0 ~ 16.5	98
09 + 12 + 12	Wall	Wall	Wall	—	—	9.00	12.00	12.00	—	—	33.00	8.61 ~ 38.10	2880	660 ~ 3550	12.8	2.9 ~ 15.7	98
09 + 12 + 15	Wall	Wall	Wall	—	—	8.60	11.47	14.33	—	—	34.40	9.52 ~ 40.50	2880	660 ~ 3640	12.8	2.9 ~ 16.1	98
09 + 12 + 18	Wall	Wall	Wall	—	—	7.94	10.58	15.88	—	—	34.40	9.59 ~ 40.50	2850	670 ~ 3610	12.6	3.0 ~ 16.0	98
09 + 12 + 24	Wall	Wall	Wall	—	—	6.88	9.17	18.35	—	—	34.40	9.80 ~ 40.50	3030	680 ~ 3840	13.4	3.0 ~ 17.0	98
09 + 15 + 15	Wall	Wall	Wall	—	—	7.94	13.23	13.23	—	—	34.40	10.43 ~ 40.50	2730	670 ~ 3500	12.1	3.0 ~ 15.5	98
09 + 15 + 18	Wall	Wall	Wall	—	—	7.37	12.29	14.74	—	—	34.40	10.50 ~ 40.50	2790	670 ~ 3570	12.4	3.0 ~ 15.8	98
09 + 15 + 24	Wall	Wall	Wall	—	—	6.45	10.75	17.20	—	—	34.40	10.78 ~ 40.50	2920	690 ~ 3760	13.0	3.1 ~ 16.7	98
09 + 18 + 18	Wall	Wall	Wall	—	—	6.88	13.76	13.76	—	—	34.40	10.57 ~ 40.50	2890	670 ~ 3620	12.8	3.0 ~ 16.1	98
12 + 12 + 12	Wall	Wall	Wall	—	—	11.47	11.47	11.47	—	—	34.40	8.61 ~ 40.50	2990	660 ~ 3810	13.3	2.9 ~ 16.9	98
12 + 12 + 15	Wall	Wall	Wall	—	—	10.58	10.58	13.23	—	—	34.40	9.52 ~ 40.50	2840	660 ~ 3680	12.6	2.9 ~ 16.3	98
12 + 12 + 18	Wall	Wall	Wall	—	—	9.83	9.83	14.74	—	—	34.40	9.66 ~ 40.50	2900	670 ~ 3680	12.9	3.0 ~ 16.3	98
12 + 12 + 24	Wall	Wall	Wall	—	—	8.60	8.60	17.20	—	—	34.40	9.87 ~ 40.50	3130	680 ~ 3960	13.9	3.0 ~ 17.6	98
12 + 15 + 15	Wall	Wall	Wall	—	—	9.83	12.29	12.29	—	—	34.40	10.50 ~ 40.50	2780	670 ~ 3570	12.3	3.0 ~ 15.8	98
12 + 15 + 18	Wall	Wall	Wall	—	—	9.17	11.47	13.76	—	—	34.40	10.57 ~ 40.50	2880	670 ~ 3700	12.8	3.0 ~ 16.4	98
12 + 18 + 18	Wall	Wall	Wall	—	—	8.60	12.90	12.90	—	—	34.40	10.64 ~ 40.50	2990	670 ~ 3740	13.3	3.0 ~ 16.6	98
15 + 15 + 15	Wall	Wall	Wall	—	—	11.47	11.47	11.47	—	—	34.40	11.41 ~ 40.50	2750	670 ~ 3490	12.2	3.0 ~ 15.5	98
15 + 15 + 18	Wall	Wall	Wall	—	—	10.75	10.75	12.90	—	—	34.40	11.48 ~ 40.50	2770	670 ~ 3610	12.3	3.0 ~ 16.0	98
07 + 07 + 07 + 07	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	7.00	—	28.00	9.31 ~ 34.00	2250	650 ~ 2900	10.0	2.9 ~ 12.9	98
07 + 07 + 07 + 09	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	9.00	—	30.00	9.38 ~ 35.70	2440	650 ~ 3100	10.8	2.9 ~ 13.8	98
07 + 07 + 07 + 12	Wall	Wall	Wall	Wall	—	7.00	7.00	7.00	12.00	—	33.00	9.38 ~ 38.10	2760	650 ~ 3360	12.2	2.9 ~ 14.9	98
07 + 07 + 07 + 15	Wall	Wall	Wall	Wall	—	6.69	6.69	6.69	14.33	—	34.40	10.29 ~ 40.50	2690	660 ~			

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07 + 07 + 15 + 15	Wall	Wall	Wall	Wall	—	5.47	5.47	11.73	11.73	—	34.40	11.34 ~ 40.50	2710	660 ~ 3440	12.0	2.9 ~ 15.3	98
07 + 07 + 15 + 18	Wall	Wall	Wall	Wall	—	5.12	5.12	10.98	13.17	—	34.40	11.41 ~ 40.50	2810	670 ~ 3560	12.5	3.0 ~ 15.8	98
07 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	7.00	9.00	9.00	9.00	—	34.00	9.45 ~ 38.90	2820	650 ~ 3420	12.5	2.9 ~ 15.2	98
07 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	6.51	8.37	8.37	11.16	—	34.40	9.45 ~ 40.50	2880	650 ~ 3640	12.8	2.9 ~ 16.1	98
07 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	6.02	7.74	7.74	12.90	—	34.40	10.43 ~ 40.50	2730	660 ~ 3500	12.1	2.9 ~ 15.5	98
07 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	5.60	7.20	7.20	14.40	—	34.40	10.50 ~ 40.50	2810	660 ~ 3600	12.5	2.9 ~ 16.0	98
07 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	6.02	7.74	10.32	10.32	—	34.40	9.52 ~ 40.50	2920	650 ~ 3680	13.0	2.9 ~ 16.3	98
07 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	5.60	7.20	9.60	12.00	—	34.40	10.43 ~ 40.50	2800	660 ~ 3600	12.4	2.9 ~ 16.0	98
07 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	5.23	6.73	8.97	13.46	—	34.40	10.50 ~ 40.50	2910	660 ~ 3730	12.9	2.9 ~ 16.5	98
07 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	5.23	6.73	11.22	11.22	—	34.40	11.34 ~ 40.50	2770	660 ~ 3520	12.3	2.9 ~ 15.6	98
07 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	5.60	9.60	9.60	9.60	—	34.40	9.52 ~ 40.50	2920	650 ~ 3790	13.0	2.9 ~ 16.8	98
07 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	5.23	8.97	8.97	11.22	—	34.40	10.50 ~ 40.50	2900	660 ~ 3720	12.9	2.9 ~ 16.5	98
09 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	8.60	8.60	8.60	8.60	—	34.40	9.52 ~ 40.50	2860	650 ~ 3630	12.7	2.9 ~ 16.1	98
09 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	7.94	7.94	7.94	10.58	—	34.40	9.52 ~ 40.50	2910	650 ~ 3670	12.9	2.9 ~ 16.3	98
09 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	7.37	7.37	7.37	12.29	—	34.40	10.43 ~ 40.50	2770	660 ~ 3560	12.3	2.9 ~ 15.8	98
09 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	6.88	6.88	6.88	13.76	—	34.40	10.50 ~ 40.50	2870	660 ~ 3690	12.7	2.9 ~ 16.4	98
09 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	7.37	7.37	9.83	9.83	—	34.40	9.59 ~ 40.50	2890	650 ~ 3740	12.8	2.9 ~ 16.6	98
09 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	6.88	6.88	9.17	11.47	—	34.40	10.50 ~ 40.50	2870	660 ~ 3680	12.7	2.9 ~ 16.3	98
09 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	6.45	6.45	8.60	12.90	—	34.40	10.57 ~ 40.50	2970	660 ~ 3810	13.2	2.9 ~ 16.9	98
09 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	6.45	6.45	10.75	10.75	—	34.40	11.41 ~ 40.50	2830	660 ~ 3600	12.6	2.9 ~ 16.0	98
09 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	6.88	9.17	9.17	9.17	—	34.40	9.59 ~ 40.50	2990	650 ~ 3790	13.3	2.9 ~ 16.8	98
09 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	6.45	8.60	8.60	10.75	—	34.40	10.50 ~ 40.50	2970	660 ~ 3810	13.2	2.9 ~ 16.9	98
12 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	8.60	8.60	8.60	8.60	—	34.40	9.59 ~ 40.50	3090	650 ~ 3920	13.7	2.9 ~ 17.4	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 48.0 kBTU/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBTU/h class; wall mount type A series
9.0 kBTU/h class; wall mount type A series
12.0 kBTU/h class; wall mount type A series
15.0 kBTU/h class; wall mount type A series
18.0 kBTU/h class; wall mount type A series
24.0 kBTU/h class; wall mount type A series

3D159653

3D159654

3D159655

Heating [60 Hz, 230 V]

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	
07	Wall	—	—	—	—	8.90	—	—	—	—	8.90	3.23 ~ 14.00	630	300 ~ 1050	2.8	1.3 ~ 4.7	98
09	Wall	—	—	—	—	11.50	—	—	—	—	11.50	3.23 ~ 18.10	830	300 ~ 1380	3.7	1.3 ~ 6.1	98
12	Wall	—	—	—	—	15.30	—	—	—	—	15.30	3.23 ~ 24.10	1150	300 ~ 1930	5.1	1.3 ~ 8.6	98
15	Wall	—	—	—	—	19.20	—	—	—	—	19.20	3.30 ~ 30.10	1360	320 ~ 2390	6.0	1.4 ~ 10.6	98
18	Wall	—	—	—	—	23.00	—	—	—	—	23.00	3.30 ~ 36.10	1700	330 ~ 3000	7.5	1.5 ~ 13.3	98
24	Wall	—	—	—	—	27.40	—	—	—	—	27.40	4.35 ~ 42.20	2060	410 ~ 3750	9.1	1.8 ~ 16.6	98
07 + 07	Wall	Wall	—	—	—	8.95	8.95	—	—	—	17.90	3.30 ~ 28.10	1230	300 ~ 2170	5.5	1.3 ~ 9.6	98
07 + 09	Wall	Wall	—	—	—	8.93	11.48	—	—	—	20.40	3.30 ~ 32.10	1440	300 ~ 2540	6.4	1.3 ~ 11.3	98
07 + 12	Wall	Wall	—	—	—	8.73	14.97	—	—	—	23.70	3.30 ~ 37.10	1710	300 ~ 3090	7.6	1.3 ~ 13.7	98
07 + 15	Wall	Wall	—	—	—	8.24	17.66	—	—	—	25.90	4.43 ~ 40.20	1710	390 ~ 3160	7.6	1.7 ~ 14.0	98
07 + 18	Wall	Wall	—	—	—	7.87	20.23	—	—	—	28.10	6.08 ~ 43.30	1870	510 ~ 3500	8.3	2.3 ~ 15.5	98
07 + 24	Wall	Wall	—	—	—	7.20	24.70	—	—	—	31.90	6.08 ~ 49.40	2380	550 ~ 4550	10.6	2.4 ~ 20.2	98
09 + 09	Wall	Wall	—	—	—	11.50	11.50	—	—	—	23.00	3.30 ~ 36.10	1650	300 ~ 2940	7.3	1.3 ~ 13.0	98
09 + 12	Wall	Wall	—	—	—	10.80	14.40	—	—	—	25.20	3.30 ~ 39.20	1810	310 ~ 3280	8.0	1.4 ~ 14.6	98
09 + 15	Wall	Wall	—	—	—	10.28	17.13	—	—	—	27.40	6.08 ~ 42.20	1810	500 ~ 3350	8.0	2.2 ~ 14.9	98
09 + 18	Wall	Wall	—	—	—	9.83	19.67	—	—	—	29.50	6.08 ~ 45.30	2080	520 ~ 3770	9.2	2.3 ~ 16.7	98
09 + 24	Wall	Wall	—	—	—	8.84	23.56	—	—	—	32.40	6.08 ~ 51.40	2470	560 ~ 4880	11.0	2.5 ~ 21.7	98
12 + 12	Wall	Wall	—	—	—	13.70	13.70	—	—	—	27.40	4.35 ~ 42.20	1980	380 ~ 3640	8.8	1.7 ~ 16.1	98
12 + 15	Wall	Wall	—	—	—	13.11	16.39	—	—	—	29.50	6.08 ~ 45.30	2070	510 ~ 3770	9.2	2.3 ~ 16.7	98
12 + 18	Wall	Wall	—	—	—	12.68	19.02	—	—	—	31.70	6.08 ~ 48.40	2310	540 ~ 4270	10.2	2.4 ~ 18.9	98
12 + 24	Wall	Wall	—	—	—	11.07	22.13	—	—	—	33.20	6.08 ~ 54.50	2600	570 ~ 5460	11.5	2.5 ~ 24.2	98
15 + 15	Wall	Wall	—	—	—	15.85	15.85	—	—	—	31.70	6.15 ~ 48.40	2110	530 ~ 3930	9.4	2.4 ~ 17.4	98
15 + 18	Wall	Wall	—	—	—	14.73	17.67	—	—	—	32.40	6.23 ~ 51.40	2220	550 ~ 4420	9.8	2.4 ~ 19.6	98
15 + 24	Wall	Wall	—	—	—	12.77	20.43	—	—	—	33.20	6.23 ~ 54.50	2430	590 ~ 5160	10.8	2.6 ~ 22.9	98
18 + 18	Wall	Wall	—	—	—	16.60	16.60	—	—	—	33.20	6.23 ~ 54.50	2330	580 ~ 4940	10.3	2.6 ~ 21.9	98
18 + 24	Wall	Wall	—	—	—	14.23	18.97	—	—	—	33.20	6.23 ~ 54.50	2450	610 ~ 5210	10.9	2.7 ~ 23.1	98
24 + 24	Wall	Wall	—	—	—	16.60	16.60	—	—	—	33.20	6.23 ~ 54.50	2400	600 ~ 5100	10.6	2.7 ~ 22.6	98
07 + 07 + 07	Wall	Wall	Wall	—	—	8.40	8.40	8.40	—	—	25.20	3.38 ~ 39.20	1630	310 ~ 2990	7.2	1.4 ~ 13.3	98
07 + 07 + 09	Wall	Wall	Wall	—	—	8.10	8.10	10.41	—	—	26.60	4.43 ~ 41.20	1730	380 ~ 3170	7.7	1.7 ~ 14.1	98
07 + 07 + 12	Wall	Wall	Wall	—	—	7.75	7.75	13.29	—	—	28.80	6.08 ~ 44.30	1900	490 ~ 3540	8.4	2.2 ~ 15.7	98
07 + 07 + 15	Wall	Wall	Wall	—	—	7.48	7.48	16.03	—	—	31.00	6.15 ~ 47.30	2000	500 ~ 3700	8.9	2.2 ~ 16.4	98
07 + 07 + 18	Wall	Wall	Wall	—	—	7.04	7.04	18.11	—	—	32.20	6.23 ~ 50.40	2160	530 ~ 4170	9.6	2.4 ~ 18.5	98
07 + 07 + 24	Wall	Wall	Wall	—	—	6.12	6.12	20.97	—	—	33.20	6.23 ~ 54.50	2370	570 ~ 5060	10.5	2.5 ~ 22.4	98
07 + 09 + 09	Wall	Wall	Wall	—	—	7.87	10.12	10.12	—	—	28.10	4.43 ~ 43.30	1820	380 ~ 3360	8.1	1.7 ~ 14.9	98
07 + 09 + 12	Wall	Wall	Wall	—	—	7.58	9.74	12.99	—	—	30.30	6.08 ~ 46.30	2110	500 ~ 3820	9.4	2.2 ~ 16.9	98
07 + 09 + 15	Wall	Wall	Wall	—	—	7.20	9.26	15.44	—	—	31.90	6.23 ~ 49.40	2080	510 ~ 3970	9.2	2.3 ~ 17.6	98
07 + 09 + 18	Wall	Wall	Wall	—	—	6.73	8.66	17.31	—	—	32.70	6.23 ~ 52.50	2190	540 ~ 4550	9.7	2.4 ~ 20.2	98
07 + 09 + 24	Wall	Wall	Wall	—	—	5.81	7.47	19.92	—	—	33.20	6.23 ~ 54.50	2400	580 ~ 5130	10.6	2.6 ~ 22.8	98
07 + 12 + 12	Wall	Wall	Wall	—	—	7.20	12.35	12.35	—	—	31.90	6.08 ~ 49.40	2280	510 ~ 4330	10.1	2.3 ~ 19.2	98
07 + 12 + 15	Wall	Wall	Wall	—	—	6.73	11.54	14.43	—	—	32.70	6.23 ~ 52.50	2190	530 ~ 4560	9.7	2.4 ~ 20.2	98
07 + 12 + 18	Wall	Wall	Wall	—	—	6.28	10.77	16.15	—	—	33.20	6.23 ~ 54.50	2300	560 ~ 4920	10.2	2.5 ~ 21.8	98
07 + 12 + 24	Wall	Wall	Wall	—	—	5.40	9.27	18.53	—	—	33.20	6.23 ~ 54.50	2390	580 ~ 5110	10.6	2.6 ~ 22.7	98
07 + 15 + 15	Wall	Wall	Wall	—	—	6.28	13.46	13.46	—	—	33.20	6.30 ~ 54.50	2080	540 ~ 4510	9.2	2.4 ~ 20.0	98
07 + 15 + 18	Wall	Wall	Wall	—	—	5.81	12.45	14.94	—	—	33.20	6.30 ~ 54.50	2130	570 ~ 4610	9.4	2.5 ~ 20.5	98
07 + 15 + 24	Wall	Wall	Wall	—	—	5.05	10.83	17.32	—	—	33.20	6.30 ~ 54.50	2120	570 ~ 4580	9.4	2.5 ~ 20.3	98
07 + 18 + 18	Wall	Wall	Wall	—	—	5.40	13.90	13.90	—	—	33.20	6.38 ~ 54.50	2120	590 ~ 4580	9.4	2.6 ~ 20.3	98
09 + 09 + 09	Wall	Wall	Wall	—	—	9.83	9.83	9.83	—	—	29.50	6.08 ~ 45.30	1970	490 ~ 3700	8.7	2.2 ~ 16.4	98
09 + 09 + 12	Wall	Wall	Wall	—	—	9.51	9.51	12.68	—	—	31.70	6.08 ~ 48.40	2260	510 ~ 4200	10.0	2.3 ~ 18.6	98
09 + 09 + 15	Wall	Wall	Wall	—	—	8.84	8.84	14.73	—	—	32.40	6.23 ~ 51.40	2160	520 ~ 4340	9.6	2.3 ~ 19.3	98
09 + 09 + 18	Wall	Wall	Wall	—	—	8.30	8.30	16.60	—	—	33.20	6.23 ~ 54.50	2270	550 ~ 4860	10.1	2.4 ~ 21.6	98
09 + 09 + 24	Wall	Wall	Wall	—	—	7.11	7.11	18.97	—	—	33.20	6.23 ~ 54.50	2400	580 ~ 5120	10.6	2.6 ~ 22.7	98
09 + 12 + 12	Wall	Wall	Wall	—	—	8.84	11.78	11.78	—	—	32.40	6.15 ~ 51.40	2380	520 ~ 4730	10.6	2.3 ~ 21.0	98
09 + 12 + 15	Wall	Wall	Wall	—	—	8.30	11.07	13.83	—	—	33.20	6.23 ~ 54.50	2270	540 ~ 4870	10.1	2.4 ~ 21.6	98
09 + 12 + 18	Wall	Wall	Wall	—	—	7.66	10.22	15.32	—	—	33.20	6.23 ~ 54.50	2330	570 ~ 4990	10.3	2.5 ~ 22.1	98
09 + 12 + 24	Wall	Wall	Wall	—	—	6.64	8.85	17.71	—	—	33.20	6.23 ~ 54.50	2350	570 ~ 5030	10.4	2.5 ~ 22.3	98
09 + 15 + 15	Wall	Wall	Wall	—	—	7.66	12.77	12.77	—	—	33.20	6.30 ~ 54.50	2100	550 ~ 4570	9.3	2.4 ~ 20.3	98
09 + 15 + 18	Wall	Wall	Wall	—	—	7.11	11.86	14.23	—	—	33.20	6.30 ~ 54.50	2120	570 ~ 4600	9.4	2.5 ~ 20.4	98
09 + 15 + 24	Wall	Wall	Wall	—	—	6.23	10.38	16.60	—	—	33.20	6.30 ~ 54.50	2080	560 ~ 4500	9.2	2.5 ~ 20.0	98
09 + 18 + 18	Wall	Wall	Wall	—	—	6.64	13.28	13.28	—	—	33.20	6.38 ~ 54.50	2080	580 ~ 4510	9.2	2.6 ~ 20.0	98
12 + 12 + 12	Wall	Wall	Wall	—	—	11.07	11.07	11.07	—	—	33.20	6.15 ~ 54.50	2500	540 ~ 5290	11.1	2.4 ~ 23.5	98
12 + 12 + 15	Wall	Wall	Wall	—	—	10.22	10.22	12.77	—	—	33.20	6.23 ~ 54.50	2330	550 ~ 5000	10.3	2.4 ~ 22.2	98
12 + 12 + 18	Wall	Wall	Wall	—	—	9.49	9.49	14.23	—	—	33.20	6.23 ~ 54.50	2350	580 ~ 5040	10.4	2.6 ~ 22.4	98
12 + 12 + 24	Wall	Wall	Wall	—	—	8.30	8.30	16.60	—	—	33.20	6.23 ~ 54.50	2300	560 ~ 4930	10.2	2.5 ~ 21.9	98
12 + 15 + 15	Wall	Wall	Wall	—	—	9.49	11.86	11.86	—	—	33.20	6.30 ~ 54.50	2120	560 ~ 4610	9.4	2.5 ~ 20.5	98
12 + 15 + 18	Wall	Wall	Wall	—	—	8.85	11.07	13.28	—	—	33.20	6.38 ~ 54.50	2080	570 ~ 4510	9.2	2.5 ~ 20.0	98
12 + 18 + 18	Wall	Wall	Wall	—	—	8.30	12.45	12.45	—	—	33.20	6.38 ~ 54.50	2040	570 ~ 4340	9.1	2.5 ~ 19.3	98
15 + 15 + 15	Wall	Wall	Wall	—	—	11.07	11.07	11.07	—	—	33.20	6.45 ~ 54.50	1860	550 ~ 4100	8.3	2.4 ~ 18.2	98
15 + 15 + 18	Wall	Wall	Wall	—	—	10.38	10.38	12.45	—	—	33.20	6.45 ~ 54.50	1830	560 ~ 3940	8.1	2.5 ~ 17.5	98
07 + 07 + 07 + 07	Wall	Wall	Wall	Wall	—	7.58	7.58	7.58	7.58	—	30.30	6.23 ~ 46.30	1890	480 ~ 3470	8.4	2.1 ~ 15.4	98
07 + 07 + 07 + 09	Wall	Wall	Wall	Wall	—	7.40	7.40	7.40	9.51	—	31.70	6.23 ~ 48.40	2030	490 ~ 3810	9.0	2.2 ~ 16.9	98
07 + 07 + 07 + 12	Wall	Wall	Wall	Wall	—	6.87	6.87	6.87	11.78	—	32.40	6.23 ~ 51.40	2130	510 ~ 4300	9.4	2.3 ~ 19.1	98
07 + 07 + 07 + 15	Wall	Wall	Wall	Wall	—	6.46	6.46	6.46	13.83	—	33.20	6.30 ~ 54.50	2020	520 ~ 4410	9.0	2.3 ~ 19.6	

Combination of indoor unit	Type of indoor unit					Capacity of each indoor unit											
						Each capacity (kBTU/h)					Total capacity (kBTU/h)		Total input (W)		Total current (A)		Power factor (%)
	A room	B room	C room	D room	E room	A room	B room	C room	D room	E room	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating	(min. ~ max.)	Rating
07 + 07 + 15 + 15	Wall	Wall	Wall	Wall	—	5.28	5.28	11.32	11.32	—	33.20	6.45 ~ 54.50	1840	540 ~ 4070	8.2	2.4 ~ 18.1	98
07 + 07 + 15 + 18	Wall	Wall	Wall	Wall	—	4.94	4.94	10.60	12.71	—	33.20	6.45 ~ 54.50	1800	540 ~ 3900	8.0	2.4 ~ 17.3	98
07 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	6.73	8.66	8.66	8.66	—	32.70	6.23 ~ 52.50	2130	510 ~ 4390	9.4	2.3 ~ 19.5	98
07 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	6.28	8.08	8.08	10.77	—	33.20	6.23 ~ 54.50	2240	520 ~ 4830	9.9	2.3 ~ 21.4	98
07 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	5.81	7.47	7.47	12.45	—	33.20	6.38 ~ 54.50	2070	540 ~ 4530	9.2	2.4 ~ 20.1	98
07 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	5.40	6.95	6.95	13.90	—	33.20	6.38 ~ 54.50	2060	550 ~ 4500	9.1	2.4 ~ 20.0	98
07 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	5.81	7.47	9.96	9.96	—	33.20	6.23 ~ 54.50	2300	540 ~ 4960	10.2	2.4 ~ 22.0	98
07 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	5.40	6.95	9.27	11.58	—	33.20	6.38 ~ 54.50	2060	540 ~ 4510	9.1	2.4 ~ 20.0	98
07 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	5.05	6.50	8.66	12.99	—	33.20	6.38 ~ 54.50	2020	540 ~ 4330	9.0	2.4 ~ 19.2	98
07 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	5.05	6.50	10.83	10.83	—	33.20	6.45 ~ 54.50	1800	530 ~ 3920	8.0	2.4 ~ 17.4	98
07 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	5.40	9.27	9.27	9.27	—	33.20	6.23 ~ 54.50	2290	540 ~ 4940	10.2	2.4 ~ 21.9	98
07 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	5.05	8.66	8.66	10.83	—	33.20	6.38 ~ 54.50	2020	530 ~ 4330	9.0	2.4 ~ 19.2	98
09 + 09 + 09 + 09	Wall	Wall	Wall	Wall	—	8.30	8.30	8.30	8.30	—	33.20	6.23 ~ 54.50	2210	520 ~ 4780	9.8	2.3 ~ 21.2	98
09 + 09 + 09 + 12	Wall	Wall	Wall	Wall	—	7.66	7.66	7.66	10.22	—	33.20	6.23 ~ 54.50	2270	530 ~ 4900	10.1	2.4 ~ 21.7	98
09 + 09 + 09 + 15	Wall	Wall	Wall	Wall	—	7.11	7.11	7.11	11.86	—	33.20	6.38 ~ 54.50	2070	540 ~ 4520	9.2	2.4 ~ 20.1	98
09 + 09 + 09 + 18	Wall	Wall	Wall	Wall	—	6.64	6.64	6.64	13.28	—	33.20	6.38 ~ 54.50	2030	550 ~ 4340	9.0	2.4 ~ 19.3	98
09 + 09 + 12 + 12	Wall	Wall	Wall	Wall	—	7.11	7.11	9.49	9.49	—	33.20	6.23 ~ 54.50	2290	540 ~ 4950	10.2	2.4 ~ 22.0	98
09 + 09 + 12 + 15	Wall	Wall	Wall	Wall	—	6.64	6.64	8.85	11.07	—	33.20	6.38 ~ 54.50	2020	530 ~ 4350	9.0	2.4 ~ 19.3	98
09 + 09 + 12 + 18	Wall	Wall	Wall	Wall	—	6.23	6.23	8.30	12.45	—	33.20	6.38 ~ 54.50	1980	540 ~ 4250	8.8	2.4 ~ 18.9	98
09 + 09 + 15 + 15	Wall	Wall	Wall	Wall	—	6.23	6.23	10.38	10.38	—	33.20	6.45 ~ 54.50	1770	520 ~ 3850	7.9	2.3 ~ 17.1	98
09 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	6.64	8.85	8.85	8.85	—	33.20	6.30 ~ 54.50	2250	530 ~ 4770	10.0	2.4 ~ 21.2	98
09 + 12 + 12 + 15	Wall	Wall	Wall	Wall	—	6.23	8.30	8.30	10.38	—	33.20	6.38 ~ 54.50	1980	520 ~ 4260	8.8	2.3 ~ 18.9	98
12 + 12 + 12 + 12	Wall	Wall	Wall	Wall	—	8.30	8.30	8.30	8.30	—	33.20	6.30 ~ 54.50	2200	530 ~ 4680	9.8	2.4 ~ 20.8	98

- Notes:**
1. Cooling capacity is based on 80°FDB (26.7°CDB) / 67°FWB (19.4°CWB) (Indoor temperature), 95°FDB (35°CDB) / 75°FWB (24°CWB) (Outdoor temperature).
Heating capacity is based on 70°FDB (21°CDB) / 60°FWB (15.6°CWB) (Indoor temperature), 47°FDB (8.3°CDB) / 43°FWB (6°CWB) (Outdoor temperature).
 2. The total capacity of connected indoor units is up to 48.0 kBTU/h.
 3. It is not possible to have only 1 indoor unit connected. Be sure to connect at least 2 indoor units.
 4. The above is the value for connecting with the following indoor units.
7.0 kBTU/h class; wall mount type A series
9.0 kBTU/h class; wall mount type A series
12.0 kBTU/h class; wall mount type A series
15.0 kBTU/h class; wall mount type A series
18.0 kBTU/h class; wall mount type A series
24.0 kBTU/h class; wall mount type A series

3D159647

3D159648

3D159649