

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### · 1.1 Product identifier

· Trade name: Nullifire SC802

· MSDS code: W-N-SC802

### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

### · Application of the substance / the mixture

Coating compound/ Surface coating/ paint

Fire retarding agent

### · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, WIGAN, WN2 4HT

Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410

msds@tremcocpg.com

#### · Further information obtainable from:

Tremco CPG UK Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremcocpg.eu, info.uk@tremcocpg.com

#### · 1.4 Emergency telephone number:

During office hours (Mon-Fri 08:30-17:00 GMT) Tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), your local GP/pharmacist (NI), 01 809 2166 (ROI), or otherwise to contact a doctor.

## SECTION 2: Hazards identification

### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

Carc. 2      H351 Suspected of causing cancer.

Repr. 2      H361f Suspected of damaging fertility.

STOT RE 2   H373 May cause damage to the urinary tract through prolonged or repeated exposure.

### · 2.2 Label elements

#### · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

#### · Hazard pictograms



GHS08

(Contd. on page 2)

GB

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 1)

- **Signal word** Warning
- **Contains:**  
melamine  
tris(2-chloro-1-methylethyl)phosphate
- **Hazard statements**  
H351 Suspected of causing cancer.  
H361f Suspected of damaging fertility.  
H373 May cause damage to the urinary tract through prolonged or repeated exposure.
- **Precautionary statements**  
P202 Do not handle until all safety precautions have been read and understood.  
P260 Do not breathe spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P284 Wear respiratory protection.  
P302+P352 IF ON SKIN: Wash with plenty of soap and water.  
P308+P313 IF exposed or concerned: Get medical advice/attention.
- **Supplemental information:**  
EUH208 Contains CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1), 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
- **Regulation (EC) No 528/2012 on biocidal products** Contains a biocidal product: C(M)IT/MIT (3:1)
- **Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC**  
VOC 2004/42/CE & UK SI 2012/1715 (A / i) = <140 g/l  
Nullifire SC802  
= ≤16 g/l
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

<b>Determination of endocrine-disrupting properties</b>		
CAS: 1244733-77-4	tris(2-chloro-1-methylethyl)phosphate	List II

## SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

<b>Dangerous components:</b>		
CAS: 108-78-1	melamine	10-<20%
EINECS: 203-615-4	Carc. 2, H351; Repr. 2, H361f; STOT RE 2, H373	
Reg.nr.: 01-2119485947-16-xxxx		
CAS: 1244733-77-4	tris(2-chloro-1-methylethyl)phosphate	1-<3%
EC number: 807-935-0	Carc. 2, H351; Acute Tox. 4, H302; Aquatic Chronic 3, H412	
Reg.nr.: 01-2119486772-26-xxxx		

(Contd. on page 3)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 2)

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Eye Dam. 1, H318; Aquatic Acute 1, H400; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥ 0.05 %	<0.05%
CAS: 55965-84-9	CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits: Skin Corr. 1C; H314: C ≥ 0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Eye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	<0.0015%

- **EU SVHC** see Section 15
- **GB SVHC** see Section 15
- **Additional information:**  
For the wording of the listed hazard phrases refer to section 16.  
Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

· **Regulation (EU) No 528/2012 Biocidal Products Regulation**

CAS: 55965-84-9 | CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)

PT6

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### · **After inhalation:**

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### · **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.  
If skin irritation continues, consult a doctor.

#### · **After eye contact:** Rinse opened eye for several minutes under running water. Then consult a doctor.

#### · **After swallowing:**

Rinse out mouth and then drink plenty of water.  
Seek immediate medical advice.

#### · **Information for doctor:** No further relevant information available.

### · 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.  
Suspected of damaging fertility.

(Contd. on page 4)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 3)

- Suspected of causing cancer.
- May cause damage to the urinary tract through prolonged or repeated exposure.
- **Hazards** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.  
Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture**  
Formation of toxic gases is possible during heating or in case of fire.
- **5.3 Advice for firefighters**
- **Protective equipment:**  
Wear fully protective suit.  
Wear self-contained respiratory protective device.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation.  
Wear protective clothing.
- **For non-emergency personnel** No further relevant information available.
- **For emergency responders** No further relevant information available.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Clean the affected area carefully; suitable cleaners are:  
Warm water and cleansing agent  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**  
No dangerous substances are released.  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.

(Contd. on page 5)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 4)

Avoid contact with the eyes and skin.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:** Store only in unopened original receptacles.

- **Information about storage in one common storage facility:** Protect from heat and direct sunlight.

- **Further information about storage conditions:**

Store in cool, dry conditions in well sealed receptacles.

Protect from frost.

Storage temperature: +5°C to +35°C

- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**

- **Ingredients with limit values that require monitoring at the workplace:**

Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.

- **DNELs**

**CAS: 108-78-1 melamine**
Inhalative | DNEL | 8.3 mg/m<sup>3</sup> (workers) (systemic effects)

- **Long term effects**

**CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate**

Oral | consumer | 0.52 mg/kg/24h (general public) (systemic effects)

Dermal | industrial | 2.08 mg/kg/24h (workers) (systemic effects)

consumer | 1.04 mg/kg/24h (general public) (systemic effects)

Inhalative | industrial | 5.82 mg/m<sup>3</sup> (workers) (systemic effects)consumer | 1.46 mg/m<sup>3</sup> (general public) (systemic effects)

- **Short term effects**

**CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate**

Dermal | industrial | 8 mg/kg/24h (workers) (systemic effects)

consumer | 4 mg/kg/24h (general public) (systemic effects)

Inhalative | industrial | 22.4 mg/m<sup>3</sup> (workers) (systemic effects)consumer | 11.2 mg/m<sup>3</sup> (general public) (systemic effects)

- **PNECs**

**CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate**

PNEC | 0.64 mg/L (fresh water)

0.064 mg/L (marine)

PNEC | 1.7 mg/kg dwt (soil)

1.34 mg/kg dwt (sediment (salt water))

(Contd. on page 6)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

Trade name: Nullifire SC802

(Contd. of page 5)

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Do not breathe spray.  
Avoid contact with the eyes and skin.
- **Respiratory protection:**



Wear respiratory protection.

Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.  
Only during spraying without adequate removal by suction.

Full-face mask with combination filter  
Filter A/P2

For further guidance,  
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".

- **Hand protection**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
Fluorocarbon rubber (Viton)  
Nitrile rubber, NBR  
PVC or PE gloves  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye/face protection**



Tightly sealed goggles

(Contd. on page 7)

GB

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 6)

· **Body protection:**

Protective work clothing

**SECTION 9: Physical and chemical properties**· **9.1 Information on basic physical and chemical properties**· **General Information**

· <b>Colour:</b>	White
· <b>Odour:</b>	Uncharacteristic.
· <b>Melting point/freezing point:</b>	Undetermined.
· <b>Boiling point or initial boiling point and boiling range</b>	100 °C (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
· <b>Flash point:</b>	Not applicable.
· <b>pH</b>	8.0 - 9.5
· <b>Solubility</b>	
· <b>water:</b>	Fully miscible.
· <b>Vapour pressure at 20 °C:</b>	23 hPa (CAS: 7732-18-5 water, distilled, conductivity or of similar purity)
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C:</b>	1.38 g/cm <sup>3</sup>

· **9.2 Other information**

· <b>Appearance:</b>	
· <b>Form:</b>	Liquid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Explosive properties:</b>	Product does not present an explosion hazard.
· <b>Solvent content:</b>	
· <b>VOC (EU)</b>	≤16 g/l
· <b>VOC (EC)</b>	≤1 %
· <b>Solids content:</b>	67-73 %

· **Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void

(Contd. on page 8)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 7)

· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** Stable
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with acids, alkalis and oxidising agents.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**  
Possible in traces.  
Carbon monoxide and carbon dioxide  
Nitrogen oxides

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· <b>LD/LC50 values relevant for classification:</b>		
<b>CAS: 108-78-1 melamine</b>		
Oral	LD50	3,161 mg/kg (rat)
<b>CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate</b>		
Oral	LD50	632 mg/kg (rat)
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>		
Oral	LD50	1,193 mg/kg (rat)
	ATE	450 mg/kg /bw (rat)
Dermal	LD50	4,115 mg/kg (rat)
<b>CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)</b>		
Dermal	LD50	660 mg/kg (rabbit)
Inhalative	LC50/4 h	2.36 mg/L (rat)

(Contd. on page 9)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 8)

- **Skin corrosion/irritation** Slight irritation possible.
- **Serious eye damage/irritation** Slight irritation possible.
- **Respiratory or skin sensitisation** May cause allergic skin disorders in sensitive individuals.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity**  
Suspected of causing cancer.
- **Reproductive toxicity**  
Suspected of damaging fertility.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**  
May cause damage to the urinary tract through prolonged or repeated exposure.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**  
Fillers are encapsulated within the liquid and therefore not expected to be released from the product under normal conditions of use.  
Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- **Information on likely routes of exposure** No further relevant information available.
- **Symptoms related to the physical, chemical and toxicological characteristics**  
No further relevant information available.
- **Delayed and immediate effects as well as chronic effects from short and long-term exposure**  
No further relevant information available.
- **11.2 Information on other hazards**

· <b>Endocrine disrupting properties</b>	
CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate	List II

## SECTION 12: Ecological information

### · 12.1 Toxicity

· <b>Aquatic toxicity:</b>	
<b>CAS: 1244733-77-4 tris(2-chloro-1-methylethyl)phosphate</b>	
LC50/96 h	51 mg/L (pimephales promelas)
<b>CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one</b>	
LC50/96 h	2.18 mg/L (oncorhynchus mykiss)
EC50/48 h	2.94 mg/L (daphnia magna)
EC50/72 h	0.11 mg/L (pseudokirchneriella subcapit.)
<b>CAS: 55965-84-9 CIT [EC 247-500-7] : MIT [EC 220-239-6] (3:1)</b>	
LC50/96 h	0.19 mg/L (rainbow trout)
EC50/48 h	0.16 mg/L (daphnia magna)
EC50/72 h	0.027 mg/L (algae)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 10)

## Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 9)

- **12.5 Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Endocrine disrupting properties**

For information on endocrine disrupting properties see section 11.

- **12.7 Other adverse effects**

- **Additional ecological information:**

- **General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**

- **Recommendation**

Disposal must be made according to official regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 01 20	aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP7	Carcinogenic
HP10	Toxic for reproduction

- **Uncleaned packaging:**

- **Recommendation:**

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **14.1 UN number or ID number**

- **ADR, ADN, IMDG, IATA**

Void

- **14.2 UN proper shipping name**

- **ADR, ADN, IMDG, IATA**

Void

- **14.3 Transport hazard class(es)**

- **ADR, ADN, IMDG, IATA**

- **Class**

Void

- **14.4 Packing group**

- **ADR, IMDG, IATA**

Void

(Contd. on page 11)

# Safety data sheet

acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 10)

· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>UN "Model Regulation":</b>	Void

## SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 "BPR" Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products.  
 Regulation (EU) 2016/131 of 1 February 2016 approving C(M)IT/MIT (3:1) as an existing active substance for use in biocidal products for product-types 2, 4, 6, 11, 12 and 13.  
 HSE EH40/2005 Workplace Exposure Limits (as amended)  
 Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)  
 STATUTORY INSTRUMENTS 2012 No. 1715 ENVIRONMENTAL PROTECTION | The Volatile Organic Compounds in Paints, Varnishes and Vehicle Refinishing Products Regulations 2012, and any subsequent amendments  
 "GB- CLP" UK SI 2019 No. 720 The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019  
 "UK- REACH" UK SI 2020 No. 1577 The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2020  
 The Endocrine Disruptor Lists I, II, III ([www.edlists.org](http://www.edlists.org))

- **Poisons Act**

· <b>Regulated explosives precursors</b>	None of the ingredients is listed.
· <b>Regulated poisons</b>	None of the ingredients is listed.
· <b>Reportable explosives precursors</b>	None of the ingredients is listed.
· <b>Reportable poisons</b>	None of the ingredients is listed.
· <b>REGULATION (EC) No 1907/2006 ANNEX XVII</b> Conditions of restriction: 3	
· <b>DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II</b>	None of the ingredients is listed.

(Contd. on page 12)

GB

**Safety data sheet**  
acc. (EC) 1907/2006, as amended by UK SI 2019/758



Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 11)

- **REGULATION (EU) 2019/1148**

- **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

- **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

- **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

- **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **National regulations:**

- **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- **Other regulations, limitations and prohibitive regulations** No further relevant information available.

- **Substances of very high concern (SVHC) according to EU REACH, Article 57**

CAS: 108-78-1 | melamine

- **Substances of very high concern (SVHC) according to UK REACH** Not applicable.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H310 Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H330 Fatal if inhaled.

H351 Suspected of causing cancer.

H361f Suspected of damaging fertility.

H373 May cause damage to organs through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 13)

# Safety data sheet

**acc. (EC) 1907/2006, as amended by UK SI 2019/758**

Printing date 27.11.2024

Version number 7 (replaces version 6)

Revision: 27.11.2024

**Trade name: Nullifire SC802**

(Contd. of page 12)

EUH071 Corrosive to the respiratory tract.

- **Department issuing SDS:**

Prepared and verified in accordance with Annex II, Part A, 0.2.3. of "UK- REACH" UK SI 2019 No. 758  
The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019

- **Date of previous version:** 22.02.2023

- **Version number of previous version:** 6

- **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1C: Skin corrosion/irritation – Category 1C

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

- **\* Data compared to the previous version altered.**