

LogiLink®

USB-C Retractable Cable

USB-C to USB-C, 1 m

Art. No.: CU0500
CU0501



USB PD 3.0
Thunderbolt 3/4
Compatible

Extension on
Both Sides

60W
3 A max.

480
Mbps
Data Transfer

Magnetic
Plug

Retractable
Cable

Your Daily Charging Companion

Magnetic recessed slots keep the LogiLink retractable USB-C cable securely stored and tangle-free. Measuring only 1.8 cm thin and weighing just 42 g, its pull-and-store design fits easily into pockets—perfect for daily commuting or travel.



Adjustable Length and Retractable

Easy to pull out the cables on both sides with 6 preset lengths. The auto-retract design retracts the cable smoothly and silently, reducing clutter and tangling on your desks, cars, and bags.



Tangle-Free Magnetic Connectors

Designed to stay neat on the go, magnetic recessed slots lock both USB-C ends securely in place, keeping them flush with the case and eliminating cable flops or tangles in your pocket or bag.



PD Fast Charging & Data Sync

Supports 480 Mbps data transfer rate and 3 A fast charging. Perfect for laptops, tablets and smartphones.



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.

Specifications:

Connection 1	USB-C male
Connection 2	USB-C male
USB Standard	USB 2.0
Max. Data Transfer Rate	Up to 480 Mbps
Power Delivery	PD 3.0, up to 60 W
Max. Current Capacity	3 A
Thunderbolt 3/4 Compatible	Yes
Material	Aluminum, ABS, nickel plated, TPE jacket
Cable Length	1 m
Operating Temperature	0–70°C
Operating Humidity	10–90% RH (non-condensing)
Dimensions	5.9 x 5.5 x 1.8 cm
Weight	42 g

Art-No.	Color	EAN Code
CU0500	Black	4052792080155
CU0501	White	4052792080162

Package Contents:

- » 1 x USB-C Retractable Cable
- » 1 x User Manual

Package Information:

Art-No.	Packing Dimension	Packing Weight	Carton Dimension	Carton Q'ty	Carton Weight
CU0500	75 x 25 x 95 mm	0.059 kg	275 x 205 x 400 mm	100 pcs	6.5 kg
CU0501	75 x 25 x 95 mm	0.061 kg	275 x 205 x 400 mm	100 pcs	6.5 kg



*The specifications and pictures are subject to change without prior notice.
*All trade names referenced are the registered trademarks of their respective owners.