

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006
Issue date: 28/05/2026 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion
Product code : 1500

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use
Use of the substance/mixture : Cosmetics, personal care products

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Ex-Import Pty Ltd
Factory 5, 92 Township Drive
4220 Burleigh Heads – Queensland
Australia
T (+61) 7 5576 6388
info@eximport.com.au

1.4. Emergency telephone number

Emergency number : (+61) 7 5576 6388

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). This product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878.

Substance or mixture corrosive to metals, category 1	H290	May be corrosive to metals
Acute toxicity, category 4	H302	Harmful if swallowed.
Skin Sensitisation, category 1A	H317	May cause an allergic skin reaction

2.2. Label elements

Labelling according to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

Hazard pictograms (GB CLP) :



Signal word (GB CLP) : Warning
Contains : Ammonium 2-Sulfanylacetate
2-aminoethanol
REACTION MASS OF 5-CHOLORO-2 METHYL-2H-ISOTHIAZOL-3-ONE AND 2-AMINOETHANETHIOL HYDROCHLORIDE

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%.
The product does not contain substances with endocrine disrupting properties in concentration $\geq$ 0.1%.

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Labelling according to GB CLP (SI 2019:720 as amended)
Ammonium 2-Sulfanylacetate	CAS-No.: 5421-46-5 EC-No.: 226-540-9 Reach Reg.: 01-2119531489-31	$10 \leq x < 25$	Met.Corr. 1 H290, Acute Tox. 3 H301, Skin Sens. 1A H317 LD50 Oral: >50 mg/kg
Alcohols C16-C18 Ethoxylate	CAS-No.: 56-81-5 EC-No.: 200-289-5	$1 \leq x < 5$	Eye Irrit. 2 H319
2-aminoethanol	CAS-No.: 141-43-5 EC-No.: 205-483-3 REACH Reg.: 01-2119486455-28	$1 \leq x < 5$	Met.Corr. 1 H290, Acute Tox. 3 H301, Skin Sens. 1B H317, Aquatic Chronic 3 H412 ATE Oral: 100 mg/kg
White Mineral Oil (Petroleum)	CAS-No.: 8042-47-5 EC-No.: 232-455-8 REACH Reg.: 01-2119487078-27	$1 \leq x < 5$	Asp. Tox 1 H304
Ammonia	INDEX.: 007-001-01-2 CAS-No.: 1336-21-6 EC-No.: 215-647-6	$0.1 \leq x < 1$	Skin Corr. 1B H314, Eye Dam. 1 H318, STOT SE 3 H335, Aquatic Acute 1 H400 M = 1, Classification note according to Annex VI to the CLP Regulation: B STOT SE 3 G335: $\geq 5\%$
2-Aminoethanethiol Hydrochloride	INDEX.: EC.: 205-858-1 CAS-No.: 156-57-0 REACH Reg.: 01-2120771568-40	$0.1 \leq x < 1$	Acute Tox. 4 H302, Eye Irrit. 2 H319, STOT SE 3 H335, Skin Sens. 1 H317 LD50 Oral: 1352 mg/kg
Alcohols C12-14, Ethoxylated	INDEX.: EC.: CAS-No.: 68439-50-9	$0.1 \leq x < 1$	Eye Irrit. 2 H319, Aquatic Acute 1 H400 M=1, Aquatic Chronic 3 H412
Reaction Mass of 5-Chloro-2- Methyl-2H- Isothiazol-3-One and 2-Methyl-2H-Isothiazol-3-One	INDEX.: 613-167-005- EC.: CAS-No.: 55965-84-9	$0.1 \leq x < 1$	Acute Tox. 2 H310, Acute Tox. 2 H330, Acute Tox. 3 H304, Skin Corr. 1C H314, Eye dam. 1 H318, Skin Sens. 1A H317, Aquatic Acute 1 H400 M=100, Aquatic Chronic 1 H410 M=100, EUG071, Classification Note according to Annex VI to the CLP Regulation: B Skin Corr. 1C H314: $\geq 0,6\%$, Skin Irrit. 2 H315: $\geq 0,06\% - < 0,6\%$, Skin Sens. 1A H317: $\geq 0,0015\%$, Eye Dam. 1 H318: $\geq 0,6\%$, Eye Irrit. 2 H319: $\geq 0,06\% - < 0,6\%$ ATE Oral: 100 mg/kg, LD50 Dermal: 87,12 mg/kg, LC50 Inhalation mists/powders: 0,171 mg/l/4h

Full wording of hazards (H) phrases are given in section 16 of the sheet.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general

: If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: If experiencing respiratory symptoms: Remove person to fresh air and keep comfortable for breathing.

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

First-aid measures after skin contact	: Remove immediately all contaminated clothing. Wash immediately and thoroughly with running water (and soap if possible). Get medical advice/attention. Avoid further contact with contaminated clothing.
First-aid measures after eye contact	: Remove, if present, contact lenses if the situation allows you to do so easily. Rinse eyes immediately with plenty of water for a minimum of 15 minutes, opening the eyelids. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Do not induce vomiting unless explicitly authorised by a doctor. Do not give anything by mouth to an unconscious person. Get medical advice/attention.
First-aid measures after inhalation	: Remove client to fresh air. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the client in a comfortable position for breathing. If necessary administer oxygen. If the subject stops breathing, administer artificial respiration. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

Delayed Effects	: Based on the information currently available, there are no known cases of delayed effects following exposure to this product.
-----------------	---

4.3. Indication of any immediate medical attention and special treatment needed

If skin irritation or rash occurs: Get medical advice / attention.

Means to have available in the workplace for specific and immediate treatment: running water for skin and eye wash

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Use extinguishing media appropriate for surrounding fire.
Unsuitable extinguishing media	: None.

5.2. Special hazards arising from the substance or mixture

Fire hazard	: Do not breathe combustion products.
-------------	---------------------------------------

5.3. Advice for firefighters

Firefighting instructions	: Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.
Protection during firefighting	: Normal fire fighting clothing i.e fire kits (BS EN 469), gloves (BS EN 659) and boots (BS EN 137) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137)

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Block the leakage if there is no hazard. Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.
------------------	--

6.2. Environmental precautions

This product must not penetrate into the sewer system or come into contact with surface water or ground water

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Collect the leaked production into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10, Absorb the remainder with inert absorbent material.
-------------------------	--

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Other information : Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with provisions set forth in point 13

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapours or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities

Storage temperature : Between 5-25 °C
Storage area : Keep out of direct sunlight.
Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labelled containers. Avoid overheating. Avoid violent blows. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Regulatory References: EU OEL EU -

Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC.

Ammonia	
EU - Occupational Exposure Limits / Threshold Limit Value	
Type	OEL
Country	EU
TWA/8h mg/m3	14
Ppm	20
STEL/15min mg/m3	36
Ppm	50
Remarks and Observations	N/A
WHITE MINERAL OIL (PETROLEUM)	
Health – Derivate no-effects level – DNEL / DMEL	
Route of Exposure – Oral	Effect on consumers = Chronic Systemic – 40 mg / kg bw/d
Route of Exposure – Inhalation	Effect on consumers = Chronic Systemic – 35 mg / kg Effects on workers = Chronic systemic – 160 mg / kg
Route of Exposure – Skin	Effect on consumers = Chronic Systemic – 92 mg / bw/d Effects on workers = Chronic systemic – 220 mg / kg bw/d

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

2-aminoethanol	
Predicted no-effect concentration - PNEC	
Normal value in fresh water	0,01 mg/l
Normal value in marine water	0,00104 mg/l
Normal value for fresh water sediment	0,038 mg/kg/d
Normal value for marine water sediment	0,00377 mg/kg/d
Normal value for marine water, intermittent release	0,049 mg/l
Normal value of STP- microorganisms	NPI (no hazard identified)
Health – Derived no-effect level – DNEL / DMEL	
Route of Exposure – Oral	Effect on consumers = Chronic Systemic – 1,5 mg / kg bw/d
Route of Exposure – Inhalation	Effect on consumers = Chronic Local – 0,280 mg / m3 Effect on consumers = Chronic Systemic – 0,180 mg / m3 Effect on workers = Chronic Local – 0,510 mg / m3 Effect on workers = Chronic Systemic – 1 mg / m3
Route of Exposure – Skin	Effect on consumers = Chronic Systemic – 1,5 mg/kg / bw/d Effects on workers = Chronic systemic – 3 mg / kg bw/d

8.2. Exposure controls

8.2.1. Appropriate engineering controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

Provide an emergency shower with face and eye wash station.

8.2.2. Personal protection equipment

Personal protective equipment:

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

In the presence of risks of exposure to splashes or squirts during work, adequate mouth, nose and eye protection should be used to prevent accidental absorption.

Eye protection			
Type	Field of application	Characteristics	Standard
Safety glasses		Clear	EN ISO 16321

8.2.2.2. Skin protection

Hand protection:

protective gloves

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Hand protection					
Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Butyl rubber, Natural rubber	1 (> 10 minutes)	0.5	2 (< 1.5)	EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. Use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Colour	: White.
Appearance	: Creamy emulsion
Odour	: Characteristic
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Lower explosive limit	: Not available
Upper explosive limit	: Not available
Flash point	: >60 degrees C
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 9.30-9.50
Viscosity, kinematic	: Not available
Dynamic viscosity	: 50000-90000 Method sp96 10rpm
Solubility	: Not available
Partition coefficient: n- octanol/water	: Not available
Vapour pressure	: Not available
Density and/or relative density	: Not available
Relative vapour density	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

Ammonia corrodes: aluminium, iron, zinc, copper, copper alloys

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None under normal use.

Ammonia: risk of explosion on contact with: strong acids, iodine. May react dangerously with: strong bases

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Ammonia: incompatible with: silver, silver salts, lead, lead salts, zinc, zinc salts, hydrochloric acid, nitric acid, oleum, halogens, acrolein, nitromethane, acrylic acid.

10.6. Hazardous decomposition products

Ammonia: may develop: nitric oxide

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) no. 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information	: Information not available
Information on likely routes of exposure	: Information not available
Delayed and immediate effects as well as chronic effects from short and long-term exposure	: Information not available
Interactive effects	: Information not available
ATE (inhalation) of the mixture	: No Classified (no significant component)
ATE (oral) of the mixture	: 351,52 mg/kg
ATE (dermal) of the mixture	: No Classified (no significant component)

AMMONIA

LD50 oral rat	350 mg/kg
---------------	-----------

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

LD50 Dermal	87,12 mg/kg Rabbit
-------------	--------------------

LD50 Oral	457 mg/kg Rat
-----------	---------------

LD50 (inhalation mists/powders)	0,171 mg/l/4h Rat
---------------------------------	-------------------

WHITE MINERAL OIL (PETROLEUM)

LD50 Dermal	>2000 mg/kg
-------------	-------------

LD50 Oral	>5000 mg/kg
-----------	-------------

LD50 (inhalation mists/powders)	>5000 mg/l/4h
---------------------------------	---------------

ALCOHOLS C16-C18 ETHOXYLATE

LD50 Dermal	>2000 mg/kg
-------------	-------------

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

AMMONIA	
ALCOHOLS C12-14 ETHOXYLATED	
LD50 Oral	>2000 mg/kg
2-AMINOETHANETHIOL HYDROCHLORIDE	
LD50 Oral	1352 mg/kg
AMMONIUM 2-SULFANYLACETATE	
LD50 Dermal	>2000 mg/kg
LD50 Oral	>50 mg/kg
2-AMINOETHANOL	
LD50 Dermal	2504 mg/kg
LD50 Oral	1089 mg/kg
ATE (Oral)	100 mg/kg estimate from table 3.1.2 of Annex 1 of the CLP (figure used for calculation of the acute toxicity estimate of the mixture)

Skin corrosion/irritation	: Does not meet the classification criteria for this hazard class
Serious eye damage/irritation	: Does not meet the classification criteria for this hazard class
Respiratory or skin sensitisation	: Does not meet the classification criteria for this hazard class
Germ cell mutagenicity	: Does not meet the classification criteria for this hazard class
Carcinogenicity	: Does not meet the classification criteria for this hazard class
Reproductive toxicity	: Does not meet the classification criteria for this hazard class
STOT-single exposure	: Does not meet the classification criteria for this hazard class
STOT-repeated exposure	: Does not meet the classification criteria for this hazard class
Aspiration hazard	: Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

11.2.2. Other information

Potential adverse human health effects and symptoms	: Based on available data, the product does not contain substances listed in the main European list of potential or suspected endocrine disruptors with human health effects under evaluation
---	---

SECTION 12: Ecological information

12.1. Toxicity

AMMONIA	
LC50 - Fish [1]	47mg/l/96h Channa punctata
EC50 – Crustacea	20 mg/l/48h Daphnia magna
REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-OOONE (3:1)	
LC50 - Fish [1]	0,19 mg/l/96g Oncorhynchus mykiss
EC50 – Crustacea	0,16 mg/l/48h Daphnia magna
EC50 – for Algae / Aquatic Plants	0,0052 mg/l/72h Skeletonema costatum
Chronic NOEC for Fish	0,02 mg/l Danio rerio
Chronic NOEC for Crustacea	0,1 mg/l Daphnia magna
Chronic NOEC for Algae / Aquatic Plants	0,00049 mg/l Skeletonema costatum

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

ALCOHOLS C16-C18 ETHOXYLATE	
LC50 - Fish [1]	>100 mg/l/96h
EC50 – Crustacea	>100 mg/l/48h
ALCOHOLS C12-14 ETHOXYLATED	
LC50 - Fish [1]	< 1 mg/l/96h
EC50 – Crustacea	< 1 mg/l/72h
2-AMINOETHANETHIOL HYDROCHLORIDE	
EC50 – Crustacea	2,75 mg/l/48h
EC50 – Algae / Aquatic Plants	19,7 mg/l/72h
AMMONIUM 2-SULFANYLACETATE	
LC50 – Fish	>100 mg/l/96h
EC50 - Crustacea	38mg/l/48h
2-aminoethanol	
LC50 - Fish	100mg/l/96h

12.2. Persistence and degradability

AMMONIA

Persistence and degradability	Information not available
-------------------------------	---------------------------

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Solubility in water	>10000 mg/l
	Not Rapidly degradable

ALCOHOLS C16-C18 ETHOXYLATE

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

ALCOHOLS C12-C14 ETHOXYLATED

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

2-AMINOETHANETHIOL HYDROCHLORIDE

Persistence and degradability	Rapidly degradable
-------------------------------	--------------------

12.3. Bioaccumulative potential

REACTION MASS OF 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE AND 2-METHYL-2H-ISOTHIAZOL-3-ONE (3:1)

Partition coefficient: n-octanol/water	0,75
BCF	<54

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Component	
	On the basist of available data, the product does not contain any PBT or vPvB in percentage $\geq$ than 0,1%

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
UN3267	UN3267	UN3267	Not applicable	UN3267
14.2. UN proper shipping name				
CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMMONIUM 2- SULFANYLACETATE)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMMONIUM 2- SULFANYLACETATE)	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMMONIUM 2- SULFANYLACETATE)	Not applicable	CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (AMMONIUM 2- SULFANYLACETATE)
14.3. Transport hazard class(es)				
Class: 8 Label: 8	Class: 8 Label: 8	Class: 8 Label: 8	Not applicable	Class: 8 Label: 8
14.4. Packing group				
III	III	III	Not applicable	III
14.5. Environmental hazards				
Not applicable	Not marine pollutant	Not applicable	Not applicable	Not applicable

14.6. Special precautions for user

ADR	IMDG	IATA	ADN	RID
HIN – Kemier: 80 Limited Quantities: 5lt Tunnel Restriction code: (E) Special Provisions: 274	EMS: F-A, S-B – Limited Quantities: 5lt	Cargo: Maximum quantities: 60L Packing instruction: 856 Passengers: Maximum quantity: 5L Packing instruction: 852 Special provision: A3, A803	Not applicable	HIN – Kemier: 80 Limited Quantities: 5lt Tunnel Restriction code: (E) Special Provisions: 274

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Seveso Category – Directive 2012/18/EU:

None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006 Product

Product Point 3
Contains substances Point 75

Regulation (EU) 2019/1148 – on the marketing and use of explosives precursors

Not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage $\geq$ than 0,1%

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012

None

Substances subject to the Rorrerdam Convention

None

Substances subject to the Stockholm Convention

None

Healthcare controls

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directives is respected.

15.2. Chemical safety assessment

A chemical safety assessment has not be performed for the preparation/for the substances indicated in section 3.

SECTION 16: Other information

Text of hazard (H) indications mentioned in section :
2-3 of the Sheet

Full text of H- and EUH-statements:

Met. Corr. 1	Substance or mixture corrosive to metals, category 1 Acute toxicity, category 2
Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Skin Corr. 1B	Skin corrosion, category 1B
Skin Corr. 1C	Skin corrosion, category 1C
Skin Corr. 1	Skin corrosion, category 1
Eye Dam. 1	Serious eye damage, category1
Eye Irrit. 2	Eye irritation, category 2
Skin Irrit. 2	Skin irritation, category 2

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

Full text of H- and EUH-statements:	
STOT SE 3	Specific target organ toxicity – single exposure, category 3
Skin Sens.1	Skin sensitization, category 1
Skin Sens.1A	Skin sensitization, category 1A
Skin Sens. 1B	Skin sensitization, category 1B
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, acute toxicity, category 3
H290	May be corrosive to metals.
H310	Fatal in contact with skin.
H330	Fatal if inhaled
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H319	Causes serious eye irritation
H315	Causes skin irritation
H335	May cause respiratory irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
EUH071	Corrosive to the respiratory tract

Very toxic to aquatic life with long lasting effects. Harmful to aquatic life with long lasting effects. Corrosive to the respiratory tract.
LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent, bioaccumulative and toxic
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PMT: Persistent, mobile and toxic

Brik & Pearl – Bond Flex Step 1 – Lash Lift Lotion

Safety Data Sheet

According to REACH Regulation (EC) No 1907/2006, as retained and amended in UK law.

- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- VPVB: Very persistent and very bioaccumulative
- VPVM: Very persistent and very mobile
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
12. Regulation (EU) 2016/1179 (IX Atp. CLP)
13. Regulation (EU) 2017/776 (X Atp. CLP)
14. Regulation (EU) 2018/669 (XI Atp. CLP)
15. Regulation (EU) 2019/521 (XII Atp. CLP)
16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
17. Regulation (EU) 2019/1148
18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
23. Delegated Regulation (UE) 2023/707
24. Delegated Regulation (UE) 2023/1434 (XIX Atp. CLP)
25. Delegated Regulation (UE) 2023/1435 (XX Atp. CLP)
26. Delegated Regulation (UE) 2024/197 (XXI Atp. CLP)

- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) – Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.