# Safety data sheet

In compliance with Regulation (EC) No 2020/878

	10560 MUSK ROYALE		
1.	IDENTIFICATION OF THE PREPARATION AND THE COMPANY		
1.1	Product Identifier Product Identifier/ No: UFI:	10560 MUSK ROYALE P630-Y0UP-R00E-9A89	
1.2	Relevant identified uses of the mixture and uses advised against:	Perfuming agent for finished consumer products.  Not for personal use in this form or concentration.	
1.3	Details of the supplier of the safety data sheet:	PERFUMEDOM Eth. Antistaseos 52 Thessaloniki 56123, Greece Phone: +302311110366 E-Mail: sales@perfumedom.com	
1.4	Emergency telephone number:	+302311110366 Emergency consultation (EN) during office hours Monday to Friday 08:00 - 17:00 (UTC+1)	

### 2. HAZARD IDENTIFICATION

## 2.1 Classification of the substance or mixture

## 2.1.1 Classification according to Regulation (EC) No 1272/2008:



GHS07 Irritation, sensitisation

Acute Tox. 4 oral H302 Harmful if swallowed. Skin Sens. 1 H317 May cause an allergic skin reaction. Eye Irrit. 2 H319 Causes serious eye irritation.



GHS09 Hazards to the aquatic environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date 24.09.2024

 Print Date:
 27.03.2025
 Page: 1 / 17
 Revision No. 1.6.0

#### 2.2 Label elements

## 2.2.1 Hazard pictograms:





### 2.2.2 Signal word

#### Warning

#### 2.2.3 Hazard statements:

H302: Harmful if swallowed.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H411: Toxic to aquatic life with long lasting effects.

### 2.2.4 Precautionary statements

#### General:

P101 If medical advice is needed, have product container or label at hand.

P103 Read label before use.

### Prevention:

P261 Avoid breathing dust / fume / gas / mist / vapours / spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves / protective clothing / eye protection / face protection.

## Response in cases of accidental spillage or exposure:

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P321 Specific treatment

P330 Rinse mouth.

P333+P313 If skin irritation or rash occurs: Get medical advice / attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

#### Storage:

-

Cert. No.: 179317 REG-MSDS-EN-01 Revision Date 24.09.2024
Print Date: 27.03.2025 Page: 2 / 17 Revision No. 1.6.0

## Disposal:

2.3

P501 Dispose of contents/container in accordance with official regulations.

## Hazardous component(s) for labeling:

CAS No:	Chemical name:
60-12-8	2-Phenylethanol
118-58-1	Benzyl 2-hydroxybenzoate
101-86-0	2-(Phenylmethylidene)octanal
127-51-5	(E)-3-Methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one

## EUH208: Contains an ingredient that may produce an allergic reaction:

100-51-6 112-45-8 Other Hazards	Benzyl alcohol Undec-10-enal  This mixture does not contain any PBT (persistent, bioaccumulative and toxic) or vPvB (very persistent and very bioaccumulative) substances according to Directive (EC) No
	Benzyl alcohol
100-51-6	
	· (=,-,- · · · · · · · · · · · · · · · · · ·
71048-82-3	1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one
70788-30-6	1-(2,2,6-Trimethylcyclohexyl)hexan-3-ol
103-95-7	(2S)-2-methyl-3-(4-propan-2-ylphenyl)propanal
106-25-2	(2Z)-3,7-Dimethylocta-2,6-dien-1-ol
1205-17-0	3-(1,3-Benzodioxol-5-yl)-2-methylpropanal
105-87-3	[(2E)-3,7-Dimethylocta-2,6-dienyl] acetate
4707-47-5	Methyl 2,4-dihydroxy-3,6-dimethylbenzoate
120-57-0	1,3-Benzodioxole-5-carbaldehyde
78-70-6	3,7-Dimethyl-1,6-octadien-3-ol
91-64-5	1-Benzopyran-2-one
107-75-5	3,7-Dimethyl-7-hydroxyoctanal
106-24-1	(2E)-3,7-Dimethylocta-2,6-dien-1-ol
127-51-5	(E)-3-Methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one
101-86-0	2-(Phenylmethylidene)octanal
118-58-1	Benzyl 2-hydroxybenzoate
EUH208: Contains an ingredier CAS No:	Chemical name:
	CAS No:  118-58-1  101-86-0  127-51-5  106-24-1  107-75-5  91-64-5  78-70-6  120-57-0  4707-47-5  105-87-3  1205-17-0  106-25-2  103-95-7  70788-30-6

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 3 / 17
 Revision No.
 1.6.0

mixture

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances Not applicable

3.2 Mixtures

Chemical characterisation Mixture of substances listed below with non-hazardous

additions

CAS-/EINECS-No Not applicable

Quantity	CAS No EINECS No	Name	Comment	Classification (GHS)
<b></b>	REACH No			
10-25%	60-12-8 200-456-2 01-2119963921-31	2-Phenylethanol		Acute Tox. 4 oral; Eye Irrit. 2; H302; H319
10-25%	118-58-1 204-262-9 01-2119969442-31	Benzyl 2-hydroxybenzoate		Skin Sens. 1B; Aquatic Chronic 3; H317; H412
10-25%	101-86-0 202-983-3 01-2119533092-50	2-(Phenylmethylidene)octanal		Skin Sens. 1B; Aquatic Acute 1; Aquatic Chronic 2; H317; H400; H411
5-10%	140-11-4 205-399-7 01-2119638272-42	Benzyl acetate		Aquatic Chronic 3; H412
1-5%	1335-46-2 215-635-0 01-2119471851-35	1-(2,6,6-trimethyl-1-cyclohex-2- enyl)pent-1-en-3-one		Aquatic Chronic 2; Skin Irrit. 2; H411; H315
1-5%	127-51-5 204-846-3 -	(E)-3-Methyl-4-(2,6,6-trimethyl-1-cyclohex-2-enyl)but-3-en-2-one		Skin Sens. 1B; Aquatic Chronic 2; H317; H411
1-5%	106-24-1 203-377-1 01-2119552430-49	(2E)-3,7-Dimethylocta-2,6-dien-1- ol		Skin Irrit. 2; Eye Dam. 1; Skin Sens. 1; H315; H318; H317
1-5%	25265-71-8 246-770-3 01-2119456811-38	3-(3-Hydroxypropoxy)propan-1-ol		-
1-5%	107-75-5 203-518-7 01-2119973482-31	3,7-Dimethyl-7-hydroxyoctanal		Eye Irrit. 2; Skin Sens. 1B; H319; H317

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 4 / 17
 Revision No.
 1.6.0

10560 MUSK ROYALE				
1-5%	91-64-5 202-086-7 01-2119949300-45	1-Benzopyran-2-one	Skin Sens. 1B; Acute Tox. 4 oral; H317; H302	
1-5%	78-70-6 201-134-4 01-2119474016-42	3,7-Dimethyl-1,6-octadien-3-ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; H315; H317; H319	
1-5%	120-57-0 204-409-7 01-2119983608-21	1,3-Benzodioxole-5-carbaldehyde	Skin Sens. 1B; H317	
1-5%	4707-47-5 225-193-0 01-2120762759-36	Methyl 2,4-dihydroxy-3,6- dimethylbenzoate	Skin Sens. 1B; H317	
1-5%	71735-79-0 275-967-7 -	(4Z,8Z)-1,2,2-Trimethyl-13- oxabicyclo[10.1.0]trideca-4,8- diene	Aquatic Chronic 2; Skin Irrit. 2; H411; H315	
< 1%	105-87-3 203-341-5 01-2119973480-35	[(2E)-3,7-Dimethylocta-2,6-dienyl] acetate	Skin Sens. 1B; Aquatic Chronic 3; Skin Irrit. 2; H317; H412; H315	
< 1%	1205-17-0 214-881-6 01-2120740119-58	3-(1,3-Benzodioxol-5-yl)-2- methylpropanal	Aquatic Chronic 2; Repr. 2; Skin Sens. 1B; H411; H361; H317	
< 1%	106-25-2 203-378-7 01-2120051521-69	(2Z)-3,7-Dimethylocta-2,6-dien-1- ol	Skin Irrit. 2; Skin Sens. 1B; Eye Irrit. 2; H315; H317; H319	
< 1%	120-51-4 204-402-9 01-2119976371-33	Benzyl benzoate	Acute Tox. 4 oral; Aquatic Chronic 2; Aquatic Acute 1; H302; H411; H400	
< 1%	103-95-7 203-161-7 01-2119970582-32	(2S)-2-methyl-3-(4-propan-2- ylphenyl)propanal	Skin Irrit. 2; Skin Sens. 1B; Aquatic Chronic 3; H315; H317; H412	

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date 24.09.2024

 Print Date:
 27.03.2025
 Page: 5 / 17
 Revision No. 1.6.0

10560 MUSK ROYALE				
< 1%	70788-30-6 274-892-7 -	1-(2,2,6-Trimethylcyclohexyl) hexan-3-ol	Aquatic Chronic 2; Skin Irrit. 2; Skin Sens. 1B; H411; H315; H317	
< 1%	71048-82-3 275-156-8 01-2119535122-53	1-(2,6,6-Trimethyl-3-cyclohexen-1-yl)-2-buten-1-one	Skin Sens. 1A; Aquatic Acute 1; Aquatic Chronic 1; Acute Tox. 4 oral; Skin Irrit. 2; H317; H400; H410; H302; H315	
< 1%	111-90-0 203-919-7 01-2119475105-42	2-(2-Ethoxyethoxy)ethanol	-	
< 1%	100-51-6 202-859-9 01-2119492630-38	Benzyl alcohol	Skin Sens. 1B; Acute Tox. 4 inh.; Acute Tox. 4 oral; Eye Irrit. 2; H317; H332; H302; H319	
< 1%	120-72-9 204-420-7 01-2120745892-45	1H-Indole	Eye Dam. 1; Acute Tox. 3 derm.; Acute Tox. 4 oral; H318; H311; H302	
< 1%	112-45-8 203-973-1 01-2119990746-20	Undec-10-enal	Skin Sens. 1B; Aquatic Chronic 3; H317; H412	
< 1%	16409-43-1 240-457-5 01-2119976300-42	2-(2-Methylprop-1-enyl)-4- methyltetrahydropyran	Eye Irrit. 2; Repr. 2; Skin Irrit. 2; H319; H361; H315	

4.	FIRST AID MEASURES	
4.1	Description of first aid measures	
	General advice:	Seek medical advice and show this safety data sheet.
	Inhalation:	Remove affected person to fresh air and if unconscious place in recovery position. Seek medical attention for safety reasons.
	Skin Contact:	Wash with plenty of soap and water. Remove contaminated clothing and clean before reuse.

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 6 / 17
 Revision No.
 1.6.0

Immediately remove contact lenses and rinse eyes thoroughly under running water with eyelids open (15 minutes). Seek medical attention if signs of tissue damage or irritation persist.

Ingestion:

Keep airways clear, do not administer milk or alcoholic beverages. Never administer anything orally to an unconscious person. If symptoms persist, consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of immediate medical attention and special treatment needed

No further relevant information available.

5.	FIREFIGHTING MEASUR	ES
5.1	Extinguishing media	
		Suitable extinguishing agents:  - Dry extinguishing agent  - Alcohol resistant foam  - Carbon dioxide  - Water spray Unsuitable extinguishing agents:  - Direct water jet can spread the fire
5.2	Special hazard arising fr	om the substance or mixture
		Do not allow waste water from firefighting to enter sewers/surface waters/groundwater.
5.3	Advice for fire-fighters	
		Avoid inhalation of smoke and fumes. In case of insufficient ventilation, use breathing apparatus. Contaminated extinguishing water must not be allowed to enter the sewage system and must be disposed of in accordance with local official regulations.

6.	ACCIDENTAL RELEASE MEASURES		
6.1	Personal precautions, protective equipment and emergency procedures		
6.1.1	For non-emergency personnel:	For non-emergency personnel:  Wear suitable protective gloves when handling spilled material.  Do not smoke. Avoid open flames and other sources of ignition.  Avoid contact with skin. Do not inhale vapors. Individual cleaning after possible contact. Ensure adequate ventilation.	

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date 24.09.2024

 Print Date:
 27.03.2025
 Page: 7 / 17
 Revision No. 1.6.0

		10560 MUSK ROYALE	
6.1.2	For emergency personnel:	Apply the same recommendations as section 6.1.1	
6.2	Environmental precaut	tions	
		Do not allow to enter drains/surface waters/groundwater. In case of contamination of water, inform the competent authorities.	
6.3	Methods and material for containment and cleaning up		
6.3.1	For containment:	Set up barriers and cover the sewage system to prevent large- scale spread.	
6.3.2	For cleaning-up:	Immediately absorb with suitable liquid-binding and non- flammable materials (e.g. sand, silica gel, universal binder). Collect bound material in suitable and sealable containers and dispose of in accordance with official regulations.	
6.4	Reference to other sections:	See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.	

7.	HANDLING AND STORAGE	
7.1	Precautions for safe handling	
		Avoid contact with skin and eyes. Wear suitable protective gloves and goggles / face shield. Do not smoke. Avoid all sources of ignition.  Avoid excessive temperature during processing. Do not ingest or apply directly to skin. Good ventilation of storage and work place.
7.1.1	Protective measures:	Keep strict control of dust accumulation to a minimum. Maintain adequate local and general ventilation where product is handled. Avoid any sources of ignition.
7.1.2	Advice on general occupational hygiene:	Do not eat / drink / smoke at the workplace. Wash hands after use. Immediately remove contaminated clothing and protective equipment and clean before reuse.
7.2	Conditions for safe sto	rage, including any incompatibilities
7.2.1	Requirements to be me	t Store tightly closed and dry in containers that are as full as possible
	by store rooms and receptacles:	in a well-ventilated area. Keep away from heat sources. Protect from extreme temperatures.  Store at room temperature (10 - 30 °C). Protect from exposure to light.  Do not reuse empty containers.  Storage class according to TRGS 510: 10

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 8 / 17
 Revision No.
 1.6.0

	10560 MUSK ROYALE		
7.2.2	2.2 Information about Storage in one common storage facility:  Do not store together with storage classes 1/4.2/4.3/5/6.2/7.		
7.2.3	Further information about storage conditions:	The product may discolor due to prolonged storage. Crystallization is possible with cool storage. If necessary, warm slightly (40 °C) and mix well before use.	
7.3	Specific end use(s)		
		Perfuming of consumer products	

3.	EXPOSURE	CONTROLS / P	ERSONAL	PROTECTION					
3.1	Control parameters								
	Ingredients	Ingredients with limit values that require monitoring at the workplace							
	Name CAS No						No		
	Туре	Short-term [mg/m3]	value [ppm]	Long-term [mg/m3]	value [ppm]	Country	Comment		
	Benzyl ace	etate				140-1	11-4		
_	VL			62	10	BE			
	GV	122	20	61	10	DK			
	LEP			62	10	ES			
	OEL				10	IE			
	TWA			61	10	IT	A4		
	VLE				10	PT	A4; Irritaç do TRS		
	VLM	80	13	50	8	RO			
	3-(3-Hydr	oxypropoxy)pro	opan-1-ol			2526	5-71-8		
_	MAK	280		140		СН	SSc		
	AGW			100		DE	2(II);DFG, 11		
	MV	200		100		SI	Inhalabiln frakcija, Y		
	2-(2-Etho	xyethoxy)ethan	ol			111-9	90-0		
	MAK	140	24	35	6	AT			
	MAK	100		50		CH	SSc		
	AGW			35	6	DE	2(I);AGS,` 11		
	LEP	100		50		ES	Propuesta de		

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 9 / 17
 Revision No.
 1.6.0

			10000	MUSK R	UTALE		
	OEL 1	70	30	80	15	SE	modificacio H, V
		70 70	12	35	6	SI	Υ
		70	12	33	O		·
	Benzyl alcohol					100	-51-6
_	MAK			22	5	СН	H SSC
8.2	Exposure controls						
8.2.1	Engineering measur	res					
			Ensure adequ	ate ventilati	on, especial	ly in confined a	reas.
	Additional information about design of technical facilities:		No further da	ta, see item	7.		
8.2.2	Personal protective	equip	ment				
	Respiratory protection:					respirator (acco h as CEN accor	ording to EN 14387 dingly).
	Gloves:		Wear solvent time must ex			ing to EN 374. <sup>-</sup>	The permeation
	Eye protection:		Use safety go	oggles and f	ace shield te	ested according	g to EN 166.
	Body protection:		Wear work cl	othes that c	over arms a	nd legs.	
	Hygiene measures:		Avoid contact Wash hands		nd eyes. Do	not eat/drink/s	moke during use.
8.2.3	Limitation and supe	rvisio	n of exposure	into the en	/ironment		
				se of contar	nination of v		ring the sewage e system, inform

9.	PHYSICAL AND CHEMICAL PROPERTIES		
9.1	Information on basic physical and chemical properties		
	State of aggregation: liquid		
	Color:	slightly yellow	
	Odor: fruity - floral - musky		

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 10 / 17
 Revision No.
 1.6.0

	10560 MUSK ROYALE		
	Melting point/Freezing point:	Not determined	
	Boiling point/Boiling range:	Not determined	
	Flammability:	Not determined	
	Lower and upper explosion limits:	Not determined	
	Flash point (°C):	105.0	Method: Pensky-Martens, closed cup
	Ignition temperature (°C):	Not determined	
	Decomposition temperature (°C):	Not determined	
	pH value:	Non-aqueous product	
	Kinematic viscosity:	Not determined	
	Solubility:	Not determined	
	Partition coefficient noctanol/water (log value):	Not determined	
	Vapor pressure:	Not determined	
	Relative density:	1.0336	
	Relative vapor density:	Not determined	
	Particulate properties:	Not determined	
9.2	Other information		
	Solvent content:	2.1%	
	VOC:	8.74%	

10.	STABILITY AND REACTIVITY		
10.1	Reactivity: No reaction known with water.		
10.2	Chemical Stability:	Good stability at standard temperature.	

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 11 / 17
 Revision No.
 1.6.0

	10560 MUSK ROYALE			
10.3	Possibility of hazardous reactions:	No decomposition when properly stored and used.		
10.4	Conditions to avoid:	Avoid excessive heat above at least 5 °C below flash point for flammable liquids. Do not heat closed containers.		
10.5	Incompatible materials:	Do not store together with storage classes 1/4.2/4.3/5/6.2/7.		
10.6	Hazardous decomposition products:	Proper use, contact with water or storage under recommended conditions should not produce hazardous decomposition products.		

11.	TOXICOLOGICAL INFORMATION		
11.1	1 Information on hazard classes according to Regulation (EC) No 1272/2008		
	Acute toxicity:	Harmful if swallowed.	
	Skin corrosion/irritation:	The classification criteria are not met.	
	Serious eye damage / irritation:	Causes serious eye irritation.	
	Respiratory or skin sensitisation:	May cause an allergic skin reaction.	
	CMR effects:		
	Germ cell mutagenicity: Carcinogenicity: Reproductive toxicity:	The classification criteria are not met. The classification criteria are not met. The classification criteria are not met.	
	Specific Target Organ Toxicity – single exposure:	The classification criteria are not met.	
	Specific Target Organ Toxicity – repeated exposure:	The classification criteria are not met.	
	Aspiration hazard:	The classification criteria are not met.	
11.2	Information on other hazards		
	Endocrine disrupting properties:	No substances with endocrine-disrupting properties contained according to the criteria from Regulations (EC) No. 1907/2006, (EU) 2017/2100, (EU) 2018/605.	
	Other information:	No data available	

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 12 / 17
 Revision No.
 1.6.0

12.	ECOLOGICAL INFORMA	TION	
12.1	Toxicity:	No data available for the mixture. The product must be labeled according to Regulation (EC) No. 1272/2008 (CLP) in the currently valid version.	
12.2	Persistence and degradability:	No data available for the mixture.	
12.3	Bioaccumulative potential:		
12.4	Mobility in soil:	No data available for the mixture.	
12.5	Results of PBT and vPvB assessment:	This mixture does not contain substances classified as PBT or vPvB.	
12.6	Endocrine disrupting properties:	This mixture does not contain any substances with endocrine-disrupting properties according to the evaluation criteria set out in (EC) No. 1907/2006, (EU) 2017/2100, (EU) 2018/605.	
12.7	Other adverse effects:	In case of improper handling or disposal, an environmental hazard cannot be excluded.	

13.	DISPOSAL CONDITIONS		
13.1	Waste treatment methods:	Do not dispose of residues/waste of the product via sewers/wastewater, but treat according to the instructions mentioned above, see points 6, 7 and 8. Do not reuse empty containers and do not incinerate. Hand over residual/waste product and contaminated packaging to an authorized disposal company. Dispose of in accordance with official regulations.	

14.	TRANSPORT INFORMATION			
14.1	UN number or ID number			
ADR:	UN 3082			
IMDG	UN 3082			
IATA:	UN 3082			
14.2	14.2 UN proper shipping name			

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 13 / 17
 Revision No.
 1.6.0

ADR: Environmentally hazardous substance, liquid, n.o.s. (Benzyl 2-hydroxybenzoate, Mixture)

IMDG: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl 2-hydroxybenzoate, Mixture)

IATA: Environmentally hazardous substance, liquid, n.o.s. (Benzyl 2-hydroxybenzoate, Mixture)

14.3 Transport hazard classes

ADR: 9

IMDG: 9

14.4 Packing group

IATA:

ADR:

IMDG:

IATA:

14.5 Environmental hazards

Marine pollutant:

9

Special marking (ADR):

Special marking (IATA):

EMS code: F-A, S-F

#### 14.6 Special precautions for the user

The transport classifications provided herewith are based on the properties of the unpackaged material according to this Safety Data Sheet. Refer to sections 2, 7 and 8.

#### 14.7 Carriage of bulk cargo by sea in accordance with IMO instruments

Not applicable.

#### 15. REGULATORY INFORMATION

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date 24.09.2024

 Print Date:
 27.03.2025
 Page: 14 / 17
 Revision No. 1.6.0

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1 Directive 2012/18/EU (Seveso)

Named hazardous substances -

None of the substances are included.

Annex I:

**Seveso Category:** E2 hazardous to the aquatic environment

200 t 500 t

### 15.1.2 Regulation (EC) No 1907/2006 (REACH)

Annex XIV - List of substances

subject to authorization:

None of the substances are included.

Substances of very high concern

(SVHC):

None of the substances are included.

Annex XVII - Restriction on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles:

None of the substances are included.

Restriction: 3

## 15.1.3 Water hazard class (Germany)

WGK 2 - clearly hazardous to water

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this mixture.

## 16. Other information

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date
 24.09.2024

 Print Date:
 27.03.2025
 Page: 15 / 17
 Revision No.
 1.6.0

		10560 MUS	SK ROYALE
16.1	Full text of abbreviated H-phrases	H311 Toxic ir H315 Causes H317 May ca H318 Causes H319 Causes H332 Harmfu H361 Suspect H400 Very to H410 Very to	Il if swallowed. In contact with skin. It skin irritation. It serious eye damage. It serious eye irritation. Il if inhaled. It it of damaging fertility or the unborn child. It is aquatic life. It is aquatic life with long lasting effects. It of aquatic life with long lasting effects. It of aquatic life with long lasting effects. It of aquatic life with long lasting effects.
16.2	Full text of abbreviated classifications (GHS)	Acute Tox. 3 derm Acute Toxicity, Dermal Acute Tox. 4 inh Acute Toxicity, Inhalation Acute Tox. 4 oral - Acute Toxicity, Oral Aquatic Acute 1 - Acute Aquatic Toxicity Aquatic Chronic 1 - Chronic Aquatic Toxicity Aquatic Chronic 2 - Chronic Aquatic Toxicity Aquatic Chronic 3 - Chronic Aquatic Toxicity Eye Dam. 1 - Serious eye damage Eye Irrit. 2 - Eye irritation Repr. 2 - Reproductive toxicity Skin Irrit. 2 - Skin irritation Skin Sens. 1 - Skin Sensitisers	
16.3	Abbreviations and acronyms	ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
		EINECS European Inventory of Existing Commercial Chemical Substances	
		GHS Globally Harmonized System of Classification and Labelling of Chemicals	
		IATA International Air Transport Association	
		IMDG International Maritime Code for Dangerous Goods	
		MAK	Maximale Arbeitsplatzkonzentration
		REACH Registration, Evaluation, Authorisation and Restriction of Chemical substances, Europear Community Regulation on chemicals and their safe use (EC 1907/2006)	
		VOC	Volatile Organic Compounds (Switzerland)
16.4	Recommended applications	Concentrated perfumery raw material. Unsuitable for personal use as such.	
16.5	Reason for revision	Change from previous revision: Updated classification information (section 2.1)	

 Cert. No.:
 179317
 REG-MSDS-EN-01
 Revision Date 24.09.2024

 Print Date:
 27.03.2025
 Page: 16 / 17
 Revision No. 1.6.0

The recommendations in this safety data sheet reflect the knowledge available to us on the date of going to print. They are intended to give you hints for the safe handling of the product mentioned in this safety data sheet during storage, processing, transport and waste disposal. This information cannot be transferred to other products. In those cases where the product mentioned in this safety data sheet is blended, mixed or processed with other materials or processed in any other way, the information contained in this safety data sheet cannot be related to the new material obtained in this way.

179317 REG-MSDS-EN-01 Revision Date 24.09.2024 Cert. No.:

Print Date: 27.03.2025 Page: 17 / 17 Revision No. 1.6.0